

DARE TO BE BOLD



BELLA VISTA™

GLAZED PORCELAIN AND CERAMIC MOSAIC
REVEAL IMAGING®

MARAZZI 
DARE TO BE BOLD™



BELLA VISTA™



Discover the enchantment of Bella Vista™. Possessing the look of a blended limestone, Bella Vista™ delivers a transitional design to any space. Take your space to the mesmerizing Italian countryside with majestic views of natural beauty with this classic look, offering strong variation and dramatic movement. Large-format sizes and a modern color palette combine for a contemporary essence; add an octagon & dot mosaic for a truly unique design.

IVORY



SMOKE



IVORY



BELLA VISTA™


GLAZED PORCELAIN AND CERAMIC MOSAIC

REVEAL IMAGING®

GLAZED PORCELAIN FLOOR TILE



BV30 Ivory



BV31 Beige




BV32 Taupe




BV33 Smoke


GLAZED CERAMIC 2" OCTAGON WITH 1" DOT MOSAIC 12 x 12 SHEET




BV30 Ivory



BV31 Beige



BV32 Taupe



BV33 Smoke

USAGE





Floors	Walls	Countertops
F	W	C

BELLA VISTA™

GLAZED PORCELAIN AND CERAMIC MOSAIC

REVEAL IMAGING®

SIZES

	Thickness	Sq. Ft./ Carton	Pieces/ Carton
 12 x 24 Floor Tile	(11-13/16" x 23-13/16") (30.00 cm x 60.48 cm)	5/16"	17.37
 20 x 20 Floor Tile	(19-11/16" x 19-11/16") (50.00 cm x 50.00 cm)	3/8"	18.83
 13 x 13 Floor Tile	(13-1/8" x 13-1/8") (33.30 cm x 33.30 cm)	5/16"	17.85
 2" Octagon with 1" Dot Mosaic (Dot-mounted)	(12" x 12" Sheet) (30.48 cm x 30.48 cm Sheet)	1/4"	10

APPLICATIONS

	Target DCOF wet	Suitable
Dry & Level - Interior Floor	N/A	■
Wet & Level - Interior Floor	≥ 0.42	■
Shower Floors (Residential or Light Commercial)	≥ 0.42	■*
Exterior Floor Applications (including pool decking & other wet areas with minimal footwear)	≥ 0.60	
Ramps & Inclines	≥ 0.65	
Walls/Backsplashes	N/A	■
Countertops	N/A	■
Pool Linings	N/A	■*

A DCOF value of ≥0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-2012, Section 9.6. For more information about DCOF and the DCOF AcuTest®, visit marazzitile.com/DCOF.

APPLICATION NOTES:

Floor tile suitable for exterior applications in freezing and non-freezing climates, when proper installation methods are followed.


Mosaic tile suitable for exterior applications in non-freezing climates, when proper installation methods are followed.

*Mosaic tile only

TRIM

Description	Number	Size	Shape
Floor Bullnose	P-43E9	3 x 13	

INSTALLATION

Grout Joint Recommendation	Shade Variation
<p>Floor Tile: 3/16" (Overlap should not exceed 33% when installing tile with a length 15" or greater in a staggered brick-joint pattern.)</p> <p>Mosaic: 1/8"</p>	 Random Variation

PERFORMANCE CHARACTERISTICS

	ASTM#	Floor Result	Mosaic Result
Water Absorption	C373	< 0.5%	< 3%
Breaking Strength	C648	> 275 lbs	> 250 lbs
Scratch Hardness	MOHS	8.0	8.0
Chemical Resistance	C650	Resistant	Resistant
Abrasion Resistance	C650	IV	IV

For additional information on test results, visit us at: marazzitile.com/information/TestResults.

NOTES

Since there are variations in all fired ceramic and natural products, tile and trim supplied for your particular installation may not match samples. Final confirmation should be made from actual tiles and trim prior to installation. Manufactured in accordance with ANSI A137.1 standards.

Not for use on ramps. Water, oil, grease, improper drainage and certain footwear can create slippery conditions. Floor applications expected to be exposed to these conditions require extra caution in product selection.

For additional information refer to "Factors to Consider" at: marazzitile.com/Factors

Random visuals enhance the natural beauty of this product. To achieve optimal results, all tile should be selected from multiple cartons and shading and graphic arrangement planned prior to installation.

Special consideration needs to be given when installing tiles greater than 15 inches. Please refer to marazzitile.com/LargeTiles for more information.

Use of a latex modified thin-set is recommended for installation. For more information, visit marazzitile.com.



made in the
USA



CERTIFIED
PORCELAIN
TILE
95% or more water absorption

All or select items within this series meet the requirements for these qualifications. For more information visit marazzitile.com.

PHOTOGRAPHY INDEX:

Cover

BELLA VISTA™ in Ivory 12x24

Page 2-3

BELLA VISTA™ in Smoke 12x24

Page 4

BELLA VISTA™ in Ivory 12x24

Page 5 Top

BELLA VISTA™ in Smoke 12x24

Page 5 Bottom

BELLA VISTA™ in Ivory 12x24

MARAZZI ®
DARE TO BE BOLD™

7834 C.F. Hawn Freeway
Dallas, Texas 75217

www.marazzitile.com
contact@marazzitile.com

©2018 Marazzi | 06.18 | MZBRO117 Bella Vista™ Brochure

Color and other aesthetic features shown are as close as the limitation of the printing process will allow. We have tried to make this brochure as comprehensive and factual as possible. We reserve the right, however, to make changes at any time, without notice, in colors, materials, packaging, specifications and availability. Since some information may have been updated since time of printing, please check with Marazzi Customer Service for details.