




NOTE: all bolt on accessories shipped loose, to be field installed by others.

NOTE: UNIT SHIPS UNASSEMBLED

SPECIFICATION SHEET

This shower enclosure shall be model XST 3838 TR 4P .75, right, or left. Finished surface shall be of a sanitary grade AcrylX™ applied acrylic.

Unit construction shall be of a molded reinforced fiberglass with a 15% minimum fiberglass content.


The unit shall have outside dimensions of 38 1/2" x 38 1/2" x 79". The unit shall meet ANSI Z124.1.2, ADA, and ICC/ ANSI A117.1.

HANDED BY THE VALVE


The enclosure shall be equipped with the following accessories:

- 1) One 18" x 33 1/2" x 1 1/4" diameter white concealed flange horizontal L-grab bar,
- 2) One 24" x 1 1/4" diameter white concealed flange vertical grab bar on the valve wall, both with 1 1/2" statute clearance, shipped loose, to be field installed with stainless steel bolts and 3" x 3" x 11 gauge metal mounting plates,
- 3) 32" x 21" HDPE fold up seat with legs (shipped loose),
- 4) Molded leg ledge,
- 5) Tile finish,
- 6) One inch diameter 18 gauge white curtain rod with receiver cups (shipped loose),
- 7) Factory installed Easy Base self sustaining bottom,
- 8) Integral front trench drain,
- 9) 4 piece sectional design,
- 10) 3/4" threshold.

NOTE: ALL ACCESSORIES SHIP LOOSE, FIELD INSTALLED BY OTHERS



CROSS SECTION OF THRESHOLD



THIS UNIT FEATURES THE OUTSIDE DIMENSION OF 38 1/2" OF OVERALL WIDTH. THIS DOES NOT ALLOW FOR FULL ENCLOSURE OF THE BOLTS AND NUTS USED TO SECURE THE BARS AND SEAT IN PLACE. THE BOLT AND NUT COMBINATION SHOULD NOT PROTRUDE MORE THAN 3/4" ON EITHER SIDE OF THE SHOWER WALLS, THIS MAY REQUIRE THE NEED TO NOTCH STUDS TO ALLOW BOLT CLEARANCE FOR A DRYWALL ENCLOSED FIRE WALL INSTALLATION. ADJUSTMENT OF THE WALL BOARD MAY BE NECESSARY TO PROVIDE CLEARANCE OF THE BOLT(S) WHILE MAINTAINING THE INTEGRITY OF THE DRYWALL ENCLOSED FIRE WALL ENCLOSURE.

NOTE: THIS UNIT WILL NOT ACCEPT A DOOR.

Job Name	Approved By Print Name	Date	COMFORT DESIGNS	
Project No	Approved By Signature		Model No. XST 3838 TR 4P .75 L-Bar	
Comfort Designs 435 Industrial Road Savannah, TN 38372 tel 800.443.7269 fax 731.925.4290 www.comfortdesignsbathware.com	Architect		Drawing No. XST 3838 TR 4P .75 WLB VVB BariatricHDP WCR Loose Easy Base	
	Engineer		Date Issued. 4-3-12	Drawing Rev. 7-6-20
	Rep		Material. AcrylX™ applied acrylic	
	Wholesaler		Color.	
	Comments		Dimensions are in inches. Due to the nature of the materials dimensions may vary ± 1/2"	