

Inspir-Action® – Helps Relieve Symptoms of Chronic Bronchitis

About Inspir-Action

- A harmonious combination of herbal medicine extracts and nutrients designed to reduce coughing and ease lung and nasal congestion.
- A key ingredient is N-acetyl-L-cysteine (NAC), a form of the amino acid L-cysteine.¹ NAC helps restore internal levels of glutathione, a potent antioxidant that helps stop free radical tissue damage.²
- NAC is an excellent natural remedy for reducing the amount and stickiness of mucous for both acute bronchitis and chronic lung diseases such as chronic obstructive pulmonary disease.³⁻⁷
- NAC, along with the pineapple extract bromelain, aids in the reduction of chronic sinus inflammation.⁸⁻¹⁰
- Ivy leaf and horehound extract help eliminate mucous (expectorate) and help relax smooth muscle in the lungs.¹¹⁻¹³
- Wild cherry bark reduces the irritation and spasm associated with a hacking cough.¹⁴
- Marshmallow root and mullein help ease inflammation in the throat and the lung bronchial area.^{15,16}

How to Use Inspir-Action

- 1 tablet 3 times per day with food providing protein or as directed by a health care practitioner. Take a few hours before or after taking other medications. For prolonged use, consult a health care practitioner.

Cautions and Contraindications

- Consult a health care practitioner if symptoms persist and worsen. Consult a health care practitioner prior to use if you are pregnant or breastfeeding. Consult a health care practitioner prior to use if you are taking hypo-glycemic drugs, if you have gastrointestinal lesions/ulcers, are taking anticoagulants/blood thinners, anti-inflammatory agents or antibiotics, or having surgery. Hypersensitivity/allergy has been known to occur, in which case discontinue use. Nausea, vomiting, and diarrhea have been known to occur, in which case discontinue use and consult a health care practitioner. Side effects are unusual, but can include nausea, vomiting, diarrhea, transient skin rash, flushing, epigastric pain, and constipation.¹⁷ Keep out of reach of children.

Drug Interactions

- Although NAC may reduce nitroglycerin tolerance and improve its efficacy for unstable angina, severe headaches and hypotension may occur. Bromelain may increase the concentration of several antibiotics and should be used with caution in patients on anticoagulants. Marshmallow may have a hypoglycemic effect and should be used with caution with antidiabetic medications.

Quick Tips for Optimal Health

- Flush out your nose. If you have sinusitis, flushing the sinuses with a preservative-free sterile saline solution helps remove sticky mucous and reduces stuffiness.¹⁸⁻²⁰
- Move and meditate. Participating in 2.5 hours of a weekly group session of either exercise or mindful meditation, or a daily 45-minute brisk walk or meditation, helps ease both the severity and the length of acute flu and cold episodes.^{21,22}
- Make sure you are getting enough vitamin D and/or sunshine. Supplementation, especially among people with low vitamin D levels, can significantly reduce the risk for a respiratory infection.²³
- Wash your hands. Frequent hand washing and/or the use of a face mask reduces the risk of developing respiratory infections.²⁴
- Get some sleep. If you sleep less than seven hours a night, you are at least four times more likely to develop a cold.^{25,26}
- Relax. Too much stress increases your risk of getting ill with a cold.²⁷

PATIENT NAME: _____

PRACTITIONER NOTES:

PRACTITIONER CONTACT INFORMATION:

References

1. Kelly, G.S. (1998). Clinical applications of N-acetylcysteine. *Altern Med Rev*, 3(2), 114-27.
2. Atkuri, K.R., Mantovani, J.J., Herzenberg, L.A., et al. (2007). N-Acetylcysteine—a safe antidote for cysteine/glutathione deficiency. *Curr Opin Pharmacol*, 7, 355-9.
3. Tse, H.N., Raiteri, L., Wong, K.Y., et al. (2013). High-dose N-acetylcysteine in stable COPD: The 1-year, double-blind, randomized, placebo-controlled HIACE study. *Chest*, 144(1), 106-18.
4. Scaglione, F., & Petrini, O. (2019). Mucoactive agents in the therapy of upper respiratory airways infections: Fair to describe them just as mucoactive? *Clin Med Insights Ear Nose Throat*, 12, 1179550618821930.
5. Aldini, G., Altomare, A., Baron, G., et al. (2018). N-Acetylcysteine as an antioxidant and disulphide breaking agent: The reasons why. *Free Radic Res*, 52(7), 751-62.
6. Brocard, H., Charpin, J., & Gormouty, J. (1980). Multicenter, double-blind study of oral acetylcysteine vs. placebo. *Eur J Respir Dis Suppl*, 111, 65-9.
7. Mokhtari, V., Afsharian, P., Shahhoseini, M., et al. (2017). A review on various uses of N-Acetyl cysteine. *Cell J*, 19(1), 11-7.
8. Bébéar, J.P., & Darrouzet, V. (1988). [Efficacy of N-acetylcysteine by oral route in chronic sinusitis]. *Rev Laryngol Otol Rhinol (Bord)*, 109, 185-6. [Article in French]
9. Büttner, L., Achilles, N., Böhm, M., et al. (2013). Efficacy and tolerability of bromelain in patients with chronic rhinosinusitis—a pilot study. *B-ENT*, 9(3), 217-25.
10. Braun, J.M., Schneider, B., & Beuth, H.J. (2005). Therapeutic use, efficiency and safety of the proteolytic pineapple enzyme Bromelain-POS in children with acute sinusitis in Germany. *In Vivo*, 19(2), 417-21.
11. Hecker, M., Runkel, F., & Voelp, A. (2002). Treatment of chronic bronchitis with ivy leaf special extract—multicenter post-marketing surveillance study in 1,350 patients. *Forsch Komplementarmed Klass Naturheilkd*, 9(2), 77-84. [Article in German]
12. Bradley, P.R. (1992). British herbal compendium Vol 1. British Herbal Medicine Association, pp. 218-20.
13. Zeil, S., Schwanebeck, U., & Vogelberg, C. (2014). Tolerance and effect of an add-on treatment with a cough medicine containing ivy leaves dry extract on lung function in children with bronchial asthma. *Phytomedicine*, 21(10), 1216-20.
14. Wren, R.C. (1985). Potter's new cyclopedia of botanical drugs and preparations. CW Daniel Company, pp. 281-2.
15. Bradley, P.R. (1992). British herbal compendium Vol 1. British Herbal Medicine Association, pp. 151-3.
16. Bradley, P.R. (1992). British herbal compendium Vol 1. British Herbal Medicine Association, pp. 218-20.
17. Waring, W.S. (2012). Novel acetylcysteine regimens for treatment of paracetamol overdose. *Ther Adv Drug Safety*, 3(6), 305-15.
18. Papsin, B., & McTavish, A. (2003). Saline nasal irrigation: Its role as an adjunct treatment. *Can Fam Physician*, 46(2), 168-73.
19. Hauptman, G., & Ryan, M.W. (2007). The effect of saline solutions on nasal patency and mucociliary clearance in rhinosinusitis patients. *Otolaryngol Head Neck Surg*, 137(5), 815-21.
20. Casale, M., Moffa, A., Cassano, M., et al. (2018). Saline nasal irrigations for chronic rhinosinusitis: From everyday practice to evidence-based medicine. An update. *Int J Immunopathol Pharmacol*, 32, 2058738418802676.
21. Barrett, B., Hayney, M.S., Muller, D., et al. (2012). Meditation or exercise for preventing acute respiratory infection: A randomized controlled trial. *Ann Fam Med*, 10(4), 337-46.
22. Barrett, B., Hayney, M.S., Muller, D., et al. (2018). Meditation or exercise for preventing acute respiratory infection (MEPARI-2): A randomized controlled trial. *PLoS One*, 13(6), e0197778.
23. Martineau, A.R., Jolliffe, D.A., Hooper, R.L., et al. (2017). Vitamin D supplementation to prevent acute respiratory tract infections: Systematic review and meta-analysis of individual participant data. *BMJ*, 356, i6583.
24. Aiello, A.E., Murray, G.F., Perez, V., et al. (2010). Mask use, hand hygiene, and seasonal influenza-like illness among young adults: A randomized intervention trial. *J Infect Dis*, 201(4), 491-8.
25. Cohen, S., Doyle, W.J., Alper, C.M., et al (2009). Sleep habits and susceptibility to the common cold. *Arch Intern Med*, 169(1), 62-7.
26. Prather, A.A., Janicki-Deverts, D., Hall, M.H., et al. (2015). Behaviorally assessed sleep and susceptibility to the common cold. *Sleep*, 38(9), 1353-9.
27. Cohen, S., Tyrrell, D.A., & Smith, A.P. (1991). Psychological stress and susceptibility to the common cold. *N Engl J Med*, 325(9), 606-12.