

outland





outland

- A UNIQUE COMBINATION OF SANDSTONE AND LIMESTONE
CREATE A MODERN STONE LOOKING PORCELAIN TILE
- DEVELOPED TO COMPLEMENT POPULAR INTERIOR DESIGN TRENDS, INCLUDING
THE MODERN FARMHOUSE AND CONTEMPORARY LOOKS
- THE DETAILED TEXTURE DELIVERS A LIGHT THREE-DIMENSIONALITY TO THE SURFACE,
GIVING THIS ELEGANT STONE-LOOK TILE A MORE NATURAL EFFECT
- GRAYSCALE PALETTE FEATURES SUBTLE VARIATIONS IN TONE,
WITH WARM, DELICATE HUES
- SIZES AND TRIM READY FOR ANY RESIDENTIAL AND COMMERCIAL APPLICATION



ENRICHED

MODERN STONE

Enhance your designs with a three-dimensional tile that is not only stunning, but also unique. Designed to fit in different interior settings, Outland combines the deep effect of limestone grains with the white sandstone quartz inserts to deliver an amazing three-dimensionality to your surface, while creating a modern appeal.

outland


Colors



PURE



SILVER



GRAY



DARK

Shade variation




PURE




SILVER

COLORED BODY PORCELAIN TILE



GRAY



DARK



outland
Outland Silver 11³/₄"x23⁵/₈" - 30x60 cm
Outland Pure Multi-hex Mosaic 8³/₄"x10¹/₈" - 22x26 cm

outland

outland
Outland Silver 11^{3/4}"x23^{5/8}" - 30x60 cm



outland
Outland Gray 23^{5/8}"x47^{1/4}" - 60x120 cm
Outland Gray Bullnose 2^{7/8}"x23^{5/8}" - 7.2x60 cm

outland



outland

Outland Gray 23^{5/8}"x47^{1/4}" - 60x120 cm
Outland Gray Bullnose 27^{7/8}"x23^{5/8}" - 7.2x60 cm

outland



outland
Outland Pure 11³/₄"x23⁵/₈" - 30x60 cm
Outland Dark Mosaic 11³/₄"x11³/₄" - 30x30 cm
Outland Pure Cove Base 5⁷/₈"x11³/₄" - 15x30 cm



outland

Outland Pure 11³/₄"x23⁵/₈" - 30x60cm
 Outland Dark Mosaic 11³/₄"x11³/₄" - 30x30cm
 Outland Pure Cove Base 5⁷/₈"x11³/₄" - 15x30cm





outland

Outland Dark 23⁵/₈"x47¹/₄" - 60x120 cm
Outland Silver Multi-hex Mosaic 8³/₄"x10¹/₈" - 22x26 cm
Outland Dark Cove Base 5⁷/₈"x11³/₄" - 15x30cm



outland
Outland Dark 23⁵/₈"x47¹/₄" - 60x120 cm
Outland Silver Multi-hex Mosaic 8³/₄"x10¹/₈" - 22x26 cm
Outland Dark Cove Base 5⁷/₈"x11³/₄"- 15x30cm

outland
Outland Dark 23⁵/₈"x47¹/₄" - 60x120 cm





Compliant with standards ANSI A137.1-2012

SIZE	THICKNESS	FINISH
11 3/4" x 23 5/8" - 30 x 60 cm 23 5/8" x 47 1/4" - 60 x 120 cm	9 mm	MATTE



OUTLAND PURE
11 3/4" x 23 5/8" - 30x60 cm
610010004510



OUTLAND SILVER
11 3/4" x 23 5/8" - 30x60 cm
610010004511



OUTLAND GRAY
11 3/4" x 23 5/8" - 30x60 cm
610010004512



OUTLAND DARK
11 3/4" x 23 5/8" - 30x60 cm
610010004513



OUTLAND PURE
23 5/8" x 47 1/4" - 60x120 cm
610010004514



OUTLAND SILVER
23 5/8" x 47 1/4" - 60x120 cm
610010004515



OUTLAND GRAY
23 5/8" x 47 1/4" - 60x120 cm
610010004516



OUTLAND DARK
23 5/8" x 47 1/4" - 60x120 cm
610010004517

MOSAICS & DECORS




OUTLAND PURE MOSAIC
11 3/4" x 11 3/4" - 30x30 cm
(Mosaic 2"x2")
610110000676



OUTLAND SILVER MOSAIC
11 3/4" x 11 3/4" - 30x30 cm
(Mosaic 2"x2")
610110000677



OUTLAND GRAY MOSAIC
11 3/4" x 11 3/4" - 30x30 cm
(Mosaic 2"x2")
610110000678



OUTLAND DARK MOSAIC
11 3/4" x 11 3/4" - 30x30 cm
(Mosaic 2"x2")
610110000679



OUTLAND PURE MULTI-HEX MOSAIC
8 3/4" x 10 1/8" - 22x26 cm
(Mosaic 3.8"x1.6")
610110000680



OUTLAND SILVER MULTI-HEX MOSAIC
8 3/4" x 10 1/8" - 22x26 cm
(Mosaic 3.8"x1.6")
610110000681




OUTLAND GRAY MULTI-HEX MOSAIC
8 3/4" x 10 1/8" - 22x26 cm
(Mosaic 3.8"x1.6")
610110000682




OUTLAND DARK MULTI-HEX MOSAIC
8 3/4" x 10 1/8" - 22x26 cm
(Mosaic 3.8"x1.6")
610110000683

COORDINATING TRIMS

		Bullnose	Cove base
	OUTLAND PURE	610130006005	610130006009
	OUTLAND SILVER	610130006006	610130006010
	OUTLAND GRAY	610130006007	610130006011
	OUTLAND DARK	610130006008	610130006012



Bullnose
3"x 24" - 7.2x60 cm



Cove base
6"x12" - 15x30 cm - 8.5mm



Compliant with standards ANSI A137.1-2012

**SIZE**

11 3/4" x 23 5/8" - 30 x 60 cm
23 5/8" x 47 1/4" - 60 x 120 cm

THICKNESS

± 9 mm

FINISH

matte

**V3 MODERATE VARIATION**

While the colors and/or texture present on a single piece of tile will be indicative of the colors and/or texture to be expected on the other tiles, the amount of colors and/or texture on each piece may vary significantly. It is recommended that the range be viewed before selection.

FIELD TILES

Available in all colors

MOSAICS**AND COORDINATING TRIMS**

Available in all colors

Commercial size (in)	Nominal size (in)	Thickness (mm)	Finish	Rectified edge
12" x 24"	11 3/4" x 23 5/8"	9 mm	Matte	-
24" x 48"	23 5/8" x 47 1/4"	9 mm	Matte	Yes
Commercial size (in)	Nominal size (in)	Thickness (mm)	Finish	Please refer to caliber chart for work sizes. Close joints are not recommended. (*): Cove Base thickness is 7 mm on flat top part.
Mosaic 2" x 2"	11 3/4" x 11 3/4"	9 mm	Matte	
Multi-hex Mosaic 3.8" x 1.6"	8 3/4" x 10 1/8"	9 mm	Matte	
Bullnose 3" x 24"	2 7/8" x 23 5/8"	9 mm	Matte	
Cove Base 6" x 12"	5 7/8" x 11 3/4"	8.5 mm (*)	Matte	

PERFORMANCE & FEATURES**REGULARITY CHARACTERISTICS**

Nominal Size	ASTM C499	-3.00%	3.00%	-3.00%	2.00%	Compliant
Caliber Range (Variation from average facial dimension of sample)		-0.50% or -0.08 in (-2.0 mm) (*)	0.50% or 0.08 in (2.0 mm) (*)	-0.25% or -0.03 in (-0.8 mm) (*)	0.25% or 0.03 in (0.8 mm) (*)	Compliant
Thickness ⁽¹⁾		N/A	Range: 0.40 in (1.02 mm)	N/A	Range: 0.40 in (1.02 mm)	Compliant
Wedging	ASTM C502	-0.50% or -0.08 in (-2.0 mm) (*)	0.50% or 0.08 in (2.0 mm) (*)	-0.25% or -0.03 in (-0.8 mm) (*)	0.25% or 0.03 in (0.8 mm) (*)	Compliant
Warpage Edge	ASTM C485	-0.75% or -0.09 in (-2.3 mm) (*)	0.75% or 0.09 in (2.3 mm) (*)	-0.40% or -0.05 in (-1.3 mm) ^[2] or -1.8 mm ^[3] (*)	0.40% or 0.05 in (1.3 mm) ^[2] or 1.8 mm ^[3] (*)	Compliant
Warpage Diagonal		-0.50% or -0.08 in (-2.0 mm) (*)	0.50% or 0.08 in (2.0 mm) (*)	-0.40% or -0.07 in (-1.8 mm) (*)	0.40% or 0.07 in (1.8 mm) (*)	Compliant

STRUCTURAL CHARACTERISTICS

Water Absorption	ASTM C373	≤ 0.5%	≤ 0.5%
------------------	-----------	--------	--------

BULK MECHANICAL CHARACTERISTICS

Breaking Strength	ASTM C648	Average ≥ 250 lbf. (1.11 kN) Individual ≥ 225 lbf. (1.00 kN)	≥ 350 lbf. avg
-------------------	-----------	---	----------------

PHYSICAL PROPERTIES

Bond Strength	ASTM C482	≥ 50 psi (0.34 Mpa)	≥ 100 psi
---------------	-----------	---------------------	-----------

THERMAL AND IGROMETRIC CHARACTERISTICS

Resistance to Freeze/Thaw Cycling	ASTM C1026	As Reported	Resistant
-----------------------------------	------------	-------------	-----------

CHEMICAL CHARACTERISTICS

Chemical Resistance	ASTM C650	As Reported	Unaffected
---------------------	-----------	-------------	------------



Stain Resistance	ASTM C1378	As Reported	Unaffected
------------------	------------	-------------	------------

SAFETY CHARACTERISTICS

Dynamic coefficient of friction	DCOF	Requires a minimum value of 0.42 for commercial areas that are likely to be wet	> 0.42 Wet
---------------------------------	------	---	------------

(*) Whichever is less

(1) May not apply to textured surfaces or tiles with uneven back patterns.

(2) Whichever is less, for tiles up to 24"x24" (610 mm x 610 mm).

(3) Applies to tiles larger than 24"x24" (610 mm x 610 mm).

For more details please see the catalogue or visit atlasconcordeusa.com
The Health Product Declaration® logo is a registered trademark of HPD Collaborative.

