DTK-WM8NETS

Wall Mount Shielded Network Surge Protector

DITEK Surge Protection



DITEK's DTK-WM8NETS is an 8-channel, wall mount surge protector that uses state-of-the-art circuitry to provide best-in-breed surge protection for shielded Ethernet, PoE and optional PoE extender circuits. It supports data speeds up to 10GbE, and provides surge protection grounding to remote devices when used with STP cabling. The DTK-WM8NETS is ideal for smaller installations where Ethernet cabling feeds require protection before entering network switches.

Product Features

- Uses SAD and GDT technologies for optimal circuit protection
- Robust 20kA per pair surge current capacity is the highest offered for shielded network devices
- Rapid-replacement modular design allows modules to be swapped from front of device.
- PoE Plus, HiPoE ready for high-wattage applications

Applications

- Network Switches, NVR's, PoE Hubs
- Midspans, Injectors, VoIP Systems
- Ethernet & PoE Devices, PoE Extenders

Accessories

- Mix and match rapid-replacement modules to protect Ethernet, PoE and PoE Extender circuits within the same wall mount housing
  - DTK-NETMS – For Ethernet & PoE Circuits
  - DTK-EXTMS – For PoE Extender Circuits

Category	Max Data Speed Transmission	Max Bandwidth	Typical Distance
CAT5e	1 Gb	100 MHz	100 m
CAT6	1 Gb	250 MHz	100 m
CAT6A	10 Gb	500 MHz	100 m

Cabling information obtained from TIA-568-C.2

Technical Specifications

Service Voltage:	<60V
Protection Modes:	L-G (All), L-L (All)
Clamping Voltage Common Mode (L-G):	75V
Clamping Voltage Differential Mode (L-L):	7.22V
Surge Current Rating:	20kA/Pair
Power Handling:	144 Watts
Data Rate:	Up To 10GbE

Mechanical Characteristics

Connection Method:	Shielded RJ45 In/Out, 8 Channels
Housing:	ABS
Operating Temperature:	-40°F - 158°F (-40°C - 70°C)
Maximum Humidity:	95% non-condensing
Dimensions:	7.60"L x 2.96"W x 2.36"H (193mm x 75mm x 60mm)
Weight:	16.0 oz (.45kg)

Quality, Standards & Approval

Agency Approvals:	UL497B
Standards Compliance:	CAT5e, EIA/TIA568A, EIA/TIA568B
Warranty:	Ten Year Limited Warranty

One DITEK Center 1720 Starkey Road - Largo, FL 33771
Phone: 1-800-753-2345 Direct: 727-812-5000
Technical Support: 1-888-472-6100
www.diteksurgeprotection.com

Doc. Number: SPS-100097-001 Rev 3 6/20

ISO 9001 UL LISTED MADE IN U. S. A.