MODEL NUMBER: 076058800
DESCRIPTION: 400W MH LIGHT FX PS
LISTINGS: UL/CUL Listed; EISA200

FEATURES & BENEFITS

Energy Efficient and Long Life 400W Metal Halide Bulb
Quick installation with spring-loaded hanger
Heavy gauge steel guards to resist damage.
Quad-tap ballast (120v, 208v, 240v, 277v)



CONSTRUCTION

Dimensions: Approx. 10" diameter x 23" high, including mounting hoo
Weight: 17 lbs (approx)
Housing: Steel, powder coated
Lamp guard: Plated steel wire, includes snap-on protective bottom gu
Ballast type: ANSI M155, pulse start
Capacitor: 26µF, 330VAC, 100oC
Lamp holder: EX39 exclusionary mogul base
Electrical supply: Supplied pre-wired with a 3.5' 18/3 SJTW power sup
Voltage options: Quad-tap ballast for operation at 120V (3.8A), 208V (
Wiring options: (2) 1/2" knock-outs in wiring compartment accommoc
Lamp bulb (one included):
Lamp bulb wattage: 400 watts
Rated average bulb life: Over 10,000 hours
Bulb color temperature: 4000K
Lamp bulb type: Pulse start MP400, w/ extended eyelet mogul base, "
Replacement bulb: CCI catalog number 07625 or equivalent

TECHNICAL SPECIFICATIONS

Operating temperature rating:
Operating environment: -40 to +60 C
Nominal operating voltage: 125, 208, 240, 277VAC
Nominal operating current: 120V (3.8A), 208V (2.2A), 240V (1.9A
Nominal operating wattage: 400W

ORDERING INFORMATION

UPC: 029892509538 Carton qty:
Carton dimensions: 17x11.75x15 inches
Carton weight: 20.85 lbs

WARRANTY: 1 Year Limited Warranty

The information presented here is, to the best of our knowledge, true and accurate. However, since conditions of use are beyond our control, all recommendations or suggestions are presented without

guarantee or responsibility on our part.

We disclaim all liability in connection with the use of information contained herein or otherwise.

This specification is the proprietary intellectual property of Southwire Company, LLC. Any information contained herein shall not be disclosed to any party without the written consent of Southwire Company, LLC.

Southwire Company, LLC One Southwire Drive Carrollton, GA 30119 1-800-561-4321 www.southwire.com

TYPE O
7 compliant with 88% energy efficiency