HUBBELL Wiring Device-Kellems

Straight Blade Devices, Male Plug, Insulgrip Heavy Duty, Industrial/Commercial Grade, Angled, 2-Pole 3-Wire Grounding, 15A 125V, 5-15P and White

By Hubbell Wiring Device-Kellems Catalog # HBL5266CA

Straight Blade Devices, Male Plug, Insulgrip Heavy Duty, Industrial/Commercial Grade, Angled, 2-Pole 3-Wire Grounding, 15A 125V, 5-15P, Black and White, Single Pack.



General

Application Industrial/Commercial Grade

Catalog Number HBL5266CA
Color Noir, blanc

EU RoHS Indicator Contact Manufacturer

Horsepower - Maximum 0.5

Item TypeInsulgrip PlugMaterialPolycarbonate

Number Of Poles 2-Pole

Operating Temperature Maximum continuous 75°C and

minimum -40°C without Impact

Performance Electrical - Current Interrupting

- Certified for current interrupting at full rated

current

Electrical - Dielectric Voltage - Withstands 2,000V minimum

Environmental - Flammability -

UL 94 HB or better

Environmental - IP Suitability -

IP20

Environmental - Operating Temperatures - Maximum continuous 75°C minimum -40°C (w/o impact)

Mechanical - Terminal

Accommodation - #18-10 AWG. Standed copper wire only Mechanical - Terminal

Identification - Terminals identified in accordance with

UL 498 and CSA

Series Insulgrip®
Style Angled
Type Plug

UPC 783585173054

Dimensions

Dimensions 1.53 in x 1.22 in x 2.11 in

Height 2.11 in
Length 1.53 in
Weight 0.15 lb
Width 1.22 in

Electrical Ratings

Amperage Rating 15 A
Current / Amperage Rating 15 A
Current Rating 15 A

Dielectric Strength Withstands 2,000V minimum

Phase Single Phase Voltage Rating 125 VAC Voltage Rating Description 125 V

Conductor Related

Number Of Wires 3-Wire

Wire Size #18 AWG to #10 AWG

Certifications And Compliance

Industry Standard(s) CSA Certified to C22.2 No. 42

File 280

CM

Fed. Spec. W-C596G

NEMA® WD-6 Compliant

UL Listed to UL498 File E1706

Nema Rating 5-15P

Standards - RoHS Compliance

Status

Logistics

Carton Quantity 10 Pallet Quantity 4500

Product Assets

Catalogs - WDK Catalog Full 2024

Warranty - Industrial & Commercial Products



©2024 Hubbell Incorporated. All rights reserved WDK_MX-HBL5266CA-SPEC-EN | REV 6/2024