

Hinge & Plate Selection Guide

for 700, 725, 900 and 1750 Series Hinges

Frameless Cabinetry									
Full Overlay					Half Overlay				
Hinge /0 Crank	Dowel	Adj	Plate /0 mm	Mat.	Hinge /9 Crank	Dowel	Adj	Plate /0 mm	Mat.
90° 700.0161.25 SC	Press-in	Cam	600.1233.05	Steel	110° 700.0536.25 SC	None	Cam	600.1233.05	Steel
110° 700.0535.25 SC	None	Cam	600.0118.05 Euro	Steel	110° 700.0179.25 SC	Press-in	Cam	600.0118.05 Euro	Steel
110° 700.0534.25 SC	None	Screw	600.2118.05	Steel	110° 900.0536.05 HD	None	Cam	600.2118.05	Steel
110° 700.0181.25 SC	Press-in	Cam	600.3118.05 Euro	Steel	110° 725.0536.25	None	Cam	600.3118.05 Euro	Steel
110° 700.0171.25 SC	Press-In	Screw	600.0R22.05 Cam	Zinc	110° 725.0179.25	Press-in	Cam	600.0R22.05 Cam	Zinc
110° 725.0535.25	None	Cam	600.0R23.05 Cam	Zinc	110° 900.0179.25 HD	Press-in	Cam	600.0R23.05 Cam	Zinc
110° 725.0534.25	None	Screw	600.0P71.05 Cam/Euro	Zinc	110° 1750.0536.25 SC	None	Cam	600.0P71.05 Cam/Euro	Zinc
110° 725.0181.25	Press-in	Cam	600.0P72.05 Cam/Euro	Zinc	110° 1750.0179.25 SC	Press-in	Cam	600.0P72.05 Cam/Euro	Zinc
110° 725.0171.25	Press-In	Screw	600.0P30.05 3-Hole	Zinc	125° 700.0U99.05	Lever	Cam	600.0P30.05 3-Hole	Zinc
110° 900.0535.05 HD	None	Cam	600.0R30.05 3-Hole	Zinc				600.0R30.05 3-Hole	Zinc
110° 900.0181.25 HD	Press-in	Cam						600.3454.65 110	Zinc
110° 1750.0535.25 SC	None	Cam							
110° 1750.0181.25 SC	Press-in	Cam							
125° 700.0U85.05 SC	None	Cam							
125° 700.0U84.05 SC	Press-in	Cam							
125° 700.0U86.05 SC	Easy-Fix	Cam							
125° 700.0U94.05 SC	Lever	Cam							
125° 725.0U84.05	Press-in	Cam							
125° 725.0U85.05	None	Cam							
125° 725.0U94.05 SC	Lever	Cam							
125° 900.0U85.05 HD	None	Cam							
125° 900.0U84.05 HD	Press-in	Cam							
125° 900.0U94.05 HD	Lever	Cam							
165° 700.0M73.05 SC	Press-in	Cam							
165° 900.0M73.05 HD	Press-in	Cam							
165° 725.0M73.05	Press-in	Cam							
Inset					45 Degree				
Hinge /15 Crank	Dowel	Adj	Plate /0 mm	Mat.	Hinge /18 Crank	Dowel	Adj	Plate/0 mm	Mat.
110° 700.0537.25 SC	None	Cam	600.1233.05	Steel	105° 700.0N20.05 SC	Press-in	Screw	600.1233.05	Steel
110° 700.0280.25 SC	Press-in	Cam	600.0118.05 Euro	Steel				600.0118.05 Euro	Steel
110° 725.0537.25	None	Cam	600.2118.05	Steel				600.2118.05	Steel
110° 725.0280.25	Press-in	Cam	600.3118.05 Euro	Steel				600.3118.05 Euro	Steel
110° 900.0537.05 HD	None	Cam	600.0R22.05 Cam	Zinc				600.0R22.05 Cam	Zinc
110° 900.0280.25 HD	Press-in	Cam	600.0R23.05 Cam	Zinc				600.0R23.05 Cam	Zinc
110° 1750.0537.25 SC	None	Cam	600.0P71.05 Cam/Euro	Zinc				600.0P71.05 Cam/Euro	Zinc
110° 1750.0280.25 SC	Press-in	Cam	600.0P72.05 Cam/Euro	Zinc				600.0P72.05 Cam/Euro	Zinc
			600.0P30.05 3-Hole	Zinc				600.0P30.05 3-Hole	Zinc
								600.0R30.05 3-Hole	Zinc
Inset					90 Degree Blind Corner (Inset application/no overlay)				
Hinge /15 Crank	Dowel	Adj	Plate /0 mm	Mat.	Hinge /18 Crank	Dowel	Adj	Plate/0 mm	Mat.
110° 700.0537.25 SC	None	Cam	600.1233.05	Steel	105° 700.0N24.05 SC	Press-in	Screw	600.1233.05	Steel
110° 700.0280.25 SC	Press-in	Cam	600.0118.05 Euro	Steel				600.0118.05 Euro	Steel
110° 725.0537.25	None	Cam	600.2118.05	Steel				600.2118.05	Steel
110° 725.0280.25	Press-in	Cam	600.3118.05 Euro	Steel				600.3118.05 Euro	Steel
110° 900.0537.05 HD	None	Cam	600.0R22.05 Cam	Zinc				600.0R22.05 Cam	Zinc
110° 900.0280.25 HD	Press-in	Cam	600.0R23.05 Cam	Zinc				600.0R23.05 Cam	Zinc
110° 1750.0537.25 SC	None	Cam	600.0P71.05 Cam/Euro	Zinc				600.0P71.05 Cam/Euro	Zinc
110° 1750.0280.25 SC	Press-in	Cam	600.0P72.05 Cam/Euro	Zinc				600.0P72.05 Cam/Euro	Zinc
			600.0P30.05 3-Hole	Zinc				600.0P30.05 3-Hole	Zinc
								600.0R30.05 3-Hole	Zinc

Hinge & Plate Selection Guide

for 700, 725, 900 and 1750 Series Hinges

European
Hinges

Face Frame Cabinetry									
3/4" Overlay					1/2" Overlay				
Hinge /0 Crank	Dowel	Adj	Plate /0 mm	Mat.	Hinge /0 Crank	Dowel	Adj	Plate /3 mm	Mat.
90° 700.0161.25 SC	Press-in	Cam	600.3456.65	Steel	90° 700.0161.25 SC	Press-in	Cam	600.3457.65	Steel
110° 700.0535.25 SC	None	Cam	600.3553.65 Cam	Zinc	110° 700.0535.25 SC	None	Cam	600.3554.65 Cam	Zinc
110° 700.0181.25 SC	Press-in	Cam	600.3453.65 110	Zinc	110° 700.0181.25 SC	Press-in	Cam	600.3459.65 Wrap Around	Zinc
110° 725.0534.25	None	Screw			110° 725.0534.25	None	Screw	600.3454.65 110	Zinc
110° 725.0535.25	None	Cam			110° 725.0535.25	None	Cam		
110° 725.0171.25	Press-in	Screw			110° 725.0171.25	Press-in	Screw		
110° 725.0181.25	Press-in	Cam			110° 725.0181.25	Press-in	Cam		
110° 900.0535.05 HD	None	Cam			110° 900.0535.05 HD	None	Cam		
110° 900.0181.25 HD	Press-in	Cam			110° 900.0181.25 HD	Press-in	Cam		
110° 1750.0535.25 SC	None	Cam			110° 1750.0535.25 SC	None	Cam		
110° 1750.0181.25 SC	Press-in	Cam			110° 1750.0181.25 SC	Press-in	Cam		
125° 700.0U85.05 SC	None	Cam			125° 700.0U85.05 SC	None	Cam		
125° 700.0U84.05 SC	Press-in	Cam			125° 700.0U84.05 SC	Press-in	Cam		
125° 700.0U86.05 SC	Easy-Fix	Cam			125° 700.0U86.05 SC	Easy-Fix	Cam		
125° 700.0U94.05 SC	Lever	Cam			125° 700.0U94.05 SC	Lever	Cam		
125° 725.0U84.05	Press-in	Cam			125° 725.0U84.05	Press-in	Cam		
125° 725.0U85.05	None	Cam			125° 725.0U85.05	None	Cam		
125° 725.0U94.05 SC	Lever	Cam			125° 900.0U85.05 HD	None	Cam		
125° 900.0U85.05 HD	None	Cam			125° 900.0U84.05 HD	Press-in	Cam		
125° 900.0U84.05 HD	Press-in	Cam			125° 900.0U94.05 HD	Lever	Cam		
125° 900.0U94.05 HD	Lever	Cam			165° 700.0M73.05 SC	Press-in	Cam		
165° 700.0M73.05 SC	Press-in	Cam			165° 900.0M73.05 HD	Press-in	Cam		
165° 900.0M73.05 HD	Press-in	Cam			165° 725.0M73.05	Press-in	Cam		
165° 725.0M73.05	Press-in	Cam			165° 900.0M73.05 HD	Press-in	Cam		
					165° 725.0M73.05	Press-in	Cam		
3/8" Overlay					Inset				
Hinge /9 Crank	Dowel	Adj	Plate /0 mm	Mat.	Hinge /9 Crank	Dowel	Adj	Plate /9 mm Inset	Mat.
110° 700.0536.25 SC	None	Cam	600.3456.65	Steel	110° 700.0536.25 SC	None	Cam	600.3458.65 Cam	Zinc
110° 700.0179.25 SC	Press-in	Cam	600.3553.65 Cam	Zinc	110° 700.0179.25 SC	Press-in	Cam	600.3454.65 110	Zinc
110° 725.0536.25	None	Cam	600.3453.65 110	Zinc	110° 725.0536.25	None	Cam		
110° 725.0179.25	Press-in	Cam			110° 725.0179.25	Press-in	Cam		
110° 900.0536.05 HD	None	Cam			110° 900.0536.05 HD	None	Cam		
110° 900.0179.25 HD	Press-in	Cam			110° 900.0179.25 HD	Press-in	Cam		
110° 1750.0536.25 SC	None	Cam			110° 1750.0536.25 SC	None	Cam		
110° 1750.0179.25 SC	Press-in	Cam			110° 1750.0179.25 SC	Press-in	Cam		
125° 700.0U99.05	Lever	Cam							

Hinge & Plate Selection Guide for 500 Series Hinges

Frameless Cabinetry									
Full Overlay					Half Overlay				
Hinge /0 Crank	Dowel	Adj	Plate /0 mm	Mat.	Hinge /9 Crank	Dowel	Adj	Plate /0 mm	Mat.
90° 500.0161.75	Press-in	Cam	400.1233.05	Steel	110° 500.0536.75	None	Cam	400.1233.05	Steel
110° 500.0534.75	None	Screw	400.0118.75 Euro	Steel	110° 500.0279.05	Press-in	Screw	400.0118.75 Euro	Steel
110° 500.0535.75	None	Cam	400.0R22.75 Cam	Steel	110° 500.0179.75	Press-in	Cam	400.0R22.75 Cam	Steel
110° 500.0171.75	Press-in	Screw	400.0R23.75 Cam	Zinc	125° 500.0U99.05	Lever	Cam	400.0R23.75 Cam	Zinc
110° 500.0181.75	Press-in	Cam	400.0P72.75 Cam/Euro	Zinc				400.0P72.75 Cam/Euro	Zinc
110° 500.0186.75	Easy-Fix	Cam	400.0P71.75 Cam/Euro	Steel				400.0P71.75 Cam/Euro	Steel
110° 500.0141.75*	Press-in	Cam	400.0P30.05 3-Hole	Zinc				400.0P30.05 3-Hole	Zinc
125° 500.0U85.75	None	Cam	400.0R30.05 3-Hole	Zinc				400.0R30.05 3-Hole	Zinc
125° 500.0U84.75	Press-in	Cam	400.2118.05 Dowels	Steel				400.2118.05 Dowels	Steel
125° 500.0U86.75	Easy-Fix	Cam	400.3118.05 Short Screw	Steel				400.3118.05 Short Screw	Steel
170° 500.0M73.75	Press-in	Screw							
*500.0141.05 is free-swinging non-self-closing									
Inset					45 Degree				
Hinge /15 Crank	Dowel	Adj	Plate /3 mm	Mat.	Hinge /18 Crank	Dowel	Adj	Plate/0 mm	Mat.
110° 500.0537.75	None	Screw	400.1234.05	Steel	105° 500.0N20.75	Press-in	Screw	400.1233.05	Steel
110° 500.0280.05	Press-in	Screw	400.0119.75 Euro	Steel				400.0118.75 Euro	Steel
			400.0R24.75 Cam	Steel				400.0R22.75 Cam	Steel
			400.0R25.05 Cam	Zinc				400.0R23.75 Cam	Zinc
			400.0P73.75 Cam/Euro	Steel				400.0P72.75 Cam/Euro	Zinc
			400.0P74.75 Cam/Euro	Zinc				400.0P71.75 Cam/Euro	Steel
			400.0P32.05 3-Hole	Zinc				400.0P30.05 3-Hole	Zinc
			400.0R32.05 3-Hole	Zinc				400.0R30.05 3-Hole	Zinc
			400.2119.05 Dowels	Steel				400.2118.05 Dowels	Steel
			400.3119.05 Short Screw	Steel				400.3118.05 Short Screw	Steel
90 Degree Blind Corner (Inset application/no overlay)									
Hinge /18 Crank	Dowel	Adj	Plate/0 mm	Mat.					
105° 500.0N24.75	Press-in	Screw	400.1233.05	Steel					
			400.0118.75 Euro	Steel					
			400.0R22.05 Cam	Steel					
			400.0R23.75 Cam	Zinc					
			400.0P72.75 Cam/Euro	Zinc					
			400.0P71.75 Cam/Euro	Steel					
			400.0P30.05 3-Hole	Zinc					
			400.0R30.05 3-Hole	Zinc					

Hinge & Plate Selection Guide for 500 Series and Compact Hinges

European
Hinges

Face Frame Cabinetry									
3/4" Overlay					1/2" Overlay				
Hinge /0 Crank	Dowel	Adj	Plate /0 mm	Mat.	Hinge /0 Crank	Dowel	Adj	Plate /3 mm	Mat.
90° 500.0161.75	Press-in	Cam	400.3453.75 110	Zinc	90° 500.0161.75	Press-in	Cam	400.3454.75 110	Zinc
110° 500.0534.75	None	Screw	400.3713.75 125	Zinc	110° 500.0534.75	None	Screw	400.3717.65 125	Steel
110° 500.0535.75	None	Cam	400.3723.75 125/Cam	Zinc	110° 500.0535.75	None	Cam	400.3457.65 110	Steel
110° 500.0171.75	Press-in	Screw			110° 500.0171.75	Press-in	Screw	400.3456.75 Wrap Around	Zinc
110° 500.0181.75	Press-in	Cam			110° 500.0181.75	Press-in	Cam	400.3714.75 125	Zinc
110° 500.0186.75	Eazy-Fix	Cam			110° 500.0186.75	Eazy-Fix	Cam	400.3724.75 125/Cam	Zinc
110° 500.0141.75*	Press-in	Cam			110° 500.0141.75*	Press-in	Cam		
125° 500.0U85.75	None	Cam			125° 500.0U85.75	None	Cam		
125° 500.0U84.75	Press-in	Cam			125° 500.0U84.75	Press-in	Cam		
125° 500.0U86.75	Easy-Fix	Cam			125° 500.0U86.75	Easy-Fix	Cam		
170° 500.0M73.75	Press-in	Screw			170° 500.0M73.05	Press-in	Screw		
*500.0141.75 is free-swinging non-self-closing					*500.0141.75 is free-swinging non-self-closing				
3/8" Overlay					Inset				
Hinge /9 Crank	Dowel	Adj	Plate /0 mm	Mat.	Hinge /9 Crank	Dowel	Adj	Plate /9 mm Inset	Mat.
110° 500.0536.75	None	Cam	400.3453.75 110	Zinc	110° 500.0536.75	None	Cam	400.3458.65 Cam	Zinc
110° 500.0279.05	Press-in	Screw	400.3713.75 125	Zinc	110° 500.0U99.05	Lever	Cam		
110° 500.0179.75	Press-in	Cam	400.3723.75 125/Cam	Zinc	110° 500.0279.05	Press-in	Screw		
					110° 500.0179.05	Press-in	Cam		
1/4" Overlay					Pie Corner				
Hinge /9 Crank	Dowel	Adj	Plate/3 mm	Mat.	Hinge /18 Crank	Dowel	Adj	Plate /0 mm	Mat.
110° 500.0536.75	None	Cam	400.3454.75 110	Zinc	105° 500.0U22.75	Press-in	Screw	400.1233.05	Steel
110° 500.0279.05	Press-in	Screw	400.3717.65 125	Steel				400.0R22.75 Cam	Steel
110° 500.0179.05	Press-in	Cam	400.3456.75 Wrap Around	Zinc				400.0R23.75 Cam	Zinc
			400.3714.75 125	Zinc					
			400.3724.75 125/Cam	Zinc					
			400.3457.65	Steel					

Face Frame Cabinetry - Compact Hinges									
3/4" Overlay					1/2" Overlay				
Hinge	Dowel	Adj	Plate		Hinge	Dowel	Adj	Plate	
105° 3390-6-000	Press-in	Cam	No plate needed		105° 3390	Press-in	Cam	No plate needed	
					105° 3390-2-000	Press-in	Cam	No plate needed	
					105° 3390-3-000	Easy-Fix	Cam	No plate needed	
					125° 22855-7-000N	Press-in	Cam	Plate included	
					125° 22855-8-000N	None	Cam	Plate included	
					125° 22855-9	Press-in	Cam	Cam adj. plate included	
					125° 22855-10	None	Cam	Cam adj. plate included	
Pie Corner					1/2" Overlay Soft-close				
Hinge	Dowel	Adj	Plate		Hinge	Dowel	Adj	Plate	
160° 22877-000	None	Screw	No plate needed. Tab -4 mm		105° 22855-9SFT	Press-in	Cam	Cam adj. plate included	
					105° 22855-10SFT	None	Cam	Cam adj. plate included	