BIOADVANCED® SCIENCE-BASED SOLUTIONS FRUIT & VEGETABLE 3-IN-1 SOLUTION
READY-TO-USE

FIRST AID

IF ON SKIN OR CLOTHING

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

For additional information on this pesticide product, you may call toll free 1-877-229-3763 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Causes moderate eye irritation. Avoid contact with eyes. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

User Safety Recommendations

- Users should wash hands with plenty of soap and water before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms including fish and invertebrates. Do not contaminate water when disposing of equipment, washwater, or rinsate. Do not apply directly to or near water. Drift and run-off may be hazardous to fish in water adjacent to treated areas. See Directions for Use for additional precautions and requirements.

PHYSICAL OR CHEMICAL HAZARDS

Combustible.
Do not use or store near heat or open flame.

EPA Reg. No. 67702-15-92564

EPA Est. No indicated by 3rd and 4th digits of the batch number on this package.
(65) = 92564-TX-1 (57) = 071106-GA-003 (46) = 88746-MO-1

Distributed by: SBM Life Science Corp.,
PO Box 525, Morrisville, NC 27560

BioAdvanced® is a registered trademark of SBM Life Science Corp.

NEUDORFF Sold under License of W. Neudorff GmbH KG

PRESS TO RESEAL

501442314 210216V1

PRIMEROS AUXILIOS

SI ENTRA EN CONTACTO CON PIEL O ROPA

- Quitar inmediatamente la ropa contaminada.
- Lavar la piel inmediatamente con mucha agua durante 15-20 minutos.
- Llamar al centro de control de envenenamiento o al médico para asesoramiento sobre el tratamiento.

EN CASO DE CONTACTO CON LOS OJOS

- Mantener los ojos abiertos y enjuagar lentamente y cuidadosamente con agua durante 15 o 20 minutos.
- Quitar los lentes de contacto, si los tuviera, luego de los primeros 5 minutos, continuar lavando los ojos.
- Llame al centro de control de envenenamiento o al médico para asesoramiento sobre el tratamiento.

Tenga el recipiente del producto o la etiqueta con usted cuando llame al centro de control de envenenamiento o al médico o cuando vaya para recibir tratamiento.

Para acceder a información adicional sobre este producto pesticida, puede llamar a la línea directa al 1 -877-229-3763 en caso de necesitar información para tratamiento médico de emergencia.

DECLARACIONES DE PRECAUCIÓN

Riesgos para seres humanos y animales domésticos

PRECAUCIÓN

Causa irritación moderada en los ojos. Evitar contacto con los ojos. Evitar contacto con la piel o ropa. Lavar las manos cuidadosamente con agua y jabón luego de manipularlo y antes de comer, beber, masticar goma de mascar, usar tabaco o ir al baño.

Recomendaciones de seguridad para el usuario

- Los usuarios deberán lavarse las manos con mucha agua y jabón antes de comer, beber, masticar goma de mascar, usar tabaco o ir al baño.
- Los usuarios deberán quitarse la ropa inmediatamente si el pesticida ingresa. Luego, lavar cuidadosamente y ponerse ropa limpia.

RIESGOS QUÍMICOS O FÍSICOS

Combustible. No usar o almacenar cerca del calor o la llama abierta.

RIESGOS AMBIENTALES

Este producto es tóxico a los organismos acuáticos, incluyendo peces e invertebrados. No contaminar el agua cuando deseche el equipo de lavado o enjuague. No aplicar directamente o cerca del agua. Su dispersión o corriente puede ser peligroso para los peces en agua adyacente a áreas tratadas. Consulte las instrucciones de uso para precauciones y requisitos adicionales.

BIOADVANCED®
SCIENCE-BASED SOLUTIONS

FRUIT & VEGETABLE

3-IN-1 SOLUTION

READY-TO-USE

Kills listed fungus, insects & mites.

CONTROLS

BLACK SPOT | POWDERY MILDEW | RUST

APHIDS | CATERPILLARS | MITES

AND OTHER LISTED INSECT PESTS

USE SITES

FRUIT & NUT TREES | VEGETABLES | VINE PLANTS

QUICK FACTS

USE UP TO DAY BEFORE HARVEST

CONTACT KILLER FOR BOTH LISTED INSECT AND MITE PESTS

READ THE LABEL FIRST

Indicaciones en español después de las de inglés

FOR USE ONLY ON RESIDENTIAL LAWNS AND GARDENS.

FOR QUESTIONS OR COMMENTS?
Call toll-free
(877) 229-3724
or visit us online at
www.bioadvanced.com

SATISFACTION GUARANTEED†

† *Money back guarantee: if you are not satisfied with this product, we will gladly refund your original purchase price.*

8 40216 20036 4

501442314 210216V1

EPA Reg. No. 67702-15-92564

EPA Est. No indicated by 3rd and 4th digits of the batch number on this package. (65) = 92564-TX-1 (57) = 071106-GA-003 (46) = 88746-MO-1

PEEL HERE

DIRECTIONS FOR USE It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

BEFORE YOU USE

USE PRECAUTIONS

- Some varieties of grapes and cucurbits are sensitive to sulfur and some plant damage may occur.
- Use care or do not spray on sulfur sensitive plants. If not sure, test spray a few leaves 2 days before spraying the entire plant.

USE RESTRICTIONS

- Do not apply to strawberry fruit that will be used for canning.
- Do not wet plants to point of runoff or drip.
- Do not water the treated areas to point of runoff or drip.
- Do not make applications during rain.
- Not for use in outdoor residential misting systems.
- Do not apply more than 10 times per season.
- Do not reapply within 3 days except under extreme pest pressure.
- In case of extreme pest pressure do not reapply within 24 hours.
- Do not apply more than 1 time per day.
- Do not apply more than 18.5 fl. oz. per 100 square feet per application.
- Do not use if temperatures are expected to be over 90˚ F.
- Do not apply this product in a way that will contact adults, children or pets, either directly or through drift.
- Remove pets, birds, and cover aquariums before spraying.
- Remove or cover exposed food and drinking water before application. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use.
- Do not apply directly to or near water, storm drains, or drainage ditches. Do not apply when windy. To prevent product runoff, do not over water treated area(s) or apply prior to heavy rainfall.
- Do not apply directly into sewers or drains, or to any area like a gutter where drainage to storm sewers, water bodies, or aquatic habitat can occur.
- Do not allow the product to enter any drain during or after application.
- Do not allow adults, children or pets to enter the treated area until sprays have dried.
- Do not spray plants with this product within 21 days of an oil spray.

HOW TO USE

Shake Well Before Using. Do Not Dilute.

FOR CONTROL OF FUNGAL DISEASES

Controls a wide range of fungal diseases: blackspot, powdery mildew, rust, scab, blight, brown rot, and leaf spot. Thoroughly spray all areas of the plant, especially new shoots. For best control apply as a protective spray early in the season before the diseases are noticed. Re-spray every 7 to 10 days or after rain. May be used up to day before harvest.

FOR CONTROL OF INSECTS/MITES

Controls a wide range of pests: Ants (excluding fire ants, harvester ants, Pharaoh's ants and carpenter ants), Aphids (including Green Peach Aphids), Armyworms, Bagworms, Beet Armyworm, Beetles (including Asparagus Beetle, Bean Beetles, Blister Beetles, Colorado Potato Beetles, 12-spotted Cucumber Beetles, Cucumber Beetles, Darkling Beetles (lesser mealworm), Saw-toothed Grain Beetles, Elm Leaf Beetles, Flea Beetles, Japanese Beetles, Mexican and Bean Beetles), Blow Flies, Borers (including European Corn Borer, and Squash Vine Borer), Cabbage Looper, Cabbageworms (including Cross-striped Cabbageworm and Imported Cabbageworm), Cankerworms, Caterpillars (including Eastern Tent Caterpillar, Forest Caterpillar and Tent Caterpillar), Crane Flies, Crickets, Diamondback Moth Larvae, Earwigs, Fireworms, Fungus Gnats, Fruit Flies, Glassy Winged Sharpshooter , Grape Leaf Skeletonizer, Green Fruit Worm, Harlequin Bug, Hornworms including Tomato Hornworm, Katydids, Lace Bugs, Leafhoppers (including Grape Leafhopper, and Potato Leafhoppers), Leafminers, Leaftiers, Loopers, Leafrollers (including Fruittree Leafrollers), Lygus, Maggots (including Apple Maggot and Onion Maggot), Mealy Bugs, Midges, Millipedes, Mites (including Spider Mites and Clover Mite), Moths (including Artichoke Plume Moth, Codling Moth, Diamondback Moth, European Pine Tip Moth, Gypsy Moth (adults and larvae), Indian Meal Moth and Mediterranean Flour Moth), Mushroom Flies, Navel Orangeworm, Pear Psylla, Plant Bugs, Psyllids, Roseslugs, Scale, Silverfish, Skippers, Sowbugs, Spittlebugs, Squash Bugs, Stink Bugs, Tarnished Plant Bug, Thrips including Greenhouse Thrips, Vinegar Flies, Webworms, Weevils (including Boll Weevil, Carrot Weevil Clover Weevil and Rice Weevil), Whiteflies.

Thoroughly spray all areas of the plant, especially new shoots and underside of leaves. Pests need to be contacted by the spray to be controlled.

For use only on residential lawns and gardens. Not for use on agricultural establishments growing agricultural crops or commodities for resale.

USE SITES
For Use Indoor, Outdoor and in Greenhouses

FRUIT AND NUT TREES: almond, apple, cherry, citrus, filbert, nectarine, peach, pear, plum, prune, walnut

VEGETABLE AND VINE PLANTS: beans, beets, blackberries, blueberries, broccoli, Brussel's sprouts, cabbage, carrots, cauliflower, corn, cucurbits (cucumber, melons, pumpkins and squash), currant, gooseberries, grapes, kale, onions, peas, peppers, potatoes, raspberries, strawberries, tomatoes

ORNAMENTALS: flowering plants and shrubs, woody ornamentals, roses, trees and houseplants

STORAGE AND DISPOSAL

PESTICIDE STORAGE

Store at room temperature and protect from freezing

PESTICIDE DISPOSAL AND CONTAINER HANDLING

Nonrefillable. Do not reuse or refill this container.

- **If Empty:** Place in trash or offer for recycling if available.
- **If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE TO BUYER: To the extent consistent with applicable law, seller warrants that this product conforms to the chemical description on this label and is reasonably fit for the purposes stated on this label only when used in accordance with directions under normal use conditions. This warranty does not extend to use of this product contrary to label directions, or under conditions not reasonably foreseeable to seller. To the extent consistent with applicable law, seller makes no other warranties, either expressed or implied.

FIRST AID

IF ON SKIN OR CLOTHING • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.

IF IN EYES • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment. **For additional information on this pesticide product, you may call toll free 1-877-229-3763 for emergency medical treatment information.**

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION Causes moderate eye irritation. Avoid contact with eyes. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

User Safety Recommendations • Users should wash hands with plenty of soap and water before eating, drinking, chewing gum, using tobacco, or using the toilet. • Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms including fish and invertebrates. Do not contaminate water when disposing of equipment, washwater, or rinsate. Do not apply directly to or near water. Drift and run-off may be hazardous to fish in water adjacent to treated areas. See Directions for Use for additional precautions and requirements.

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame.

INDICACIONES DE USO

Es una violación de la ley federal usar este producto en una manera inconsistente con la etiqueta.

ANTES DE USAR

PRECAUCIONES DE USO

- Algunas variedades de uvas y cucurbitáceas son sensibles al sulfuro y puede ocurrir algún daño a la planta.
- Usar con cuidado o no rociar sulfuro sobre plantas sensibles. Si no está seguro, rocíe solo sobre unas pocas hojas a modo de prueba 2 días antes de rociar la planta completa.

RESTRICCIONES DE USO

- No lo aplique a la fruta de fresa que se utilizará para enlatar.
- No humedecer las plantas hasta el punto que goteen o que corra el agua sobre ellas.
- No humedecer las áreas tratadas hasta el punto que goteen o que corra el agua sobre ellas.
- No aplicar cuando llueve.
- No usar en sistemas externos de humidificación residencial.
- No aplicar más de 10 veces por temporada.
- No volver a aplicar dentro de los 3 días excepto que exista una presión aguda de la plaga.
- En caso de presión aguda de la plaga, no volver a aplicar en un plazo de 24 horas.
- No aplicar más de 1 vez por día.
- No aplicar más de 18.5 onzas líquidas por 100 pies cuadrados por aplicación.
- No usar si se espera que la temperatura esté por encima de los 90°F.
- No aplicar este producto en un modo que entre en contacto con adultos, niños o mascotas, ya sea de manera directa o a través de agua que arrastre el producto.
- Quitar a las mascotas, pájaros y cubrir las peceras antes de rociar.
- Quitar o cubrir el agua potable o los alimentos expuestos antes de realizar la aplicación. Quitar o cubrir platos, utensilios, equipo de procesamiento de alimento y superficies donde se preparan alimentos, o lavarlos antes de usarlos nuevamente.
- No aplicar directamente o cerca de agua, drenajes de tormenta o drenajes.
- No aplicar cuando esté ventoso. Para impedir que el producto corra, no regar demasiado las áreas tratadas tampoco aplicar antes de intensas lluvias.
- No aplicar directamente sobre drenajes o alcantarillas, o cualquier área como una cuneta donde el agua pueda drenar hacia las alcantarillas de lluvia, cuerpos de agua o hábitats acuáticos.
- No permitir que el producto ingrese en algún drenaje durante o después de la aplicación.
- No permitir que los adultos, los niños o las mascotas vuelvan a ingresar al área tratada hasta que el rocío se haya secado.
- No rociar plantas con este producto dentro de los 21 días de usar un rocío con aceite.

CÓMO USAR

Agitar bien antes de usar. No diluir.

PARA CONTROL DE ENFERMEDADES MICÓTICAS

Controla una amplia gama de enfermedades fungicidas: mancha negra, tizón polvoriento, roña, costra, tizón, pudrición y manchas en las hojas. Rocíe toda el área de la planta, especialmente en los brotes nuevos. Para un mejor control aplicar como rocío de protección a comienzos de la temporada antes de que se vea la enfermedad. Volver a rociar cada 7 o 10 días o luego de una lluvia. Puede usarse hasta un día antes de la cosecha.

PARA CONTROL DE INSECTOS/ÁCAROS

Controla una amplia gama de plagas no limitadas a: hormigas (quedan excluidas las hormigas de fuego, las hormigas cosechadoras, las hormigas faraonas y las hormigas carpinteras), áfidos (incluyendo los áfidos verdes del durazno), gusanos militares, gusano de hoja perenne, escarabajo militar, escarabajos (incluyendo el escarabajo del espárrago, el escarabajo de las habas, meloidae, escarabajo de la patata, escarabajo del pepino de 12 manchas, escarabajo del pepino, escarabajo negro (Tenebrionidae), escarabajo de grano con dientes de sierra, escarabajo del olmo, escarabajo japonés, escarabajo de las habas y mexicano), barrenadores (incluye el barrenador europeo del maíz, y barrenador de la guía de la calabaza pero queda excluido el barrenador esmeralda del fresno y el escarabajo asiático de cuernos largos), oruga de la col, gusanos de la col (incluyendo el gusano de la col de rayas cruzadas y la blanquita de la col), gusano del chancro de otoño, orugas (incluyendo la oruga de la carpa oriental, la oruga del bosque y la oruga de la carpa), moscas grulla, grillos, la palomilla dorso de diamante, tijeretas, gusanos del fuego, mosca del mantillo, mosca de la fruta, francotirador de alas vidriosas, gusano descarnador de la vid, gusano verde de la fruta, murgantia histriónica, gusanos de cuernos incluyendo gusano del tomate, saltamontes longicornios, chinches de encaje, saltamontes (incluyendo el saltamontes de la uva y el saltamontes de la patata), los minadores de hojas, orugas pegadoras, orugas, orugas enrolladoras de hojas (incluyendo el enrollador de hojas de frutas de árboles), lygus, gusanos (incluyendo el gusano de la manzana y el gusano de la cebolla), cochinillas harinosas, quironómidos, ciempiés, ácaros (incluyendo ácaros araña y ácaro del trébol), polillas (incluyendo polilla de la pluma de la alcachofa, polilla de la manzana, palomilla dorso de diamante, polilla de la punta del pino europeo, polilla gitana (adultos y larvas), polilla India de la harina y polilla de la harina mediterránea), moscas del hongo, polilla del hocico, psylla de pera, chinches de las plantas, psílidos, bichos de la rosa, insectos escama, pececillo de plata, hesperíidos, cochinillas de humedad, chinches, chinche de la calabaza, chinche olorosa, insecto empañado, trips incluyendo los trips de invernadero, moscas del vinagre, gusano de la telaraña, gorgojos (incluyendo el gorgojo del algodón, el gorgojo de la zanahoria, el gorgojo del trébol y el gorgojo del arroz), moscas blancas.

Rociar bien todas las áreas de la planta, especialmente los brotes nuevos y debajo de las hojas. Las plagas deben estar en contacto con el rocío para poder controlarlas.

Para usar solamente en jardines y patios residenciales. No puede usarse en un establecimiento agrícola que cultiva granos o productos para la reventa.

LUGARES DE USO
Para uso en interiores, exteriores e invernaderos

NOGALES Y ÁRBOLES FRUTALES: almendra, manzana, aguacate, guinda, cítricos, naranja, pomelo, limón, lima, cidro, naranjo enano, avellana, nectarina, durazno, pera, pecán, pistacho, ciruela, ciruela pasa, nuez

VEGETALES Y PLANTAS DE VID: habas, remolacha, moras, arándanos, brócoli, brotes de Bruselas, repollo, zanahoria, coliflor, maíz, cucurbitáceas (pepino, melones, calabacín y zapallo de invierno), grosella, ribes uva crispa, uvas, kale, cebollas, chícharos, pimientos, papas, frambuesa, rábano, fresas, tomates

PLANTAS DECORATIVAS: plantas con flores y arbustos, plantas decorativas leñosas, rosas, árboles y plantas de interiores

ALMACENAMIENTO Y ELIMINACIÓN

ALMACENAMIENTO DEL PESTICIDA

Almacenar a temperatura ambiente y protegido del congelamiento.

ELIMINACIÓN DEL PESTICIDA Y MANIPULACIÓN DEL CONTENEDOR

No rellenable. No rellenar o volver a usar este contenedor.

- **Si está vacío:** Colocar en la basura u ofrecer para su reciclado si fuese posible.
- **Si está parcialmente lleno:** Llamar a la agencia de eliminación de desechos sólidos para acceder a las instrucciones de eliminación. Nunca colocar el producto sin usar en un drenaje de salida o de entrada

AVISO AL COMPRADOR: Hasta donde lo permita la ley que corresponda, el vendedor garantiza que el producto cumple con la descripción química que aparece en la etiqueta y es razonablemente adecuado para el fin que se especifica en esta etiqueta cuando se usa de acuerdo a las instrucciones en condiciones normales de uso. Esta garantía no extiende el uso de este producto contrario a las instrucciones en la etiqueta, o bajo condiciones que el vendedor no haya previsto de manera razonable. Hasta donde lo permita la ley, el vendedor no da ninguna otra garantía, ya sea expresa o implícita.