

# More Space and flexibility



Customizable Workspace Solutions

**novus**<sup>®</sup>  
MORE.SPACE.SYSTEM.



# Customizable solutions for more space and flexibility

Personalized workspace options from Novus deliver a clean look, improved ergonomics, and the freedom to easily change your workspace by adding more monitors, tablets, and organizational accessories as necessary.

The Novus more space system is designed and developed by Novus Dahle GmbH & Co. KG of Lingen, Germany. The Novus line, introduced in 1949, offers numerous other premium solutions for the modern workplace such as organizational shelving, telephone support arms and more.



Perfection and innovation  
in every single detail.

Clever **solutions** for any workspace

Intelligent combinations for versatile workstation design.

Uncompromising packages for more space and flexibility.



### NOVUS Office Toolbar

Organizer for the desktop with flat screen support and accessories

Height of the column: 9.84"

Size SlatWall over the desk: 63" x 9.84"



Mounting standard: VESA 75/100

Two TSS columns with system clamp 1, clamping length .55"-1.57"

Carrying capacity: monitor weight 6.5-17.5 lbs, gas spring system for adjustable height

Range: LiftTEC®-Arm | 15.75"

Item Number	Base	Height	Width	Range
220+0220+000	System Clamp 1	9.84"	63"	15.75"







Item Number	Base	Height	Weight	Range
220+0070+000	System Clamp 1	17.52"	15 lbs	19.88" / 23.19"

### NOVUS Business Combination

Complete set for your notebook workstation

Height of the column: 17.52"

Mounting standard: VESA 75/100

Column attachment: system clamp 1, clamping length .55"-1.57"

Carrying capacity: monitor weight 15 lbs / notebook weight 11 lbs, infinitely variable height

Range: TSS folding arm III 19.88" / TSS notebook holder 23.19"

VESA	Base	Height	Range	Swivel	Adaptable	Warranty
75/100	Syst. Clamp 1	445 mm 17.52"	505 mm 19.88"	270°	Univ. Clamp 1	5 Years



Item Number	Base	Height	Width	Range
220+0160+000	System Clamp 1	17.52"	39.37"	15.75"

### NOVUS Office Max

Perfect solution – the NOVUS SlatWall as organization wall for modern workstations

Height of the column: 17.52"

Size SlatWall over the desk: 39.37" x 17.52"

Mounting standard: VESA 75/100

SlatWall attachment: system clamp 1, clamping length .55"-1.57"

Carrying capacity: monitor weight 6.5-17.5 lbs, gas spring system for adjustable height

Range: LiftTEC®-arm I 15.75"

VESA	Base	Weight	Width	Height	Range	Adjustable
75/100	Syst. Clamp 1	3-8 kg 6.5-17.5 lbs	1000 mm 39.37"	445 mm 17.52"	400 mm 15.75"	LiftTEC® Gas Spring
180°	Univ. Clamp 1	5 Years				



Item Number	Base	Height	Weight	Range
220+0120+000	Wall Mount	17.52"	22 lbs	17.22"

### NOVUS Office Wall

Functional wall solution for flat screen and paper management

Height of the column: 17.52"

SlatWall size: 39.37" x 17.52"

Mounting standard: VESA 75/100

Carrying capacity: monitor weight 22 lbs, infinitely variable height

Range: TSS folding arm II 17.72"

VESA	Base	Width	Height	Range	Swivel	Warranty
75/100	Wall Mount	1000 mm 39.37"	445 mm 17.52"	450 mm 17.72"	180°	5 Years





### NOVUS TSS Wall Station

Special applications demand special solutions - the NOVUS Tetra-Support-System (TSS) for wall mounting






Length of the column: 35"

Mounting standard: VESA 75/100

Carrying capacity: monitor weight 33 lbs, infinitely variable height

Range: TSS support carriage 4.13" / TSS keyboard holder 20.79"

Item Number	Base	Height	Weight	Range
220+0100+000	Wall Mount	35"	33 lbs	4.13" / 20.79"

VESA	Base	Height	Swivel	Warranty
 75/100	 Wall Mount	 890 mm 35"	 180°	 5 Years Guarantee 5 Years



### NOVUS Business Board

Complete organization – the classics for storage and telephone








BoardMaster length: 39.37", compartment depth 7.68"

BoardMaster attachment: universal clamp 1, clamping length .71-2.91"

Carrying capacity TalkMaster: telephone weight 4.4 lbs

Range: TalkMaster 27.56"

Item Number	Base	Width	Range
220+0140+000	Universal Clamp 1	39.37"	27.56"

Base	Width	Range	Adjustable	Swivel	Adaptable	Warranty
 Univ. Clamp 1	 1000 mm 39.37"	 700 mm 27.56"	 3 Positions	 360°	 Univ. Clamp 1	 5 Years Guarantee 5 Years



### NOVUS Business Rail

Organization system for your workstation creates desktop space by elevating your files, phone, and accessories

Railing length: 39.37"

Railing attachment: universal clamp 1, clamping length .71-2.91"

Carrying capacity TalkMaster: telephone weight 4.4 lbs

Range: TalkMaster 27.56"

Item Number	Base	Width	Range
220+0040+000	Universal Clamp 1	39.37"	27.56"


Base	Width	Range	Adjustable	Swivel	Adaptable	Warranty
 Univ. Clamp 1	 1000 mm 39.37"	 700 mm 27.56"	 3 Positions	 360°	 Univ. Clamp 1	 5 Years Guarantee 5 Years



Highly Customizable for any workspace

### Sturdy flat-screen holders


Reliable performance even with multiple screens.





## Endless configurations for all your needs

Choose a column based on mounting surface and height, and a single or multiple support arm for your ideal work environment.



### NOVUS TSS columns

Aluminum column with four slots for multiple mounting points

Available in standard and custom column heights

Available with the most popular base attachments to suit your needs

Includes two cable clips for a clean look

Suitable for all TSS and LiftTEC® monitor arms and mounts



Item Number	Column Height	Base	Clamp Height
961+0309+000	17.52"	Aluminum Base	-na-
961+2709+000	17.52"	System Clamp 1	.55 - .98"
961+0609+000	17.52"	System Clamp 1	.55 - 1.57"
961+0209+000	17.52"	System Clamp 2	.197 - 2.76"
961+0109+000	17.52"	Drilling Screw	.197 - 2.76"
961+1809+000	17.52"	Drilling Screw HD	1.2 - 2.76"
961+0409+000	17.52"	Grommet	1.2 - 2.76"

Item Number	Column Height	Base	Clamp Height
961+2509+000	17.52"	Location Pin	-na-
961+2309+000	17.52"	System Rail	-na-
961+0509+000	17.52"	Wall Rail	-na-
961+0639+000	21.46"	System Clamp 1	.55 - 1.57"
961+0239+000	21.46"	System Clamp 2	.197 - 2.76"
961+0139+000	21.46"	Drilling Screw	.197 - 2.76"
961+0439+000	21.46"	Grommet	1.2 - 2.76"

Item Number	Column Height	Base	Clamp Height
961+0119+000	33.27"	Drilling Screw	.197 - 2.76"
961+0419+000	33.27"	Grommet	1.2 - 2.76"
961+0819+000	33.27"	Ceiling Mount	-na-
961+1819+000	35"	Drilling Screw HD	1.2 - 2.76"
961+0519+000	35"	Wall Rail	-na-
961+0949+000	98.43"	Floor-Ceiling Mount	-na-

## TSS Base Options – Numerous options are available to safely and securely mount your TSS column





## NOVUS TSS keyboard holder

Adjustable keyboard holder with 2-part aluminum arm

Support platform for computer keyboard and mouse (25.2" x 6.77")




Restrict movement by tightening the joints


Turn- and tilt-able up to 45°

Range: 20.79"

Removable clamping grips for protection from theft and cable holder

Item Number	Platform	Weight	Range
967+0119+000	25.2" x 6.77"	22 lbs	20.79"

Weight	Range	Platform	Warranty	Certification
 10 kg 22 lbs	 528 mm 20.79"	 640x172 mm 25.2" x 6.77"	 5 Years 5 Years	 GS-Safety



## NOVUS TSS notebook holder

Adjustable notebook holder with 2-part aluminum arm

Support platform (15.75" x 11.34") for regular and large notebooks


Carrying capacity up to 22 lbs

Turn- and tilt-able up to 45°

Range: 23.19"

Removable clamping grips for protection from theft and cable holder

Item Number	Platform	Weight	Range
966+0119+000	15.75" x 11.34"	22 lbs	23.19"

Weight	Range	Platform	Warranty	Certification
 10 kg 22 lbs	 589 mm 23.19"	 400x288 mm 15.75" x 11.34"	 5 Years 5 Years	 GS-Safety



## NOVUS TSS support carriage

High quality infinitely height adjustable support carriage

Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100

Mounting of flat screens up to 33 lbs


Swiveling and tilt-able for mobility in confined spaces with ball joint

Range: 4.13"

Removable clamping grips for protection from theft

Item Number	Mount	Weight	Range
963+0119+000	Novus Quick Release	33 lbs	4.13"

VESA	Range	Warranty	Certification
 75/100	 105 mm 4.13"	 5 Years 5 Years	 GS-Safety



## NOVUS TSS support arm

High quality infinitely height adjustable 1-part monitor support arm

Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100






Mounting of flat screens up to 33 lbs

Range: 9.84"

Perfect cable management by cable clips

Removable clamping grips for protection from theft

Item Number	Mount	Weight	Range
962+0119+000	Novus Quick Release	33 lbs	9.84"

VESA	Weight	Range	Warranty	Certification
 75/100	 15 kg 33 lbs	 250 mm 9.84"	 5 Years 5 Years	 GS-Safety





### NOVUS TSS folding arm II

High quality infinitely height adjustable 2-part monitor support arm

Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100

Mounting of flat screens up to 22 lbs

Restrict movement by tightening the joints

Ergonomic monitor setting by various joints

Range: 17.72"






Perfect cable management by cable clips


In high-quality aluminum and metal

Removable clamping grips for protection from theft

Necessary component is a TSS column

Item Number	Mount	Weight	Range
964+0119+000	Novus Quick Release	22 lbs	17.72"

VESA	Weight	Range	Warranty	Certification
 75/100	 10 kg 22 lbs	 450 mm 17.72"	 5 Years Guarantee	 TUV NORD GS Safety



### NOVUS TSS folding arm III

High quality 2-part articulated arm, infinitely height adjustable

Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100

Mounting of flat screens up to 33 lbs

Restrict movement by tightening the joints

Ergonomic monitor setting by various joints






Range: 19.88"


Perfect cable management by cable clips

Removable clamping grips for protection from theft

Necessary component is a TSS column

Item Number	Mount	Weight	Range
965+0119+000	Novus Quick Release	33 lbs	19.88"

VESA	Weight	Range	Warranty	Certification
 75/100	 15 kg 33 lbs	 505 mm 19.88"	 5 Years Guarantee	 TUV NORD GS Safety



### NOVUS TSS folding arm III XL

High quality 2-part articulated arm, infinitely height adjustable

Easy mounting of the monitor by quick release with one hand operation, suitable for attachment standard 75/100

Mounting of flat screens up to 22 lbs

Restrict movement by tightening the joints

Ergonomic monitor setting by various joints






Range: 31.5"


Perfect cable management by cable clips

Removable clamping grips for protection from theft

Necessary component is a TSS column

Item Number	Mount	Weight	Range
965+0119+001	Novus Quick Release	22 lbs	27.56"
965+0119+003	Novus Quick Release	22 lbs	31.50"
965+0119+004	Novus Quick Release	22 lbs	35.43"

VESA	Weight	Range	Warranty	Certification
 75/100	 10 kg 22 lbs	 800 mm 31.5"	 5 Years Guarantee	 TUV NORD GS Safety



## NOVUS TSS Basic

Novus bestseller for ergonomically correct use of the flat screen at your workstation

Table mounting with system clamp 1 for a table thickness of .55"-1.57"

Mounting standard: VESA 75/100

Carrying capacity: monitor weight 14.4 lbs, infinitely variable height

Range: folding arm III 19.88"

Height of the column: 17.52"

Item Number	Height	Base	Weight	Range
220+0050+000	17.52"	System Clamp 1	26 lbs	19.88"

VESA	Weight	Base	Range	Swivel	Warranty
75/100	12 kg 26 lbs	Syst. Clamp 1	505 mm 19.88"	270° 270°	5 Years Guarantee 5 Years



## NOVUS TSS Duo

Twin screen solution with the Novus Tetra-Support-System

Table mounting with system clamp 1 for a table thickness of .55"-1.57"

Mounting standard: VESA 75/100


Total carrying capacity: 24 lbs, evenly spread over all support arms, infinitely variable height

Range: folding arm III 19.88"

Height of the column: 17.52"

Item Number	Height	Base	Weight	Range
220+0060+000	17.52"	System Clamp 1	24 lbs	19.88"

VESA	Weight	Base	Range	Swivel	Warranty
75/100	11 kg 24 lbs	Syst. Clamp 1	505 mm 19.88"	270° 270°	5 Years Guarantee 5 Years



## NOVUS TSS Trio

Three-screen solution for a much better productivity

Drilling screw fitting HD, for desktop thickness 1.197" - 2.76"

Mounting standard: VESA 75/100

Total carrying capacity: 99 lbs, evenly spread over all support arms, infinitely variable height


Range: folding arm III XL 27.56" / support carriage 4.13"

Height of the column: 17.52"

Item Number	Height	Base	Weight	Range
220+0180+000	17.52"	Drilling Screw	99 lbs	27.56"

VESA	Weight	Base	Swivel	Warranty
75/100	45 kg 99 lbs	Drilling Screw	270° 270°	5 Years Guarantee 5 Years





### NOVUS Control Center

Everything in view – the monitor bridge of the NOVUS Tetra-Support-System

Table mounting with system clamp 1 for a table thickness of .55"-1.57"

Mounting standard: VESA 75/100







Total carrying capacity: 49 lbs, evenly spread over all support arms

Range: folding arm III 19.88" / SW LM arm 0-0-1= 4.92"

Toolbar Width: 47.24"

Height of the column: 17.52"

Item Number	Height	Base	Weight	Range
220+0130+000	17.52"	System Clamp 1	49 lbs	47.24"

VESA	Weight	Base	Length	Swivel	Warranty
 75/100	 22 kg 49 lbs	 Syst. Clamp 1	 1200 mm 47.24"	 270° 270°	 5 Years 5 Years



### NOVUS TSS Quattro

Four flat screens – no problem for the NOVUS Tetra-Support-System

Drilling screw fitting HD, for desktop thickness 1.197"- 2.76"







Mounting standard: VESA 75/100

Total carrying capacity: 106 lbs, evenly spread over all support arms, infinitely variable height

Range: folding arm III 19.88"

Height of the column: 33.27"

Item Number	Height	Base	Weight	Range
220+0080+000	33.27"	Drilling Screw	106 lbs	19.88"

VESA	Weight	Base	Range	Swivel	Warranty
 75/100	 48 kg 106 lbs	 Drilling Screw	 505 mm 19.88"	 270° 270°	 5 Years 5 Years



### NOVUS TSS XL

The perfect solution for bigger screens

Table mount with Grommet attachment for a table thickness of .197"- 2.76"







Mounting standards: 100x100 and 200x100

Carrying capacity: monitor weight 44 lbs, infinitely variable height

Range: 2.52"

Height of the column: 21.46"

Item Number	Height	Base	Weight	Range
220+0110+000	21.46"	Grommet	44 lbs	2.52"

VESA	Weight	Base	Range	Swivel	Warranty
 200 x 100 200/100	 20 kg 44 lbs	 Grommet	 64 mm 2.52"	 180° 180°	 5 Years 5 Years




## Flexibility for individual needs

**Adjustable joints**  
for various applications.

**Exactly balanced for monitor weight**  
thanks to adjustable gas spring.

**Flexible mounts** for desk, wall,  
TSS column and Organizational wall.







### NOVUS LM-Arm 0-0-1

High quality infinitely height adjustable support carriage






Includes Novus Quick Release for easy mounting of a monitor with one hand operation, suitable for attachment standard 75/100

Mounting of flat screens up to 33 lbs

Various joints for high mobility in limited space

Range: 4.8"

Item Number	Base	Weight	Range
980+0159+000	TSS Column Mount	33 lbs	4.8"
931+0089+000	Wall Mount	18 lbs	4.92"
981+0089+000	SlatWall Mount	18 lbs	4.92"

VESA	Range	Swivel	Warranty	Certification
 75/100	 122 mm 4.8"	 180°	 2 Years	 GS-Safety



### NOVUS SlatWall LM-Arm 0-2-1

High quality monitor support arm

With straight front arm section

Includes Novus Quick Release for easy mounting of a monitor with one hand operation, suitable for attachment standard 75/100







Mounting of flat screens up to 18 lbs


Various joints for high mobility

Range: 10.83"

Perfect cable management by cable clips

Item Number	Base	Weight	Range
980+4159+000	TSS Column Mount	33 lbs	10.71"
931+4089+000	Wall Mount	18 lbs	10.83"
981+4089+000	SlatWall Mount	18 lbs	10.83"

VESA	Base	Range	Swivel	Warranty	Certification
 75/100	 SlatWall	 275 mm 10.83"	 180°	 2 Years	 GS-Safety



Item Number	Base	Weight	Range
930+1089+000	System Clamp / Grommet / Drilling Screw	18 lbs	14.37"
930+1159+000	System Clamp / Grommet / Drilling Screw	33 lbs	14.37"
980+1089+000	TSS Column Mount	18 lbs	15.63"
980+1159+000	TSS Column Mount	33 lbs	15.63"
981+1089+000	SlatWall Mount	18 lbs	15.75"
931+1089+000	Wall Mount	18 lbs	15.75"

### NOVUS LiftTEC® Arm I

1-part monitor support arm with Gas Spring Technology for easy adjustments







Multiple mounting options are offered depending on your workspace needs

Includes Novus Quick Release for easy mounting of a monitor with one hand operation, suitable for attachment standard 75/100

Mounting of flat screens of 18 lbs / 33 lbs

Range: 14.37"

Perfect cable management by cable clips

Color	VESA	Adjustable	Swivel	Warranty	Certification
 Silver	 75/100	 Gas Spring	 180°	 2 Years	 GS- Safety



Item Number	Base	Weight	Range
930+2089+000	System Clamp / Grommet / Drilling Screw	18 lbs	20.28"
930+2159+000	System Clamp / Grommet / Drilling Screw	33 lbs	20.28"
980+2089+000	TSS Column Mount (requires TSS Column)	18 lbs	21.54"
980+2159+000	TSS Column Mount	33 lbs	21.54"
981+2089+000	SlatWall Mount (requires SlatWall Element)	18 lbs	21.65"
931+2089+000	Wall Mount	18 lbs	21.65"

### NOVUS LiftTEC® Arm II

2-part monitor support arm with Gas Spring Technology for easy adjustments







Multiple mounting options are offered depending on your workspace needs

Includes Novus Quick Release for easy mounting of a monitor with one hand operation, suitable for attachment standard 75/100

Mounting of flat screens of 18 lbs / 33 lbs

Range: 20.28"

Perfect cable management by cable clips

Color	VESA	Adjustable	Swivel	Warranty	Certification
 Silver	 75/100	 Gas Spring	 180°	 2 Years	 GS- Safety



Item Number	Base	Weight	Range
930+3089+000	System Clamp / Grommet / Drilling Screw	18 lbs	20.28"
930+3159+000	System Clamp / Grommet / Drilling Screw	33 lbs	20.28"
980+3089+000	TSS Column Mount (requires TSS Column)	18 lbs	21.54"
980+3159+000	TSS Column Mount	33 lbs	21.54"
981+3089+000	SlatWall Mount (requires SlatWall Element)	18 lbs	21.65"
931+3089+000	Wall Mount	18 lbs	21.65"

### NOVUS LiftTEC® Arm III

2-part monitor support arm with Gas Spring Technology for easy adjustments

With straight front arm section for a very low screen positioning







Multiple mounting options are offered depending on your workspace needs

Includes Novus Quick Release for easy mounting of a monitor with one hand operation, suitable for attachment standard 75/100

Mounting of flat screens of 18 lbs / 33 lbs

Range: 20.28"

Perfect cable management by cable clips

Color	VESA	Adjustable	Swivel	Warranty	Certification
 Silver	 75/100	 Gas Spring	 180°	 2 Years	 GS- Safety



### NOVUS TSS-LM-Arm 0-0-4 Dual

High quality infinitely height adjustable double monitor support arm

With TSS column adapter

Includes two Novus Quick Releases for easy mounting of monitors with one hand operation, suitable for attachment standard 75/100






Mounting of two flat screens up to 15 lbs each alongside or above one another


Range: 6.77"

Perfect cable management by cable clips

Necessary component is a TSS column

Item Number	Base	Weight	Range
980+0279+000	TSS Column Mount	2x 15 lbs	6.77"

VESA	Range	Swivel	Warranty	Certification
 75/100	 172 mm 6.77"	 180°	 2 Years Guarantee 2 Years	 GS-Safety



### NOVUS LiftTEC® Arm I Dual

NOVUS LiftTEC® – Gas Spring Technology for effortless adjustments and support of dual monitors






Includes two Novus Quick Releases for easy mounting of monitors with one hand operation, suitable for attachment standard 75/100

Mounting of two flat screens up to 15 lbs each alongside or above one another

Range: 16.34" / 17.6"

Perfect cable management by cable clips

Item Number	Base	Weight	Range
930+1279+000	System Clamp / Grommet / Drilling Screw	2x 15 lbs	16.34"
980+1279+000	TSS Column Mount	2x 15 lbs	17.6"

VESA	Adjustable	Swivel	Warranty	Certification
 75/100	 LIFTTEC® Gas Spring	 180°	 2 Years Guarantee 2 Years	 GS-Safety



### NOVUS Comfort Duo

NOVUS LiftTEC® – Gas Spring Technology for effortless monitor adjustments

Includes two Novus Quick Releases for easy mounting of monitors with one hand operation, suitable for attachment standard 75/100

Drilling screw fitting, desktop thickness .197"- 2.76"








Mounting standard: VESA 75/100

Carrying capacity: monitor weight 2 x 6.5-17.5 lbs, infinitely variable height

Range: 21.54"

Height of the column: 17.52"

Item Number	Base	Weight	Range
220+0150+000	Drilling Screw	18 lbs	21.54"

VESA	Base	Height	Range	Adjustable	Swivel	Warranty
 75/100	 Drilling Screw	 445 mm 17.52"	 547 mm 21.54"	 LIFTTEC® Gas Spring	 360°	 2 Years Guarantee 2 Years



Would you like more space and flexibility?  
Be inspired: [www.NovusMoreSpace.com](http://www.NovusMoreSpace.com)



MORE.SPACE.SYSTEM.

Dahle North America, Inc.  
49 Vose Farm Road  
Peterborough, NH 03458  
(800) 995.1379  
[www.NovusMoreSpace.com](http://www.NovusMoreSpace.com)

