

DARE TO BE BOLD



CLASSENTINO MARBLE™

COLORBODY™ PORCELAIN WITH GLAZED CERAMIC WALL TILE
TRUEDGE™ | REVEAL IMAGING™

MARAZZI 
DARE TO BE BOLD™



CLASSENTINO MARBLE™



COLISEUM GRAY - RAKE

Our elegant Classentino Marble series now includes a coordinating wall tile. Available in the three most popular floor colors, these wall tiles come in 8 x 24 size. Choose from three different textures – flat, rake, or bold – to achieve a linear look.

COLISEUM GRAY - RAKE



PALAZZO WHITE - RAKE & BOLD



CLASSENTINO MARBLE™

COLORBODY™ PORCELAIN WITH GLAZED CERAMIC WALL TILE

TRUEEDGE® | REVEAL IMAGING™


GLAZED CERAMIC WALL TILE - SATIN



CT30 Palazzo White - Flat



CT30 Palazzo White - Bold




CT30 Palazzo White - Rake




CT31 Corinth Beige - Flat



CT31 Corinth Beige - Bold




CT31 Corinth Beige - Rake



CT32 Coliseum Gray - Flat




CT32 Coliseum Gray - Bold




CT32 Coliseum Gray - Rake


COLORBODY™ PORCELAIN FLOOR TILE - AVAILABLE IN MATTE AND POLISHED




CT30 Palazzo White



CT31 Corinth Beige



CT32 Coliseum Gray




CT33 Imperial Brown




CT34 Centurio Black

COLORBODY™ PORCELAIN CLASSIC WEAVE MOSAIC - POLISHED


14 x 14.5 SHEET



CT35 Coliseum Gray & Palazzo White



CT36 Palazzo White & Centurio Black



CT37 Corinth Beige & Imperial Brown

COLORBODY™ PORCELAIN 2 x 3 LINEAR HEX MOSAIC - MATTE

12 x 12 SHEET




CT30 Palazzo White



CT31 Corinth Beige



CT32 Coliseum Gray



CT33 Imperial Brown



CT34 Centurio Black

USAGE







Floors	Walls	Countertops
F	W	C

CLASSENTINO MARBLE™

COLORBODY™ PORCELAIN WITH GLAZED CERAMIC WALL TILE

TRUEEDGE™ | REVEAL IMAGING™

SIZES

			Thickness	Sq. Ft./ Carton	Pieces/ Carton
	8 x 24* Wall Tile	(7-3/4" x 23-3/4") (19.75 cm x 60.42 cm)	3/8"	12.80	10
	12 x 24 Floor Tile	(11-5/8" x 23-3/8") (29.56 cm x 59.44 cm)	3/8"	15.12	8
	24 x 48 Floor Tile	(23-3/8" x 46-15/16") (59.44 cm x 119.2 cm)	3/8"	15.26	2
	24 x 24 Floor Tile	(23-3/8" x 23-3/8") (59.44 cm x 59.44 cm)	3/8"	15.20	4
	2 x 3 Linear Hex Mosaic* (Mesh-Mounted)	(12-1/8" x 12-3/16" Sheet) (30.81 cm x 30.94 cm Sheet)	3/8"	8.50	10
	Classic Weave Mosaic† (Mesh-Mounted)	(14-3/8"x14-9/16" Sheet) (36.49 cm x 37.06 cm Sheet)	3/8"	10.50	10

*Only available in Matte

†Only available in Polished

‡Only available in Satin

APPLICATIONS

	Target DCOF wet	Suitable
Dry & Level - Interior Floor	N/A	■‡
Wet & Level - Interior Floor	≥ 0.42	■†‡
Shower Floors (Residential or Light Commercial)	≥ 0.42	■†*
Exterior Floor Applications (including pool decking & other wet areas with minimal footwear)	≥ 0.60	
Ramps & Inclines	≥ 0.65	
Walls/Backsplashes	N/A	■
Countertops	N/A	■‡
Pool Linings	N/A	■†*

A DCOF value of ≥ 0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-A326.3. For more information about DCOF and the DCOF AcuTest®, visit marazzitile.com/DCOF.

APPLICATION NOTES:

Floor tile and mosaics suitable for exterior applications in freezing and non-freezing climates, when proper installation methods are followed.


Wall tile suitable for exterior applications in non-freezing climates, when proper installation methods are followed.

* Linear Hex Mosaic only † Matte Finish only ‡ Not Applicable for Wall Tile

TRIM

Description	Number	Size	Shape
Floor Bullnose	P-43F9	3 x 24	
Jolly	S-1/212J	1/2 x 12	

INSTALLATION

Grout Joint Recommendation	Shade Variation
<p>Floor: 1/8" (3/16" when multiple sizes are installed in a modular pattern, and/or when installing tile with a length 15" or greater in a staggered brick-joint pattern; overlap should not exceed 33%.)</p> <p>Wall: 1/16" (1/8" when rectangular size is installed in a staggered brick-joint pattern; overlap should not exceed 33%.)</p> <p>Mosaic: 1/8"</p>	 Random Variation

PERFORMANCE CHARACTERISTICS

	ASTM#	Matte Floor Result	Polished Floor Result	Mosaic Result	Wall Result
Water Absorption	C373	< 0.5%	< 0.5%	< 0.5%	< 20%
Breaking Strength	C648	> 250 lbs	> 250 lbs	> 275 lbs	120 - 230 lbs
Scratch Hardness	MOHS	8.0	7.0	7.0	4.0 - 6.0
Chemical Resistance	C650	Resistant	Resistant	Resistant	Resistant
Abrasion Resistance	C1027	N/A	N/A	N/A	N/A

For additional information on test results, visit us at: marazzitile.com/information/TestResults.

NOTES

Since there are variations in all fired ceramic and natural products, tile and trim supplied for your particular installation may not match samples. Final confirmation should be made from actual tiles and trim prior to installation. Manufactured in accordance with ANSI A137.1 standards.

Not for use on ramps. Water, oil, grease, improper drainage and certain footwear can create slippery conditions. Floor applications expected to be exposed to these conditions require extra caution in product selection.

For additional information refer to "Factors to Consider" at: marazzitile.com/Factors.

Random visuals enhance the natural beauty of this product. To achieve optimal results, all tile should be selected from multiple cartons and shading and graphic arrangement planned prior to installation.

Special consideration needs to be given when installing tiles greater than 15 inches. Please refer to marazzitile.com/LargeTiles for more information.

Manufacturer Advisory: All tile is measured by the DCOF AcuTest™ method.

Tiles with DCOF values <0.42 are not recommended for use in areas with wet or slippery conditions. For more information, see ANSI standard A137.1 section 6.2.2.1.10, available at www.tileusa.com.

Special care should be taken when grouting with dark pigmented colors. A grout release is recommended to prevent finely powdered pigments from lodging in the pores of the surface. Use of a latex modified thin-set is recommended for installation.



Floor Tile



Wall Tile



TruEdge™



Reveal Imaging®



CERTIFIED
PORCELAIN
TILE
90% or More water absorption

All or select items within this series meet the requirements for these qualifications. For more information visit marazzitile.com.

PHOTOGRAPHY INDEX:

Cover

CLASSENTINO MARBLE WALL™ in Palazzo White - Rake and Bold in 8 x 24 on walls

Page 2-3

CLASSENTINO MARBLE WALL™ in Coliseum Gray - Rake 8 x 24 on wall and **MERONA™** in White 8 x 40 on floor

Page 4

CLASSENTINO MARBLE WALL™ in Coliseum Gray - Rake 8 x 24 on wall

Page 5

CLASSENTINO MARBLE WALL™ in Palazzo White - Rake and Bold in 8 x 24 on walls



7834 C.F. Hawn Freeway
Dallas, Texas 75217

www.marazzitile.com
contact@marazzitile.com

©2019 Marazzi | 06.19 | MZBRO130 Classentino Marble™ Brochure

Color and other aesthetic features shown are as close as the limitation of the printing process will allow. We have tried to make this brochure as comprehensive and factual as possible. We reserve the right, however, to make changes at any time, without notice, in colors, materials, packaging, specifications and availability. Since some information may have been updated since time of printing, please check with Marazzi Customer Service for details.