

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| | |
|--|------------------|
| Trade name or designation of the mixture | PUR 400 |
| Registration number | - |
| Synonyms | None. |
| Product code | UDS000348AE |
| Issue date | 18-November-2022 |
| Version number | 1.0 |
| Revision date | 18-November-2022 |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| | |
|----------------------|----------------|
| Identified uses | Release Agents |
| Uses advised against | None known. |

1.3. Details of the supplier of the safety data sheet

| | |
|--------------|--|
| Company name | CRC Industries UK Ltd. |
| Address | Wylds Road Castlefield Industrial Estate TA6 4DD Bridgwater Somerset United Kingdom |
| Telephone | +44 1278 727200 |
| Fax | +44 1278 425644 |
| E-mail | hse.uk@crcind.com |
| Website | www.crcind.com |

| | |
|--------------|--|
| Company name | CRC Industries Europe bv |
| Address | Touwslagerstraat 1 9240 Zele Belgium |
| Telephone | +32(0)52/45.60.11 |
| Fax | +32(0)52/45.00.34 |
| E-mail | hse@crcind.com |
| Website | www.crcind.com |

| | |
|---------------------------------|---|
| 1.4. Emergency telephone number | Tel.:(+44)(0)1278 72 7200 (office hours: 9-17h GMT) |
|---------------------------------|---|

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards

| | | |
|----------|------------|---|
| Aerosols | Category 1 | H222 - Extremely flammable aerosol. H229 - Pressurized container: May burst if heated. |
|----------|------------|---|

Health hazards

| | | |
|---------------------------|------------|--------------------------------|
| Skin corrosion/irritation | Category 2 | H315 - Causes skin irritation. |
|---------------------------|------------|--------------------------------|

Environmental hazards

| | | |
|--|------------|---|
| Hazardous to the aquatic environment, long-term aquatic hazard | Category 3 | H412 - Harmful to aquatic life with long lasting effects. |
|--|------------|---|

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended**Hazard pictograms****Signal word**

Danger

Hazard statements

H222 Extremely flammable aerosol.
 H229 Pressurized container: May burst if heated.
 H315 Causes skin irritation.
 H412 Harmful to aquatic life with long lasting effects.

Precautionary statements**Prevention**

P102 Keep out of reach of children.
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P211 Do not spray on an open flame or other ignition source.
 P251 Do not pierce or burn, even after use.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

Not assigned.

Storage

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information None.**2.3. Other hazards**

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****General information**

| Chemical name | % | CAS-No. / EC No. | REACH Registration No. | Index No. | Notes |
|---|-------|--------------------------|------------------------|--------------|--|
| hydrocarbons,C6,isoalkanes,< 5% n-hexane | <25 | - 931-254-9 | 01-2119484651-34 | 649-328-00-1 | Classification: Flam. Liq. 2;H225, Skin Irrit. 2;H315, STOT SE 3;H336, Asp. Tox. 1;H304, Aquatic Chronic 2;H411 |
| xylene | 0 - 1 | 1330-20-7-5 215-535-7 | 01-21194488216-32 | 601-022-00-9 | Classification: Acute Tox. 4;H312, Acute Tox. 4;H332, Skin Irrit. 2;H315, Eye Irrit. 2;H319, STOT SE 3;H335, STOT RE 2;H373, Asp. Tox. 1;H304, Aquatic Chronic 3;H412 |

List of abbreviations and symbols that may be used above

#: This substance has been assigned Union workplace exposure limit(s).
 ATE: Acute toxicity estimate.
 M: M-factor
 PBT: persistent, bioaccumulative and toxic substance.
 vPvB: very persistent and very bioaccumulative substance.
 All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures**General information**

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

4.1. Description of first aid measures**Inhalation**

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact

Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Eye contact

Rinse with water. Get medical attention if irritation develops and persists.

Ingestion

In the unlikely event of swallowing contact a physician or poison control centre. Rinse mouth.

| | |
|--|--|
| 4.2. Most important symptoms and effects, both acute and delayed | Skin irritation. May cause redness and pain. |
| 4.3. Indication of any immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. |

SECTION 5: Firefighting measures

| | |
|---|---|
| General fire hazards | Extremely flammable aerosol. |
| 5.1. Extinguishing media | |
| Suitable extinguishing media | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂). |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| 5.2. Special hazards arising from the substance or mixture | Contents under pressure. Pressurised container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed. |
| 5.3. Advice for firefighters | |
| Special protective equipment for firefighters | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. |
| Special fire fighting procedures | Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapour pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. In the event of fire and/or explosion do not breathe fumes. |

SECTION 6: Accidental release measures

| | |
|---|---|
| 6.1. Personal precautions, protective equipment and emergency procedures | |
| For non-emergency personnel | Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material. |
| For emergency responders | Keep unnecessary personnel away. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
| 6.2. Environmental precautions | Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. |
| 6.3. Methods and material for containment and cleaning up | Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. The product is immiscible with water and will spread on the water surface. Prevent product from entering drains. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. |
| 6.4. Reference to other sections | For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS. |

SECTION 7: Handling and storage

| | |
|--|---|
| 7.1. Precautions for safe handling | Pressurised container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices. |
| 7.2. Conditions for safe storage, including any incompatibilities | Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Storage class (TRGS 510): 2B (Aerosol dispensers and lighters) |
| 7.3. Specific end use(s) | Not available. |

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| | |
|--|--|
| Occupational exposure limits | No exposure limits noted for ingredient(s). |
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Recommended monitoring procedures | Follow standard monitoring procedures. |

Derived no effect levels (DNELs)

General population

| Components | Value | Assessment factor | Notes |
|--|-------------------|-------------------|-------|
| hydrocarbons,C6,isoalkanes,< 5% n-hexane (CAS -) | | | |
| Long-term, Systemic, Dermal | 1377 mg/kg bw/day | | |
| Long-term, Systemic, Inhalation | 1131 mg/kg bw/day | | |
| Long-term, Systemic, Oral | 1301 mg/kg bw/day | | |

Workers

| Components | Value | Assessment factor | Notes |
|--|--------------------|-------------------|-------|
| hydrocarbons,C6,isoalkanes,< 5% n-hexane (CAS -) | | | |
| Long-term, Systemic, Dermal | 13964 mg/kg bw/day | | |
| Long-term, Systemic, Inhalation | 5306 mg/m3 | | |

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

General information

Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection

Wear safety glasses with side shields (or goggles). Use eye protection conforming to EN 166.

Skin protection

- Hand protection

When handling the product wear chemical-resistant gloves (standard EN 374). The breakthrough time of the glove should be longer than the total duration of product use. If work lasts longer than the breakthrough time, gloves should be changed part-way through. Nitrile gloves are recommended. Suitable gloves can be recommended by the glove supplier.

- Other

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. Chemical respirator with organic vapour cartridge and full facepiece. (Filter type AX)

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

Hygiene measures

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Environmental exposure controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid.

Form Aerosol.

Colour Colourless.

Odour Solvent.

Odour threshold Not available.

pH Not applicable.

Melting point/freezing point Not available.

Initial boiling point and boiling range 55 °C (131 °F)

Flash point -26.0 °C (-14.8 °F)

| | |
|---|------------------------------|
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Explosive limit - lower (%) | 1.1 % |
| Explosive limit – upper (%) | 9.4 % |
| Vapour pressure | Not available. |
| Vapour density | Not available. |
| Relative density | 0.76 g/cm ³ 20 °C |
| Solubility(ies) | |
| Solubility (water) | Insoluble in water |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | > 200 °C (> 392 °F) |
| Decomposition temperature | Not available. |
| Viscosity | Not available. |
| Explosive properties | Not explosive. |
| Oxidising properties | Not oxidising. |
| 9.2. Other information | |
| VOC | 576 g/l |

SECTION 10: Stability and reactivity

| | |
|---|---|
| 10.1. Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| 10.2. Chemical stability | Material is stable under normal conditions. |
| 10.3. Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |
| 10.4. Conditions to avoid | Avoid temperatures exceeding the flash point. Contact with incompatible materials. |
| 10.5. Incompatible materials | Strong oxidising agents. |
| 10.6. Hazardous decomposition products | Carbon oxides. |

SECTION 11: Toxicological information

| | |
|---|---|
| General information | Occupational exposure to the substance or mixture may cause adverse effects. |
| Information on likely routes of exposure | |
| Inhalation | Prolonged inhalation may be harmful. |
| Skin contact | Causes skin irritation. |
| Eye contact | Direct contact with eyes may cause temporary irritation. |
| Ingestion | May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure. |
| Symptoms | Skin irritation. May cause redness and pain. |
| 11.1. Information on toxicological effects | |
| Acute toxicity | Based on available data, the classification criteria are not met. |

| Product | Species | Test Results |
|--|---------|--------------------------|
| PUR 400 | | |
| Acute | | |
| Dermal | | |
| ATEmix | | 109518 mg/kg bw |
| Components | Species | Test Results |
| hydrocarbons,C6,isoalkanes,< 5% n-hexane | | |
| Acute | | |
| Dermal | | |
| LD50 | Rabbit | 3350 mg/kg, 4 h |
| Inhalation | | |
| LD50 | Rat | 259354 mg/m ³ |

| Components | Species | Test Results |
|---|---|--------------|
| Oral LD50 | Rat | 16750 mg/kg |
| xylene | | |
| Acute Dermal LD50 | Rabbit | 12126 mg/kg |
| Inhalation LC50 | Rat | 27124 mg/l |
| Oral LD50 | Rat | 3532 mg/kg |
| Skin corrosion/irritation | Causes skin irritation. | |
| Serious eye damage/eye irritation | Direct contact with eyes may cause temporary irritation. | |
| Respiratory sensitisation | Based on available data, the classification criteria are not met. | |
| Skin sensitisation | Based on available data, the classification criteria are not met. | |
| Germ cell mutagenicity | Based on available data, the classification criteria are not met. | |
| Carcinogenicity | Based on available data, the classification criteria are not met. | |
| Reproductive toxicity | Based on available data, the classification criteria are not met. | |
| Specific target organ toxicity - single exposure | Based on available data, the classification criteria are not met. | |
| Specific target organ toxicity - repeated exposure | Based on available data, the classification criteria are not met. | |
| Aspiration hazard | Based on available data, the classification criteria are not met. | |
| Mixture versus substance information | Not available. | |

SECTION 12: Ecological information

12.1. Toxicity Harmful to aquatic life with long lasting effects.

| Components | Species | Test Results |
|--|--|---|
| hydrocarbons,C6,isoalkanes,< 5% n-hexane | | |
| <i>Acute</i> | | |
| Other | EC50 | Pseudokirchnerella subcapitata 13.6 mg/l, 72 hours |
| | NOEC | Pseudokirchnerella subcapitata 3 mg/l, 72 hours |
| Aquatic | | |
| <i>Acute</i> | | |
| Crustacea | EC50 | Daphnia magna 31.9 mg/l, 48 hours |
| | NOEC | Daphnia magna 7.14 mg/l, 21 days |
| Fish | EC50 | Rainbow trout 18.3 mg/l, 96 hours |
| | NOEC | Rainbow trout 4.09 mg/l, 28 days |
| xylene | | |
| <i>Acute</i> | | |
| | EC50 | Selenastrum capricornutum (new name Pseudokirchneriella subcapitata) 2.2 mg/l, 73 hours |
| Aquatic | | |
| <i>Acute</i> | | |
| Crustacea | LC50 | Daphnia magna 1 mg/l, 24 hours |
| Fish | LC50 | Rainbow trout 2.6 mg/l, 96 hours |
| 12.2. Persistence and degradability | No data is available on the degradability of any ingredients in the mixture. | |
| 12.3. Bioaccumulative potential | No data available. | |
| Partition coefficient n-octanol/water (log Kow) | Not available. | |
| Bioconcentration factor (BCF) | Not available. | |
| 12.4. Mobility in soil | No data available. | |

| | |
|---|---|
| 12.5. Results of PBT and vPvB assessment | This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. |
| 12.6. Other adverse effects | The product contains volatile organic compounds which have a photochemical ozone creation potential. GWP: 2 |

SECTION 13: Disposal considerations

13.1. Waste treatment methods

| | |
|-------------------------------------|---|
| Residual waste | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). |
| Contaminated packaging | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. |
| EU waste code | The Waste code should be assigned in discussion between the user, the producer and the waste disposal company. |
| Disposal methods/information | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Special precautions | Dispose in accordance with all applicable regulations. |

SECTION 14: Transport information

ADR

| | |
|---|---|
| 14.1. UN number | UN1950 |
| 14.2. UN proper shipping name | AEROSOLS, flammable |
| 14.3. Transport hazard class(es) | |
| Class | 2.1 |
| Subsidiary risk | - |
| Label(s) | 2.1 |
| Hazard No. (ADR) | Not assigned. |
| Tunnel restriction code | D |
| ADR/RID - Classification code: | 5F |
| 14.4. Packing group | Not assigned. |
| 14.5. Environmental hazards | No |
| 14.6. Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |

RID

| | |
|---|---|
| 14.1. UN number | UN1950 |
| 14.2. UN proper shipping name | AEROSOLS, flammable |
| 14.3. Transport hazard class(es) | |
| Class | 2.1 |
| Subsidiary risk | - |
| Label(s) | 2.1 |
| 14.4. Packing group | Not assigned. |
| 14.5. Environmental hazards | No |
| 14.6. Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |

ADN

| | |
|---|---|
| 14.1. UN number | UN1950 |
| 14.2. UN proper shipping name | AEROSOLS, flammable |
| 14.3. Transport hazard class(es) | |
| Class | 2.1 |
| Subsidiary risk | - |
| Label(s) | 2.1 |
| 14.4. Packing group | Not assigned. |
| 14.5. Environmental hazards | No |
| 14.6. Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |

IATA

| | |
|------------------------|--------|
| 14.1. UN number | UN1950 |
|------------------------|--------|

| | |
|---|---|
| 14.2. UN proper shipping name | Aerosols, flammable |
| 14.3. Transport hazard class(es) | |
| Class | 2.1 |
| Subsidiary risk | - |
| 14.4. Packing group | Not assigned. |
| 14.5. Environmental hazards | No |
| ERG Code | 10L |
| 14.6. Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |
| Other information | |
| Passenger and cargo aircraft | Allowed with restrictions. |
| Cargo aircraft only | Allowed with restrictions. |

IMDG

| | |
|---|---|
| 14.1. UN number | UN1950 |
| 14.2. UN proper shipping name | Aerosols, flammable |
| 14.3. Transport hazard class(es) | |
| Class | 2.1 |
| Subsidiary risk | - |
| 14.4. Packing group | Not assigned. |
| 14.5. Environmental hazards | |
| Marine pollutant | No |
| EmS | F-D, S-U |
| 14.6. Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.

ADN; ADR; IATA; IMDG; RID



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Retained direct EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended
Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended
Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended
Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended
Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended
Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended
Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended
Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA
Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

ATE: Acute Toxicity Estimate according to REGULATION (EC) No 1272/2008 (CLP).

CAS: Chemical Abstract Service.

Ceiling: Short Term Exposure Limit Ceiling value.

CEN: European Committee for Standardization.

CLP: Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.

GWP: Global Warming Potential.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MAK: Threshold limit values Germany (Maximale Arbeitsplatzkonzentration - DFG).

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

REACH: Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals).

RID: Regulations concerning the international carriage of dangerous goods by rail (Règlement International concernant le transport de marchandises dangereuses par chemin de fer).

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit.

TLV: Threshold Limit Value.

TWA: Time Weighted Average.

VLE: Exposure Limit Value.

VME: Exposure Average Value.

VOC: Volatile organic compounds.

vPvB: Very persistent and very bioaccumulative.

STEL: Short-term Exposure Limit.

References

Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Revision information

None.

Training information

Follow training instructions when handling this material.

Disclaimer

CRC Industries Europe UK Limited cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC. The products are governed by Regulation (EC) No 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP); Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (in each case, as amended and replaced) and other applicable laws. It is an importers or downstream users responsibility to ensure compliance of product they import. An SDS provided in the official language(s) of a country is not a guarantee of compliance in that country.