



XOU24BWDDGB

24" COMBO BEVERAGE CENTER
& WINE COOLER

LIFESTYLE REFRIGERATION



Shown with Optional Third Shelf Beverage Side

XOU24BWDDGB


- Fully Extending Glass Shelves
- Tri-Color Interior LED Lighting
- Intuitive Digital Touch Controls for Two Temperature Zones

THE ULTIMATE IN CONVENIENT ENTERTAINING -YOUR FAVORITE VINTAGES AND ICY COLD BEVERAGES READY TO SERVE, JUST WHERE YOU WANT THEM

Your XO French Door Combo Unit has the ability to store both wine at 41° to 64° F ready to serve and icy cold beverages from 34° to 50° F in the same compact system. Designed to fit under a counter and where ever your life takes you.

WORLD CLASS SERVICE | COMPREHENSIVE WARRANTIES

OUR LASTING COMMITMENT TO YOU



FEATURES


CAPACITY Shelves and racks extend halfway and hold:
 (49) 12oz cans at 34° to 50° F
 (21) 750ml bottles at 41° to 64° F

- FEATURES**
- Tri-Color LED Lighting
 - Secure lock for each door
 - Icy cold beverages & wine storage in one convenient unit
 - Flush Undercounter Installation design
 - NEW! Flat Handle Design
 - Low E-Glass blocks damaging UV light
 - Quiet Operation 39 dBA
 - Independent intuitive electronic controls
 - X-Active circulation ensures uniform temperatures
 - Designed for residential or commercial settings


SPECIFICATIONS

| | |
|--------------------|-------------------------------------|
| ELECTRICAL | 120V 60HZ 4.35 AMP* |
| DIMENSIONS | H 34 1/8" W 23 7/8" D 23 1/4" |
| ROUGH IN | H 34 1/4" min W 24" D 24" |
| REFRIGERANT | R600A |
| WEIGHT | 149 lbs |

ROUGH IN DIMENSIONS




ALL XO UNDERCOUNTER UNITS ARRIVE PRE-WIRED WITH LOW PROFILE PLUGS FOR EASY INSTALLATION



WHEN INSTALLING WITH THE HINGE SIDE NEXT TO A WALL - LEAVE 1-3/4" CLEARANCE GAP FOR CABINET HANDLES

DOOR MUST BE ABLE TO OPEN A MINIMUM OF 90°.

NEED MORE SPACE - CUT INTO AN ADJOINING CABINET TO REACH AN OUTLET THERE



IF THE DOOR CANNOT OPEN FULLY YOU CANNOT EXTEND THE SHELVES.

CONSULT THE MANUAL FOR INSTRUCTIONS ON CHANGING THE DOOR STOP SETTING.