







CROSS SECTION OF THRESHOLD



SPECIFICATION SHEET

This shower enclosure shall be model SSS 6239 BF .75, left or right. Finished surface shall be of a sanitary grade Solid Surface. The base shall be attached to the sump in such a manner to form an integral part with an inner and outer coating of polyester resin. Unit construction shall be of a molded reinforced fiberglass with a 15% minimum fiberglass content.

The unit shall have outside dimensions of 62" x 36 3/4" x 77 3/4". The unit shall meet CSA B45.5-11, ANSI Z124.1.2, ADA, and ICC/ANSI A117.1.

HANDED BY THE CENTER

The enclosure shall be equipped with the following accessories:
1) One 48" x 1 1/4" diameter stainless steel horizontal grab bar on the back wall, 2) Two 28" x 1 1/4" diameter stainless steel horizontal grab bars, one on each side wall, with 1 1/2" statute clearance, mounted with stainless steel bolts, and secured from the rear with 3" x 3" x 11 gauge metal mounting plates, 3) One inch diameter, 18 gauge stainless steel curtain rod with receiver cups, 4) Molded corner soap ledges, 5) Factory installed Armor Core Easy Base, 6) 3/4" threshold.

NOTE: OPTIONAL RECESSED SOAP DISH IS REQUIRED FOR ADA section 103 AND ICC/ANSI A117.1 section 103.

THIS UNIT FEATURES THE OUTSIDE DIMENSION OF 62" OF OVERALL WIDTH. THIS DOES NOT ALLOW FOR FULL ENCLOSURE OF THE BOLTS AND NUTS USED TO SECURE THE BARS AND SEAT IN PLACE. THE BOLT AND NUT COMBINATION SHOULD NOT PROTRUDE MORE THAN 3/4" ON EITHER SIDE OF THE SHOWER WALLS, THIS MAY REQUIRE THE NEED TO NOTCH STUDS TO ALLOW BOLT CLEARANCE FOR A DRYWALL ENCLOSED FIRE WALL INSTALLATION. ADJUSTMENT OF THE WALL BOARD MAY BE NECESSARY TO PROVIDE CLEARANCE OF THE BOLT(S) WHILE MAINTAINING THE INTEGRITY OF THE DRYWALL ENCLOSED FIRE WALL ENCLOSURE.

NOTE: THIS UNIT WILL NOT ACCEPT A DOOR.

Job Name	Approved By Print Name		Date	COMFORT DESIGNS	
Project No	Approved By Signature			Model No. SSS 6239 BF .75 U-Bar-I	
Comfort Designs 435 Industrial Road Savannah, TN 38372 tel 800.443.7269 fax 731.925.4290 www.comfortdesignsbathware.com	Architect			Drawing No. SSS 6239 BF .75 HBW HSW2 CR Easy Base	
	Engineer			Date Issued. 4-3-12	Drawing Rev. 7-6-20
	Rep			Material. Acrylix™ applied acrylic	
	Wholesaler			Color.	
	Comments			Dimensions are in inches. Due to the nature of the materials dimensions may vary ± 1/2"	