




BEST CHOICE
PRODUCTS



INSTRUCTION MANUAL

Square Lift Top Coffee Table
w/ Hidden and Open Storage



37.5 LBS
FIXED TABLE
CAPACITY



37.5 LBS
MAIN TABLE (CLOSED)
CAPACITY



33 LBS
MAIN TABLE (OPEN)
CAPACITY



2 PERSON
ASSEMBLY



UP TO 45 MIN.
ASSEMBLY

! NOTICE

Please retain these instructions for future reference.

- Firmly secure all bolts, screws, and knobs before use.
- Reconfirm that all bolts, screws, and knobs are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Always lay components on a clean, soft-cushioned surface during assembly.
- Improper installation may cause damage to the product.
- This product is intended for indoor use only.
- If any parts are missing, broken, damaged, or worn, stop using this item until repairs are made and/or factory replacement parts are installed.
- Do not use this item in a way inconsistent with the manufacturer's instructions as this could void the product warranty.
- To wipe down the furniture, use a damp cloth. Then, wipe it down once more with a dry cloth.
- Be aware that extra hardware may be included.
- This product is intended for residential use only.

TOOLS REQUIRED



WRENCH
(PROVIDED)



PHILLIPS
SCREWDRIVER



POWER DRILL
(RECOMMENDED)

HARDWARE

1 M6 x 35mm
CAM BOLT



27 PCS

2 M12 x 10mm
CAM LOCK



27 PCS

3 M6 x 30mm
DOWEL



34 PCS

4 M4 x 35mm
SCREW



12 PCS

5 FOOT INSERT



8 PCS

6 M4 x 14mm
SCREW



28 PCS

7 LEFT TABLE
HINGE



1 PC

8 RIGHT TABLE
HINGE



1 PC

9 Ø20 STICKER



18 PCS

10 M6 x 20mm
SCREW



2 PCS

11 M6 x 20mm
DOWEL



2 PCS

12 M4 x 25mm
SCREW



3 PCS

HARDWARE

13

TOP PAD




8 PCS

PARTS

A


MAIN TABLE TOP



1 PC

B


FIXED TABLE TOP



1 PC

C


TABLE BOTTOM



1 PC

D


SIDE PANEL I



1 PC

E

SIDE PANEL II



1 PC

F


STORAGE DIVIDER
PANEL



1 PC

G


TABLE FRONT PANEL



1 PC

H


TABLE BASE I



2 PCS



I

TABLE BASE II



2 PCS

PARTS




PRODUCT ASSEMBLY

1

Insert seven **part 1** cam bolts into the **part B** table top.

Insert four **part 1** cam bolts each into the **part D & E** side panels, eight bolts total.

Use two **part 11** dowels and three **part 12** screws to attach the **part K** support strip to the back of the **part F** storage divider. Cover each screw with one **part 9** sticker.



PRODUCT ASSEMBLY



2

Insert four **part 2 cam locks** each in the **part G table front panel** and **part F storage divider panel**, eight locks total.

Insert four **part 3 dowels** each into the **part D & E side panels**, eight dowels total.

Attach the **part D & E side panels** to the **part G & F panels**, turn the cam locks to secure.

Cover each cam lock with one **part 9 sticker**.



Use a screwdriver to turn the cam lock to secure the cam bolt.

PRODUCT ASSEMBLY



3

Insert six **part 3 dowels** into the **part B fixed table top**.

Insert three **part 2 cam locks** into the **part F storage divider panel**.

Insert two more cam locks each into the **part D & E side panels**, four locks total.

Attach the **part B table top**, then turn the cam locks to secure. Cover each cam lock with one **part 9 sticker**.



Use a screwdriver to turn the cam lock to secure the cam bolt.


PRODUCT ASSEMBLY

4

Turn the assembly so the **part G table front panel** sits on the ground.

Insert two **part 3 dowels** each into the **part D, E, F, and G panels**, eight dowels total.


Attach the **part C table bottom** with twelve **part 4 screws**.



PRODUCT ASSEMBLY

5


Insert two **part 1 cam bolts** each into two **part H table base I**, four bolts total.




6

Insert two **part 2 cam locks** each into two **part I table base II**, four locks total.

Insert two **part 3 dowels** each into the two **part I table bases**, four dowels total, then connect them to the **part H table bases** and secure by turning the cam locks.




Use a screwdriver to turn the cam lock to secure the cam bolt.



PRODUCT ASSEMBLY

7


Flip the table assembly so the **part C bottom** faces upward and insert eight **part 1 cam bolts**.




8

Locate the table base assembly and insert eight **part 2 cam locks** and eight **part 3 dowels**, two locks and dowels per panel.

Attach the base assembly to the **part C bottom** and turn the cam locks to secure.




Use a screwdriver to turn the cam lock to secure the cam bolt.



PRODUCT ASSEMBLY


9

Insert eight **part 5 foot inserts** into the table base assembly.



10

Attach the **part 7 & 8 table hinges** to the **part A main table top** with twelve **part 6 screws**. Fully extend the hinges before proceeding to the next step.




PRODUCT ASSEMBLY

11

Flip the table top assembly upright, then insert the **part 7 & 8 hinges** into the table recess.


Attach the **part 7 left table hinge** to the **part E side panel** and the **part 8 right table hinge** to the **part E side panel** with sixteen **part 6 screws**, eight screws per hinge.



12

Raise the **part A table top** so the **part 7 & 8 table hinges** are fully extended, then attach the **part J lift top support** with two **part 10 screws**.

Place eight **part 13 top pads** on the top edges of the **part D, E, F, and G panels** to cushion the **part A main table top**.





HELP CENTER



Question about your product? We're here to help. Visit us at:

help.bestchoiceproducts.com



Chat Support



Product Inquiry



Orders FAQ



Product Assembly



Returns & Refunds

PRODUCT WARRANTY INFORMATION

All items can be returned for any reason within 60 days of the receipt and will receive a full refund as long as the item is returned in its original product packaging and all accessories from its original shipment are included. All returned items will receive a full refund back to the original payment method. All returned items will not be charged a re-stocking fee.

All returned items require an RA (Return Authorization) number, which can only be provided by a Best Choice Products Customer Service Representative when the return request is submitted. Items received without an RA may not be accepted or may increase your return processing time. Once an item has been received by Best Choice Products, refunds or replacements will be processed within 5 business days.

All returns must be shipped back to the Best Choice Products Return Center at the customer's expense. If the reason for return is a result of an error by Best Choice Products then Best Choice Products will provide a pre-paid shipping label via email. Boxes for return shipping will not be provided by Best Choice Products, and is the customer's responsibility to either use the original shipping boxes or purchase new boxes.

Pictures may be required for some returns to ensure an item is not damaged prior to its return. Items returned are not considered undamaged until they are received by Best Choice Products and verified as such. All damages to items are the customer's responsibility until the item has been received by and acknowledged by Best Choice Products as undamaged.

© 2023 Best Choice Products, Inc. All rights reserved. Distributed by Best Choice Products, Inc. Tustin, CA 92780

WARNING

Manufacturer and seller expressly disclaim any and all liability for personal injury, property damage or loss, whether direct, indirect, or incidental, resulting from the incorrect attachment, improper use, inadequate maintenance, unapproved modification, or neglect of this product.