

Symmons Industries, Inc., 31 Brooks Drive, Braintree, MA 02184-3804
1-800-SYMMONS, (781) 848-2250 • symmons.com

Copyright© 2024 Symmons Industries, Inc.
FLP-2024

Price Book

September 2024

We Make Things Right™

At Symmons, our promise to you is that we'll make things right.

We'll always design and build our products with precision and the highest quality materials. Our Customer Service team will make sure your experience is exceptional, and we'll always stand behind our products with the best warranties in the industry.

SYMMONS®

Pump Up the **Volume** with **HydroMersion**®

Showerheads and Hand Shower Wands Powered by HydroMersion!

HydroMersion Technology channels today's limited flow rates into best-in-class force, **making less water feel like more!**

Whether it's the full shoulder-to-shoulder relaxing coverage of the single-function, or the 7 unique modes of the multifunction, showerheads and hand shower wands with HydroMersion Technology deliver the ultimate shower experience.

All Symmons premium decorative collections feature HydroMersion showerheads and hand shower wands.

Single Function

Amplify your vibe. With full shoulder-to-shoulder coverage, the single-function showerheads and wands turn up the volume on your daily routine. The easy-to-clean EverFlow™ spray nozzles maximize flow for total relaxation.

7-Mode Multifunction

Dial in your attitude. From a relaxing mist on a warm summer day to a rejuvenating massage after a tough workout, multifunction showerheads and wands let you personalize the spray pattern to align with your mood.

Scan QR code to check out the sprays

HydroMersion® Multifunction Sprays

1 Full

Immerse yourself in the full HydroMersion shower experience

Full mode brings an all-encompassing pattern of firm sprays to simultaneously invigorate and relax

2 Massage

Energize and revitalize your body and your outlook

Forceful pulses soothe sore muscles and joints to ease tension to speed recovery time

3 Dual

When you want the best of both worlds

Dual mode brings Full spray together with Massage for an awakening of body and mind

4 Center

Start the day relaxed, focused, and centered

Center mode aligns a series of concentrated streams to target neck and back muscles



5 Waterfall

Escape to a smooth, sweeping waterfall with just a click.

A semi-circular channel supplies a rich flow for a drenching cleanse

6 Spa

Treat yourself with own personal spa

Spa mode uses 6 large atomizing nozzles to create an invigorating and restorative shower experience

7 Pause

Take a break in Pause mode

Reduces flow to a trickle for safe showering and ADA compliance for hand shower

Design Style	CONTEMPORARY					TRANSITIONAL				TRADITIONAL	
Price	$			$$		$		$$		$	$$
Collection	Identity®	Solarity™	Verity™	Dia®	Duro®	Origins®	Birch™	Elm®	Oak™	Allura®	Braston™
Collection											
Finishes	Brushed Bronze (BBZ), Matte Black (MB), Polished Chrome, Satin Nickel (STN)	Matte Black (MB), Polished Chrome, Satin Nickel (STN)	Matte Black (MB), Polished Chrome, Satin Nickel (STN)	Brushed Bronze (BBZ), Matte Black (MB), Polished Chrome, Satin Nickel (STN)	Brushed Bronze (BBZ), Matte Black (MB), Polished Chrome, Satin Nickel (STN)	Polished Chrome, Satin Nickel (STN)	Polished Chrome, Satin Nickel (STN)	Brushed Bronze (BBZ), Matte Black (MB), Polished Chrome, Satin Nickel (STN)	Brushed Bronze (BBZ), Matte Black (MB), Polished Chrome, Satin Nickel (STN)	Polished Chrome, Satin Nickel (STN)	Brushed Bronze (BBZ), Matte Black (MB), Polished Chrome, Satin Nickel (STN)
Widespread											
Two-Handle Centerset											
Single-Handle											
Kitchen								Sereno®		Unity®	
Tub Filler											
Shower											
Coordinating Accessories											

Temptrol® - The Perfect Balance

The leading pressure-balancing shower valve since 1968, made right here in the USA!

The solid brass control spindle and stainless-steel piston inside each Temptrol shower valve instantaneously balance water pressure for comfortable and safe showers every time.

Made right in the USA with brass and stainless steel, Temptrol valves have factory-installed options for the Rapid Install™ Bracket, Integral Stops, Reverse Seat, and a variety of connection fittings.

CPVC

PEX Crimp

PEX CE

ProPress®


All brass, bronze, and stainless steel!

Retrim in Style

Temptrol valves are compatible with all Symmons decorative trims so you're always in style. They're the perfect balance of beauty, reliability, and safety.

Recharge the Warranty

If you rebuild a Temptrol with genuine Symmons parts, you'll automatically reset and renew that warranty—a full 10 years for commercial and lifetime for residential!

Temptrol **VersaFlex™**

The Temptrol VersaFlex valve is a version of the standard Temptrol valve that includes a lever right on the valve to control shower functions or water volume. It eliminates the need for a separate diverter, so installation is easier and less expensive!

There are two variations of the VersaFlex valve:

VersaFlex with Integral Diverter

Temptrol VersaFlex with Integral Diverter features a ceramic cartridge that lets you switch between any two functions, such as tub, shower, or hand shower.

VersaFlex with Volume Control

The lever on the Temptrol VersaFlex with Volume Control is used for shower-only installations. Use the lever to increase or reduce the volume of water while showering.

VersaFlex lever

Note: All VersaFlex valve SKUs include an "S" prefix. For example, **S**262XBODY (Integral Diverter) and **S**261XBODY (Volume Control).

When You Need **Quality**, Symmons has it!

Our goal is to make sure Symmons products are always available when you need them!

With our ReadyStock™ and Special Order tiers, you have clear visibility into product availability, so you can plan your projects confidently with reliable lead times.

ReadyStock™

ReadyStock products are always in stock and ready to ship within 3 days!

Just click the ReadyStock filter on the Search tool on **symmons.com**!



Scan the QR code to see all ReadyStock products!

Special Order

For projects with extended lead times of 18 weeks or more. (Minimum order quantities may apply.)

To check product availability or to place a special order, contact us by phone at **1-800-SYMMONS** or email us at **csi@symmons.com**.

Durability for Decades!

We have your back with the best warranties in the industry!

Our products stand the test of time, and we know a thing or two about longevity—we've been manufacturing the highest-quality plumbing products for the last **85 years**.

Symmons has the strongest warranty in the industry—**limited lifetime for residential and a full 10 years for commercial**. And our warranties are fully transferable!

And because we're so confident in our iconic Temptrol® valves when used in commercial locations, the 10-year warranty immediately renews and resets when you replace the TA-10 spindle and TA-4 seat kit with genuine Symmons replacement parts.

If you have an issue, our industry-leading Customer Service team will be there to stand behind our products and **make things right**.

Contents

11	Allura® Collection
21	Birch™ Collection
31	Braston™ Collection
42	Dia® Collection
58	Duro® Collection
71	Elm® Collection
81	Identity® Collection
92	Oak™ Collection
102	Origins® Collection
118	Solarity™ Collection
128	Verity® Collection
138	Tub/Shower Valve Bodies
159	Temptrol® Commercial Tub/Showers
162	SafetyMix® Tub/Showers
168	VisuTemp® Tub/Showers
174	LigRes® Showers
176	HydaPipe® Showers
182	ShowerOff® Metering Showers
187	Heavy Duty Faucets
192	ActivSense® Faucets & Soap Dispensers
202	SCOT®/Metering Faucets
206	MaxLine®

Contents Continued

212	TempControl®
217	LaundryMate®
219	Lavatory Faucets
234	Tub Faucets
236	Kitchen Faucets
241	Bar/Service/Laundry Faucets
243	Accessories
289	Repair Parts

Guide to Symbols

WS	Indicates products and options that are WaterSense® compliant
CG	Indicates products that are compliant with CalGreen
	Indicates products that are in compliance with the Buy American Act
LF	Indicates products that are compliant with California AB1953 and Vermont S.152 legislation
	Indicates products that meet requirements of ADA
P	Indicates Premium products

On the Lookout?

Looking for the best shower systems, faucets, and bath accessories for your next project? Look no further! Symmons has representatives all across the US and Canada.

Scan the QR code to find a Symmons rep near you!

Allura® Collection

Traditional yet transitional, the Symmons Allura Collection blends classic detailing with modern accents and finishes. The solid construction and style give a distinct presence in any traditional bathroom.

Available in these finishes:



Polished Chrome

Satin Nickel Radiance® PVD (STN)

Faucets • Tub/Showers • Accessories

Allura® Lavatory Faucets

	DESCRIPTION	MODEL	FINISH	PRICE
	• Allura Widespread Lavatory Faucet • 3-hole installation with 8-16" center • Threadless valve-to-spout connections • 3/8" braided hose connections • Ceramic cartridges • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLW4712PP SLW4712STNPP	Chrome Satin Nickel	479.15 685.75
	• Allura Centerset Lavatory Faucet • 3-hole installation with 4" center • 1/2" IPS connections • Ceramic cartridges • Solid brass construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLC4712PP SLC4712STNPP	Chrome Satin Nickel	232.25 297.40

Modifications for Allura Lavatory Faucets

SUFFIX	DESCRIPTION	CHROME	STN
05	CG 0.5 gpm (1.9 L/min) flow restrictor	N/C	N/C

Allura® Shower and Tub/Shower

DESCRIPTION	MODEL	FINISH	PRICE
• Allura Shower Trim with VersaFlex Integral Diverter/Volume Control • Metal handle • 3-3/4" showerhead with 3 modes • Red and blue indicators on escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: S26 Series Temptrol® valve required (see page 151)*		
	S-4701-TRM	Chrome	271.95
	S-4701-STN-TRM	Satin Nickel	395.10
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 151)		
	S4701TRMTC	Chrome	338.45
	S4701STNTRMTC	Satin Nickel	461.60
• Allura Shower Trim • Metal handle • 3-3/4" showerhead with 3 modes • Red and blue indicators on escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	4701-TRM	Chrome	251.50
	4701-STN-TRM	Satin Nickel	376.15
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	4701TRMTC	Chrome	318.05
	4701STNTRMTC	Satin Nickel	442.75
• Allura Tub and Shower Trim with VersaFlex Integral Diverter • Metal handle • 5-1/4" non-diverter tub spout • 3-3/4" showerhead with 3 modes • Red and blue indicators on escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: S26 Series Temptrol® valve required (see page 147)*		
	S-4702-TRM	Chrome	293.95
	S-4702-STN-TRM	Satin Nickel	423.60
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
	S4702TRMTC	Chrome	360.40
	S4702STNTRMTC	Satin Nickel	490.15
• Allura Tub and Shower Trim • Metal handle • 5-1/2" diverter tub spout • 3-3/4" showerhead with 3 modes • Red and blue indicators on escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	4702-TRM	Chrome	274.15
	4702-STN-TRM	Satin Nickel	428.00
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	4702TRMTC	Chrome	340.55
	4702STNTRMTC	Satin Nickel	494.45
• Allura Hand Shower Trim • Metal handle • Cradle for hand shower • 60" flexible metal hose • 3-3/4" hand shower wand with 3 modes • Red and blue indicators on escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	4703-TRM	Chrome	492.50
	4703-STN-TRM	Satin Nickel	816.05
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	4703TRMTC	Chrome	559.00
	4703STNTRMTC	Satin Nickel	882.55

Allura® Shower and Tub/Shower

DESCRIPTION	MODEL	FINISH	PRICE
• Allura Tub and Hand Shower Trim with VersaFlex Integral Diverter • Metal handle • Cradle for hand shower • 5-1/4" non-diverter tub spout • 60" flexible metal hose • 3-3/4" hand shower wand with 3 modes • Red and blue indicators on escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: S26 Series Temptrol® valve required (see page 147)*		
	S-4704-TRM	Chrome	503.55
	S-4704-STN-TRM	Satin Nickel	830.65
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
	S4704TRMTC	Chrome	570.05
	S4704STNTRMTC	Satin Nickel	897.15
• Allura Shower and Hand Shower Trim with VersaFlex Integral Diverter • Metal handle • Cradle for hand shower • 60" flexible metal hose • 3-3/4" hand shower wand with 3 modes • 3-3/4" showerhead with 3 modes • Red and blue indicators on escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: S26 Series Temptrol® valve required (see page 147)*		
	S4708TRM	Chrome	427.90
	S4708STNTRM	Satin Nickel	784.70
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
	S4708TRMTC	Chrome	494.35
	S4708STNTRMTC	Satin Nickel	851.20
• Allura Shower and Hand Shower Trim • Metal lever handle • Cradle for hand shower • Separate dual outlet diverter trim • 60" flexible metal hose • 3-3/4" hand shower wand with 3 modes • 3-3/4" showerhead with 3 modes • Red and blue indicators on escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: 26 Series Temptrol® and 2DIV Series valves required (see pages 139 and 158)*		
	4705-TRM	Chrome	668.05
	4705-STN-TRM	Satin Nickel	1115.75
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® and 2DIV Series valves required (see pages 139 and 158)		
	4705TRMTC	Chrome	734.60
	4705STNTRMTC	Satin Nickel	1182.30
• Allura Shower System Trim • Metal handle • Cradle for hand shower • Separate triple outlet diverter trim • 5-1/4" non-diverter tub spout • 60" flexible metal hose • 3-3/4" hand shower wand with 3 modes • 3-3/4" showerhead with 3 modes • Red and blue indicators on escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: 26 Series Temptrol® and 3DIV Series valves required (see pages 139 and 158)*		
	4706-TRM	Chrome	688.05
	4706-STN-TRM	Satin Nickel	1115.20
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® and 3DIV Series valves required (see pages 139 and 158)		
	4706TRMTC	Chrome	754.60
	4706STNTRMTC	Satin Nickel	1181.60

Allura® Shower and Tub/Shower

DESCRIPTION	MODEL	FINISH	PRICE
• Allura Shower Valve Trim with VersaFlex Integral Diverter/Volume Control • Metal handle • Red and blue indicators on escutcheon	*Trim Only: S26 Series Temptrol® valve required (see pages 147 and 151)*		
	S-4700-TRM	Chrome	198.70
	S-4700-STN-TRM	Satin Nickel	297.35
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see pages 147 and 151)		
	S4700TRMTC	Chrome	265.15
	S4700STNTRMTC	Satin Nickel	363.85
• Allura Shower Valve Trim • Metal handle • Red and blue indicators on escutcheon	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	4700-TRM	Chrome	198.70
	4700-STN-TRM	Satin Nickel	288.25
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	4700TRMTC	Chrome	265.15
	4700STNTRMTC	Satin Nickel	354.80

Modifications for Allura Shower and Tub/Shower Systems

SUFFIX	DESCRIPTION	CHROME	STN
15	1.5 gpm (5.7 L/min) flow restrictor	N/C	N/C
L1	Less showerhead	-48.80	-74.75
L2	Less hand shower	-32.55	-45.65
L3	Less showerhead and hand shower	-81.35	-120.40
L4	Less showerhead, arm and flange	-59.00	-88.05
L5	Less hand shower system	-120.95	-203.35
L6	Less tub spout (for non diverter tub spout, deduct this line)	-10.80	-17.25
L6.	Less tub spout (for diverter tub spout, deduct this line)	-24.20	-34.00
L7	Less handle	-20.70	-26.95

Allura® Shower and Tub/Shower Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• Multifunction Showerhead • Standard on the Allura collection • 3-3/4" diameter • 3 modes • Easy to clean rubber nozzles CG P	*2.0 gpm (7.6 L/min) standard*		
		4-143	Chrome	122.10
		4-143-STN	Satin Nickel	187.10
		1.5 gpm (5.7 L/min) CALGreen		
		4-143-1.5	Chrome	122.10
		4-143-STN-1.5	Satin Nickel	187.10
	• Multifunction Hand Shower Wand • Standard on the Allura collection • 3-3/4" diameter • 3 modes • 2.0 gpm (7.6 L/min) flow rate P	EF-101	Chrome	81.35
		EF-101-STN	Satin Nickel	113.95
	• Multifunction Hand Shower System • Standard on the Allura collection • 3-3/4" hand shower wand with 3 modes • Cradle for hand shower wand mounting • 60" flexible metal hose • 2.0 gpm (7.6 L/min) flow rate P	H303-V	Chrome	302.45
		H303-V-STN	Satin Nickel	508.45
	• Multifunction Hand Shower System • Coordinates with Allura and Braston collections • 4" HydroMersion hand shower wand with 7 modes • EverFlow rubber spray nozzles • Integrated wall cradle and elbow • 60" flexible metal hose • Traditional style • 2.0 gpm (7.6 L/min) flow rate WS P	HR707	Chrome	317.20
		HR707STN	Satin Nickel	412.35

Allura® Shower and Tub/Shower Accessories

DESCRIPTION	MODEL	FINISH	PRICE
• Multifunction Hand Shower Slide Bar System • Coordinates with Allura and Braston collections • 4" HydroMersion hand shower wand with 7 modes • EverFlow rubber spray nozzles • 30" hand shower slide bar • 60" flexible metal hose • Traditional style • 2.0 gpm (7.6 L/min) flow rate	HR727	Chrome	382.05
	HR727STN	Satin Nickel	496.60
• 24" or 36" Slide/Grab Bar • Contemporary/Modern style • 4" HydroMersion hand shower wand with 7 modes • EverFlow rubber spray nozzles • 60" flexible metal hose • 1-1/2" diameter slide bar • Pause mode for non-positive shutoff • ADA slide mechanism • Wall elbow included • 2.0 gpm (7.6 L/min) flow rate	*24" Length*		
	H35924	Chrome	426.20
	H35924STN	Satin Nickel	584.25
	*36" Length*		
	H35936	Chrome	434.65
	H35936STN	Satin Nickel	595.95
• Exposed Shower Riser • Round flanges • Metal lever handle • Diverter included for toggling between distinct showerhead and hand shower positions • Includes column/slide bar and hand shower bracket • 60" flexible metal hose • Hand shower and showerhead not included	35EX	Chrome	539.45
	35EX-STN	Satin Nickel	755.30
• Short shower arm and flange • Stamped flange • 6" length	300S	Chrome	25.60
	300S-STN	Satin Nickel	33.25

Allura® Shower and Tub/Shower Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• Non-diverter tub spout • 5-1/4" length • Metal construction • Thread-on installation	060	Chrome	27.05
		060-STN	Satin Nickel	35.75
	• Diverter tub spout • 5-1/2" length • Pull-up diverter • Metal construction • Thread-on installation	054	Chrome	60.60
		054-STN	Satin Nickel	76.50
	• Allura Diverter Valve Trim • 5" diameter • Screwless escutcheon • Dual or triple outlet	*Trim Only: 2DIV-BODY or 3DIV-BODY required (see page 158)*		
		47-2DIV-TRM	Chrome	240.20
		47-2DIV-STN-TRM	Satin Nickel	340.20

Modifications for Shower and Tub/Shower Accessories

SUFFIX	DESCRIPTION	CHROME	STN
15	1.5 gpm (5.7 L/min) flow restrictor	N/C	N/C

Allura® Bath Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• 18" or 24" Towel Bar • Coordinates with Allura and Braston collections • Durable mounting system • Metal construction	*18" Length*		
		583TB18	Chrome	67.50
		583TB18STN	Satin Nickel	87.75
		24" Length		
		583TB24	Chrome	74.05
		583TB24STN	Satin Nickel	96.25
	• Robe Hook • Coordinates with Allura and Braston collections • Durable mounting system • Metal construction	583RH	Chrome	21.85
		583RHSTN	Satin Nickel	28.40
	• Towel Ring • Coordinates with Allura and Braston collections • Durable mounting system • Metal construction	583TR	Chrome	43.00
		583TRSTN	Satin Nickel	55.95
	• Toilet Paper Holder • Coordinates with Allura and Braston collections • Durable mounting system • Metal construction	583TP	Chrome	41.45
		583TPSTN	Satin Nickel	53.90
	• Double Toilet Paper Holder • Coordinates with Allura and Braston collections • Durable mounting system • Metal construction • Matte Black finish is Special Order	583DTP	Chrome	92.70
		583DTPSTN	Satin Nickel	120.50
	• Double Robe Hook • Coordinates with Allura and Braston collections • Durable mounting system • Metal construction • Matte Black finish is Special Order	583DRH	Chrome	56.65
		583DRHSTN	Satin Nickel	73.65

Allura® Bath Accessories

DESCRIPTION	MODEL	FINISH	PRICE
• 24" or 36" Grab Bar • Coordinates with Allura and Braston collections • Metal construction • ADA compliant • Matte Black finish is Special Order	*24" Length*		
	583GB24	Chrome	167.50
	583GB24STN	Satin Nickel	217.75
	36" Length		
	583GB36	Chrome	175.80
	583GB36STN	Satin Nickel	228.55

Birch™ Collection

The graceful curves, smooth circular elements, and modern touches of the Birch Collection combine to create a clean, comfortable Transitional aesthetic that feels both welcoming and refined.

Available in these finishes:



Polished Chrome

Satin Nickel Radiance® PVD (STN)

Faucets • Tub/Showers • Accessories

Birch™ Lavatory Faucets

	DESCRIPTION	MODEL	FINISH	PRICE
	• Birch Widespread Lavatory Faucet • 3-hole installation with 8-16" center • Threadless valve-to-spout connections • 3/8" braided hose connections • Ceramic cartridges • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate WS P LF	SLW5912PP SLW5912STNPP	Chrome Satin Nickel	279.50 363.35
	• Birch Single Handle Lavatory Faucet • Single-hole installation • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate WS P LF	SLS5912PP SLS5912STNPP	Chrome Satin Nickel	222.10 288.75
	• Birch Centerset Lavatory Faucet • 3-hole installation with 4" center • 1/2" IPS connections • Ceramic cartridges • Solid brass construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate WS P LF	SLC5912PP SLC5912STNPP	Chrome Satin Nickel	192.65 250.45

Modifications for Birch Lavatory Faucets

SUFFIX	DESCRIPTION	CHROME	STN
05	CG 0.5 gpm (1.9 L/min) flow restrictor	N/C	N/C

Birch™ Shower and Tub/Shower

DESCRIPTION	MODEL	FINISH	PRICE
• Birch Shower Trim with VersaFlex Integral Diverter/Volume Control • 4" HydroMersion showerhead with Total spray • EverFlow rubber spray nozzles • VersaFlex Integral Diverter/Volume Control lever • Metal handle • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: S26 Series Temptrol® valve required (see page 151)*		
	S5991TRM	Chrome	211.40
	S5991STNTRM	Satin Nickel	274.80
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 151)		
	S5991TRMTC	Chrome	277.90
	S5991STNTRMTC	Satin Nickel	341.30
• Birch Shower Trim • 4" HydroMersion showerhead with Total spray • EverFlow rubber spray nozzles • Metal handle • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	5991TRM	Chrome	161.60
	5991STNTRM	Satin Nickel	210.05
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	5991TRMTC	Chrome	228.10
	5591STNTRMTC	Satin Nickel	348.75
• Birch Tub and Shower Trim with VersaFlex Integral Diverter • 4" HydroMersion showerhead with Total spray • EverFlow rubber spray nozzles • VersaFlex Integral Diverter lever • 5-1/4" slip-on non-diverter tub spout • Metal handle • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: S26 Series Temptrol® valve required (see page 147)*		
	S5992TRM	Chrome	227.50
	S5992STNTRM	Satin Nickel	295.70
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
	S5992TRMTC	Chrome	293.95
	S5992STNTRMTC	Satin Nickel	362.20
• Birch Tub and Shower Trim • 4" HydroMersion showerhead with Total spray • EverFlow rubber spray nozzles • 5-1/4" slip-on diverter tub spout • Metal handle • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	5992TRM	Chrome	171.70
	5992STNTRM	Satin Nickel	223.20
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	5992TRMTC	Chrome	293.95
	5992STNTRMTC	Satin Nickel	289.70

Birch™ Shower and Tub/Shower

DESCRIPTION	MODEL	FINISH	PRICE
• Birch Hand Shower Trim • 4" HydroMersion hand shower wand with Total spray and Pause mode • EverFlow rubber spray nozzles • 30" hand shower slide bar • 60" flexible metal hose • Metal handle • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	5993TRM	Chrome	400.10
	5993STNTRM	Satin Nickel	520.15
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	5993TRMTC	Chrome	466.60
	5993STNTRMTC	Satin Nickel	586.65
• Birch Tub and Hand Shower Trim with VersaFlex Integral Diverter • 4" HydroMersion hand shower wand with Total spray and Pause mode • EverFlow rubber spray nozzles • VersaFlex Integral Diverter lever • 5-1/4" slip-on non-diverter tub spout • 30" hand shower slide bar • 60" flexible metal hose • Metal handle • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: S26 Series Temptrol® valve required (see page 147)*		
	S5994TRM	Chrome	456.70
	S5994STNTRM	Satin Nickel	593.60
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
	S5994TRMTC	Chrome	523.10
	S5994STNTRMTC	Satin Nickel	660.10
• Birch Shower and Hand Shower Trim with VersaFlex Integral Diverter • 4" HydroMersion showerhead with Total spray • 4" HydroMersion hand shower wand with Total spray and Pause mode • EverFlow rubber spray nozzles • VersaFlex Integral Diverter lever • 30" hand shower slide bar • 60" flexible metal hose • Metal handle • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: S26 Series Temptrol® valve required (see page 147)*		
	S5998TRM	Chrome	429.20
	S5998STNTRM	Satin Nickel	557.95
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
	S5998TRMTC	Chrome	495.70
	S5998STNTRMTC	Satin Nickel	624.45

Birch™ Shower and Tub/Shower

DESCRIPTION	MODEL	FINISH	PRICE
• Birch Shower and Hand Shower Trim • 4" HydroMersion showerhead with Total spray • 4" HydroMersion hand shower wand with Total spray and Pause mode • Separate dual outlet diverter trim • EverFlow rubber spray nozzles • 30" hand shower slide bar • 60" flexible metal hose • Metal handle • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: 26 Series Temptrol® and 2DIV Series valves required (see pages 139 and 158)*		
	5995TRM	Chrome	551.85
	5995STNTRM	Satin Nickel	717.45
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® and 2DIV Series valves required (see pages 139 and 158)		
	5995TRMTC	Chrome	618.35
	5995STNTRMTC	Satin Nickel	783.95
• Birch Shower System Trim • 4" HydroMersion showerhead with Total spray • 4" HydroMersion hand shower wand with Total spray and Pause mode • EverFlow rubber spray nozzles • Separate triple outlet diverter trim • 30" hand shower slide bar • 60" flexible metal hose • 5-1/4" slip-on non-diverter tub spout • Metal handle • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: 26 Series Temptrol® and 3DIV Series valves required (see pages 139 and 158)*		
	5996TRM	Chrome	571.70
	5996STNTRM	Satin Nickel	743.20
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® and 3DIV Series valves required (see pages 139 and 158)		
	5996TRMTC	Chrome	638.20
	5996STNTRMTC	Satin Nickel	809.70
• Birch Shower Valve Trim with VersaFlex Integral Diverter/Volume Control • VersaFlex Integral Diverter/Volume Control lever • Metal handle	*Trim Only: S26 Series Temptrol® valve required (see pages 147 and 151)*		
	S5990TRM	Chrome	171.65
	S5990STNTRM	Satin Nickel	223.15
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see pages 147 and 151)		
	S5990TRMTC	Chrome	238.15
	S5990STNTRMTC	Satin Nickel	289.65
• Birch Shower Valve Trim • Metal handle	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	5990TRM	Chrome	128.45
	5990STNTRM	Satin Nickel	166.95
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	5990TRMTC	Chrome	194.95
	5990STNTRMTC	Satin Nickel	233.45

Modifications for Birch Shower and Tub/Shower Systems

SUFFIX	DESCRIPTION	CHROME	STN
15	1.5 gpm (5.7 L/min) flow restrictor	N/C	N/C
L1	Less showerhead	-21.30	-27.75
L2	Less hand shower	-24.70	-32.15
L3	Less showerhead and hand shower	-46.05	-59.90
L4	Less showerhead, arm and flange	-31.55	-41.05
L5	Less hand shower system	-152.80	-198.65
L6	Less tub spout (for non diverter tub spouts, deduct this line)	-21.95	-28.50
L6.	Less tub spout (for diverter tub spouts, deduct this line)	-33.65	-43.70
L7	Less handle	-18.55	-24.10

Birch™ Shower and Tub/Shower Accessories

DESCRIPTION	MODEL	FINISH	PRICE
• Single-Function Showerhead • Standard on the Birch collection • 4" diameter • HydroMersion technology for increased force • Total spray for complete coverage • EverFlow rubber spray nozzles • Solid brass ball joint • Transitional style	*2.0 gpm (7.6 L/min) standard*		
	592SH	Chrome	53.35
	592SHSTN	Satin Nickel	69.35
	1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
	592SH15	Chrome	53.35
	592SHSTN15	Satin Nickel	69.35
• Single-Function Hand Shower Wand • Standard on the Birch collection • 4" diameter • HydroMersion technology for increased force • Total spray for complete coverage • Pause mode for non-positive shutoff • Easy-shift thumb lever • EverFlow rubber spray nozzles • Transitional style	*2.0 gpm (7.6 L/min) standard*		
	592W	Chrome	61.80
	592WSTN	Satin Nickel	80.35
	1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
	592W15	Chrome	61.80
	592WSTN15	Satin Nickel	80.35
• Single-Function Hand Shower System • Coordinates with the Birch collection • 4" HydroMersion hand shower wand with Total spray and Pause mode • EverFlow rubber spray nozzles • Wall cradle and elbow • 60" flexible metal hose • Transitional style • 2.0 gpm (7.6 L/min) flow rate	HR601	Chrome	317.20
	HR601STN	Satin Nickel	412.35
• Single-Function Hand Shower Slide Bar System • Coordinates with the Birch collection • 4" HydroMersion hand shower wand with Total spray and Pause mode • EverFlow rubber spray nozzles • 30" hand shower slide bar • 60" flexible metal hose • Transitional style • 2.0 gpm (7.6 L/min) flow rate	HR621	Chrome	382.05
	HR621STN	Satin Nickel	496.60

Birch™ Shower and Tub/Shower Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• 24" or 36" Slide/Grab Bar • Contemporary/Modern style • 4" HydroMersion hand shower wand with 7 modes • EverFlow rubber spray nozzles • 60" flexible metal hose • 1-1/2" diameter slide bar • Pause mode for non-positive shutoff • ADA slide mechanism • Wall elbow included • 2.0 gpm (7.6 L/min) flow rate	*24" Length*		
		H35924	Chrome	426.20
		H35924STN	Satin Nickel	584.25
		36" Length		
		H35936	Chrome	434.65
		H35936STN	Satin Nickel	595.95
	• Shower arm with heavy flange • 8" length	300	Chrome	68.65
		300-STN	Satin Nickel	89.10
	• Non-diverter tub spout • 5-1/4" length • Metal construction • Slip-on installation	061	Chrome	54.80
		061-STN	Satin Nickel	76.95
	• Diverter tub spout • 5-1/2" length • 1/2" inlet • Pull-up diverter • Metal construction • Slip-on installation	053	Chrome	84.10
		053-STN	Satin Nickel	117.65
	• Birch Diverter Valve Trim • 5" diameter • Metal handle • Screwless escutcheon • Dual or triple outlet	*Trim Only: 2DIV-BODY or 3DIV-BODY required (see page 158)*		
		59DIVTRM	Chrome	167.30
		59DIVSTNTRM	Satin Nickel	217.55

Modifications for Birch Shower and Tub/Shower Accessories

SUFFIX	DESCRIPTION	CHROME	STN
15	1.5 gpm (5.7 L/min) flow restrictor	N/C	N/C

Birch™ Bath Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• 18" or 24" Towel Bar • Coordinates with Birch and Elm collections • Durable mounting system • Metal construction	*18" Length*		
		553TB-18	Chrome	66.85
		553TB-18-STN	Satin Nickel	96.80
		24" Length		
		553TB-24	Chrome	73.40
		553TB-24-STN	Satin Nickel	106.35
	• Double Robe Hook • Coordinates with Birch and Elm collections • Durable mounting system • Metal construction	553RH	Chrome	35.75
		553RH-STN	Satin Nickel	51.85
	• Towel Ring • Coordinates with Birch and Elm collections • Durable mounting system • Metal construction	553TR	Chrome	44.80
		553TR-STN	Satin Nickel	64.85
	• Toilet Paper Holder • Coordinates with Birch and Elm collections • Durable mounting system • Metal construction	553TP	Chrome	73.40
		553TP-STN	Satin Nickel	114.35

Braston™ Collection



Braston is the latest Traditional decorative collection from Symmons. With classic curves and a refined aesthetic, Braston blends traditional designs with modern amenities for timeless elegance.

Available in these finishes:



Polished Chrome | Satin Nickel Radiance® PVD (STN) | Matte Black (MB) | Brushed Bronze Radiance® PVD (BBZ)

Faucets • Tub/Showers • Accessories

Braston™ Lavatory Faucets and Tub Filler

	DESCRIPTION	MODEL	FINISH	PRICE
	• Braston Widespread Lavatory Faucet • 3-hole installation with 8-16" center • Threadless valve-to-spout connections • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLW5812PP	Chrome	441.90
		SLW5812STNPP	Satin Nickel	574.50
		SLW5812MBPP	Matte Black	618.65
		SLW5812BBZPP	Brushed Bronze	618.65
	WS P LF			
	• Braston Single Handle Lavatory Faucet • Single-hole installation • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate • Matte Black finish is Special Order	SLS5812PP	Chrome	290.65
		SLS5812STNPP	Satin NIckel	377.85
		SLS5812MBPP	Matte Black	406.95
		SLS5812BBZPP	Brushed Bronze	406.95
	WS P LF			
	• Braston Freestanding Tub Filler • Floor-mounted tub filler with single-handle temperature control • 4" HydroMersion hand shower wand with 7 modes • EverFlow rubber spray nozzles • 60" flexible metal hose • Metal lever handle • 2.0 gpm (7.6 L/min) flow rate hand shower • 5.3 gpm (20.1 L/min) at 45 psi tub filler • Matte Black finish is Special Order	*If tempering valve is required, use MaxLine® 7-230 Series (page xxx)*		
		FSTF5872	Chrome	1525.45
		FSTF5872STN	Satin NIckel	1983.05
		FSTF5872MB	Matte Black	2135.60
		FSTF5872BBZ	Brushed Bronze	2135.60
	P			

Modifications for Braston Lavatory Faucets and Tub Filler

SUFFIX	DESCRIPTION	CHROME	STN	BBZ	MB
05	CG 0.5 gpm (1.9 L/min) flow restrictor	N/C	N/A	N/A	N/A
L2	Less hand shower wand	-32.55	-42.30	-45.60	-45.60

Braston™ Shower and Tub/Shower

DESCRIPTION	MODEL	FINISH	PRICE
• Braston Shower Trim with VersaFlex Integral Diverter/Volume Control • 4" HydroMersion showerhead with 7 modes • EverFlow rubber spray nozzles • VersaFlex Integral Diverter/Volume Control lever • Metal handle • 2.0 gpm (7.6 L/min) flow rate • Matte Black finish is Special Order	*Trim Only: S26 Series Temptrol® valve required (see page 151)*		
	S5891TRM	Chrome	328.30
	S5891STNTRM	Satin Nickel	426.85
	S5891MBTRM	Matte Black	459.65
	S5891BBZTRM	Brushed Bronze	459.65
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 151)		
	S5891TRMTC	Chrome	394.80
	S5891STNTRMTC	Satin Nickel	493.35
	S5891MBTRMTC	Matte Black	526.15
	S5891BBZTRMTC	Brushed Bronze	526.15
WS P			
• Braston Shower Trim • 4" HydroMersion showerhead with 7 modes • EverFlow rubber spray nozzles • Metal handle • 2.0 gpm (7.6 L/min) flow rate • Matte Black finish is Special Order	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	5891TRM	Chrome	307.00
	5891STNTRM	Satin Nickel	399.05
	5891MBTRM	Matte Black	429.75
	5891BBZTRM	Brushed Bronze	429.75
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	5891TRMTC	Chrome	373.50
	5891STNTRMTC	Satin Nickel	465.55
	5891MBTRMTC	Matte Black	485.35
	5891BBZTRMTC	Brushed Bronze	485.35
WS P			
• Braston Tub and Shower Trim with VersaFlex Integral Diverter • 4" HydroMersion showerhead with 7 modes • EverFlow rubber spray nozzles • VersaFlex Integral Diverter lever • 7-1/16" slip-on non-diverter tub spout • Metal handle • 2.0 gpm (7.6 L/min) flow rate • Matte Black finish is Special Order	*Trim Only: S26 Series Temptrol® valve required (see page 147)*		
	S5892TRM	Chrome	356.95
	S5892STNTRM	Satin Nickel	464.00
	S5892MBTRM	Matte Black	499.70
	S5892BBZTRM	Brushed Bronze	499.70
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
	S5892TRMTC	Chrome	423.45
	S5892STNTRMTC	Satin Nickel	530.50
	S5892MBTRMTC	Matte Black	566.20
	S5892BBZTRMTC	Brushed Bronze	566.20
WS P			
• Braston Tub and Shower Trim • 4" HydroMersion showerhead with 7 modes • EverFlow rubber spray nozzles • 7-1/16" slip-on diverter tub spout • Metal handle • 2.0 gpm (7.6 L/min) flow rate • Matte Black finish is Special Order	*Trim Only: 26 Series Temptrol valve required (see pages 139)*		
	5892TRM	Chrome	351.90
	5892STNTRM	Satin Nickel	457.45
	5892MBTRM	Matte Black	492.65
	5892BBZTRM	Brushed Bronze	492.65
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	5892TRMTC	Chrome	418.40
	5892STNTRMTC	Satin Nickel	523.95
	5892MBTRMTC	Matte Black	559.15
	5892BBZTRMTC	Brushed Bronze	559.15
WS P			

Braston™ Shower and Tub/Shower

- Braston Hand Shower Trim
- 4" HydroMersion hand shower wand with 7 modes
- EverFlow rubber spray nozzles
- 30" hand shower slide bar
- 60" flexible metal hose
- Metal handle
- 2.0 gpm (7.6 L/min) flow rate
- Matte Black finish is Special Order

MODEL	FINISH	PRICE
Trim Only: 26 Series Temptrol® valve required (see page 139)		
5893TRM	Chrome	657.75
5893STNTRM	Satin Nickel	855.10
5893MBTRM	Matte Black	920.85
5893BBZTRM	Brushed Bronze	920.85
Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
5893TRMTC	Chrome	724.25
5893STNTRMTC	Satin Nickel	921.60
5893MBTRMTC	Matte Black	987.35
5893BBZTRMTC	Brushed Bronze	987.35

- Braston Tub and Hand Shower Trim with VersaFlex Integral Diverter
- 4" HydroMersion hand shower wand with 7 modes
- EverFlow rubber spray nozzles
- VersaFlex Integral Diverter lever
- 7-1/16" slip-on non-diverter tub spout
- 30" hand shower slide bar
- 60" flexible metal hose
- Metal handle
- 2.0 gpm (7.6 L/min) flow rate
- Matte Black finish is Special Order

MODEL	FINISH	PRICE
Trim Only: S26 Series Temptrol® valve required (see page 147)		
S5894TRM	Chrome	686.65
S5894STNTRM	Satin Nickel	892.65
S5894MBTRM	Matte Black	961.30
S5894BBZTRM	Brushed Bronze	961.30
Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
S5894TRMTC	Chrome	753.15
S5894STNTRMTC	Satin Nickel	959.15
S5894MBTRMTC	Matte Black	1027.80
S5894BBZTRMTC	Brushed Bronze	1027.80

- Braston Shower and Hand Shower Trim with VersaFlex Integral Diverter
- 4" multifunction showerhead and hand shower wand with 7 modes
- EverFlow rubber spray nozzles
- VersaFlex Integral Diverter lever
- 30" hand shower slide bar
- 60" flexible metal hose
- Metal handle
- 2.0 gpm (7.6 L/min) flow rate
- Matte Black finish is Special Order

MODEL	FINISH	PRICE
Trim Only: S26 Series Temptrol® valve required (see page 147)		
S5898TRM	Chrome	658.25
S5898STNTRM	Satin Nickel	855.80
S5898MBTRM	Matte Black	921.60
S5898BBZTRM	Brushed Bronze	921.60
Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
S5898TRMTC	Chrome	724.75
S5898STNTRMTC	Satin Nickel	922.30
S5898MBTRMTC	Matte Black	988.10
S5898BBZTRMTC	Brushed Bronze	988.10

Braston™ Shower and Tub/Shower

DESCRIPTION

- Braston Shower and Hand Shower Trim
- 4" HydroMersion showerhead and hand shower wand with 7 modes
- EverFlow rubber spray nozzles
- Separate dual outlet diverter trim
- 30" hand shower slide bar
- 60" flexible metal hose
- Metal handle
- 2.0 gpm (7.6 L/min) flow rate
- Matte Black finish is Special Order

MODEL	FINISH	PRICE
Trim Only: 26 Series Temptrol® and 2DIV Series valves required (see pages 139 and 158)		
5895TRM	Chrome	896.40
5895STNTRM	Satin Nickel	1165.35
5895MBTRM	Matte Black	1254.95
5895BBZTRM	Brushed Bronze	1254.95
Trim Only with flow control spindle and cap nut: 16 Series Temptrol® and 2DIV Series valves required (see pages 139 and 158)		
5895TRMTC	Chrome	962.90
5895STNTRMTC	Satin Nickel	1231.85
5895MBTRMTC	Matte Black	1321.45
5895BBZTRMTC	Brushed Bronze	1321.45

- Braston Shower System Trim
- 4" HydroMersion showerhead and hand shower wand with 7 modes
- EverFlow rubber spray nozzles
- Separate triple outlet diverter trim
- 30" hand shower slide bar
- 60" flexible metal hose
- 7-1/16" slip-on non-diverter tub spout
- Metal handle
- 2.0 gpm (7.6 L/min) flow rate
- Matte Black finish is Special Order

Trim Only: 26 Series Temptrol® and 3DIV Series valves required (see pages 139 and 158)		
5896TRM	Chrome	942.95
5896STNTRM	Satin Nickel	1225.85
5896MBTRM	Matte Black	1320.15
5896BBZTRM	Brushed Bronze	1320.15
Trim Only with flow control spindle and cap nut: 16 Series Temptrol® and 3DIV Series valves required (see pages 139 and 158)		
5896TRMTC	Chrome	1009.45
5896STNTRMTC	Satin Nickel	1292.35
5896MBTRMTC	Matte Black	1386.65
5896BBZTRMTC	Brushed Bronze	1386.65

- Braston Shower Valve Trim with VersaFlex Integral Diverter/Volume Control
- VersaFlex Integral Diverter/Volume Control lever
- Metal handle
- Matte Black finish is Special Order

Trim Only: S26 Series Temptrol® valve required (see page 147 and 151)		
S5890TRM	Chrome	242.60
S5890STNTRM	Satin Nickel	315.40
S5890MBTRM	Matte Black	339.70
S5890BBZTRM	Brushed Bronze	339.70
Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see pages 147 and 151)		
S5890TRMTC	Chrome	309.10
S5890STNTRMTC	Satin Nickel	381.90
S5890MBTRMTC	Matte Black	406.20
S5890BBZTRMTC	Brushed Bronze	406.20

- Braston Shower Valve Trim
- Metal handle
- Matte Black finish is Special Order

Trim Only: 26 Series Temptrol® valve required (see page 139)		
5890TRM	Chrome	229.05
5890STNTRM	Satin Nickel	297.75
5890MBTRM	Matte Black	320.70
5890BBZTRM	Brushed Bronze	320.70
Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
5890TRMTC	Chrome	295.55
5890STNTRMTC	Satin Nickel	364.25
5890MBTRMTC	Matte Black	387.20
5890BBZTRMTC	Brushed Bronze	387.20

Modifications for Braston Shower and Tub/Shower Systems

SUFFIX	DESCRIPTION	CHROME	STN	BBZ	MB
15	1.5 gpm (5.7 L/min) flow restrictor	N/C	N/C	N/C	N/C
L1	Less showerhead	-31.45	-40.90	-44.00	-44.00
L2	Less hand shower	-32.55	-42.30	-45.60	-45.60
L3	Less showerhead and hand shower	-64.00	-83.20	-89.60	-89.60
L4	Less showerhead, arm and flange	-59.80	-77.75	-83.70	-83.70
L5	Less hand shower system	-152.80	-198.65	-213.90	-213.90
L6	Less tub spout	-21.20	-29.75	-30.85	-30.85
L7	Less handle	-37.00	-48.00	-51.80	-51.80

Braston™ Shower and Tub/Shower Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• Multifunction Showerhead • Standard on the Braston collection • 4" diameter • 7 modes • HydroMersion technology for increased force • EverFlow rubber spray nozzles • Easy-shift thumb lever • Solid brass ball joint • Traditional style	*2.0 gpm (7.6 L/min) standard*		
		582SH7	Chrome	78.60
		582SH7STN	Satin Nickel	102.20
		582SH7MB	Matte Black	110.70
		582SH7BBZ	Brushed Bronze	110.70
		1.5 gpm (5.7 L/min) CALGreen		
		582SH715	Chrome	78.60
		582SH7STN15	Satin Nickel	102.20
		582SH7MB15	Matte Black	110.70
		582SH7BBZ15	Brushed Bronze	110.70
	WS P			
	• Single-Function Showerhead • 4" diameter • HydroMersion technology for increased force • Total spray for complete coverage • EverFlow rubber spray nozzles • Solid brass ball joint • Traditional style	*2.0 gpm (7.6 L/min) standard*		
		582SH	Chrome	53.35
		582SHSTN	Satin Nickel	69.35
		582SHMB	Matte Black	74.65
		582SHBBZ	Brushed Bronze	74.65
		1.5 gpm (5.7 L/min) CALGreen		
		582SH15	Chrome	53.35
		582SHSTN15	Satin Nickel	69.35
		582SHMB15	Matte Black	74.65
		582SHBBZ15	Brushed Bronze	74.65
	WS P			
	• Multifunction Hand Shower Wand • Standard on the Braston collection • 4" diameter • 7 modes • HydroMersion technology for increased force • EverFlow rubber spray nozzles • Easy-shift thumb lever • Pause mode for non-positive shutoff • Traditional style	*2.0 gpm (7.6 L/min) standard*		
		582W7	Chrome	81.35
		582W7STN	Satin Nickel	105.80
		582W7MB	Matte Black	113.90
		582W7BBZ	Brushed Bronze	113.90
		1.5 gpm (5.7 L/min) CALGreen		
		582W715	Chrome	81.35
		582W7STN15	Satin Nickel	105.80
		582W7MB15	Matte Black	113.90
		582W7BBZ15	Brushed Bronze	113.90
	WS P			
	• Multifunction Hand Shower System • Coordinates with Allura and Braston collections • 4" HydroMersion hand shower wand with 7 modes • EverFlow rubber spray nozzles • Integrated wall cradle and elbow • 60" flexible metal hose • Traditional style • 2.0 gpm (7.6 L/min) flow rate	HR707	Chrome	317.20
		HR707STN	Satin Nickel	412.35
		HR707MB	Matte Black	444.10
		HR707BBZ	Brushed Bronze	444.10
	WS P			

	DESCRIPTION	MODEL	FINISH	PRICE
	• Multifunction Hand Shower Slide Bar System • Coordinates with Allura and Braston collections • 4" HydroMersion hand shower wand with 7 modes • EverFlow rubber spray nozzles • 30" hand shower slide bar • 60" flexible metal hose • Traditional style • 2.0 gpm (7.6 L/min) flow rate	HR727	Chrome	382.05
		HR727STN	Satin Nickel	496.60
		HR727MB	Matte Black	534.85
		HR727BBZ	Brushed Bronze	534.85
	• 24" or 36" Slide/Grab Bar • Contemporary/Modern style • 4" HydroMersion hand shower wand with 7 modes • EverFlow rubber spray nozzles • 60" flexible metal hose • 1-1/2" diameter slide bar • Pause mode for non-positive shutoff • ADA slide mechanism • Wall elbow included • 2.0 gpm (7.6 L/min) flow rate	*24" Length*		
		H35924	Chrome	426.20
		H35924STN	Satin Nickel	584.25
		H35924MB	Matte Black	596.70
		36" Length		
		H35936	Chrome	434.65
		H35936STN	Satin Nickel	595.95
		H35936MB	Matte Black	608.45
	• Shower Arm and Flange • Standard on the Braston collection • 8-1/4" length • Matte Black finish is Special Order	582SA	Chrome	73.20
		582SASTN	Satin Nickel	95.15
		582SAMB	Matte Black	102.50
		582SABBZ	Brushed Bronze	102.50
	• Braston Tub Spout • 7-1/16" length • Metal construction • Slip-on installation • Matte Black finish is Special Order	582TS	Chrome	53.25
		582TSSTN	Satin Nickel	69.20
		582TSMB	Matte Black	74.55
		582TSBBZ	Brushed Bronze	74.55

Braston™ Shower and Tub/Shower Accessories

DESCRIPTION	MODEL	FINISH	PRICE
• Braston Diverter Tub Spout • 7-1/16" length • Pull-up diverter • Metal construction • Slip-on installation • Matte Black finish is Special Order	582DTS	Chrome	53.25
	582DTSSTN	Satin Nickel	69.20
	582DTSMB	Matte Black	74.55
	582DTSBBZ	Brushed Bronze	74.55

• Braston Diverter Valve Trim • 5" diameter • Metal handle • Screwless escutcheon • Dual or triple outlet • Matte Black finish is Special Order	*Trim Only: 2DIV-BODY or 3DIV-BODY required (see page 158)*		
	58DIVTRM	Chrome	251.75
	58DIVSTNTRM	Satin Nickel	327.25
	58DIVMBTRM	Matte Black	352.40
	58DIVBBZTRM	Brushed Bronze	352.40

Modifications for Braston Shower and Tub/Shower Accessories

SUFFIX	DESCRIPTION	CHROME	STN	BBZ	MB
15	1.5 gpm (5.7 L/min) flow restrictor	N/C	N/C	N/C	N/C

Braston™ Bath Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• 18" or 24" Towel Bar • Coordinates with Allura and Braston collections • Durable mounting system • Metal construction	*18" Length*		
		583TB18	Chrome	67.50
		583TB18STN	Satin Nickel	87.75
		583TB18MB	Matte Black	94.50
		583TB18BBZ	Brushed Bronze	94.50
		24" Length		
		583TB24	Chrome	74.05
		583TB24STN	Satin Nickel	96.25
		583TB24MB	Matte Black	103.65
		583TB24BBZ	Brushed Bronze	103.65
	• Robe Hook • Coordinates with Allura and Braston collections • Durable mounting system • Metal construction	583RH	Chrome	21.85
		583RHSTN	Satin Nickel	28.40
		583RHMB	Matte Black	30.60
		583RHBBZ	Brushed Bronze	30.60
	• Towel Ring • Coordinates with Allura and Braston collections • Durable mounting system • Metal construction	583TR	Chrome	43.00
		583TRSTN	Satin Nickel	55.95
		583TRMB	Matte Black	60.20
		583TRBBZ	Brushed Bronze	60.20
	• Toilet Paper Holder • Coordinates with Allura and Braston collections • Durable mounting system • Metal construction	583TP	Chrome	41.45
		583TPSTN	Satin Nickel	53.90
		583TPMB	Matte Black	58.05
		583TPBBZ	Brushed Bronze	58.05
	• Double Toilet Paper Holder • Coordinates with Allura and Braston collections • Durable mounting system • Metal construction • Matte Black finish is Special Order	583DTP	Chrome	92.70
		583DTPSTN	Satin Nickel	120.50
		583DTPMB	Matte Black	129.80
		583DTPBBZ	Brushed Bronze	129.80

Braston™ Bath Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• Double Robe Hook • Coordinates with Allura and Braston collections • Durable mounting system • Metal construction • Matte Black finish is Special Order	583DRH	Chrome	56.65
		583DRHSTN	Satin Nickel	73.65
		583DRHMB	Matte Black	79.30
		583DRHBBZ	Brushed Bronze	79.30
	• 24" or 36" Grab Bar • Coordinates with Allura and Braston collections • Metal construction • ADA compliant • Matte Black finish is Special Order	*24" Length*		
		583GB24	Chrome	167.50
		583GB24STN	Satin Nickel	217.75
		583GB24MB	Matte Black	234.50
		583GB24BBZ	Brushed Bronze	234.50
		36" Length		
		583GB36	Chrome	175.80
		583GB36STN	Satin Nickel	228.55
		583GB36MB	Matte Black	246.15
		583GB36BBZ	Brushed Bronze	246.15

Dia® Collection



The Dia Collection from Symmons expresses Modern Industrial concepts in functional forms, with a cylindrical motif that brings Minimalism to any bath space.

Available in these finishes:



Polished Chrome | Satin Nickel Radiance® PVD (STN) | Matte Black (MB) | Brushed Bronze Radiance® PVD (BBZ)

Dia® Lavatory Faucets

	DESCRIPTION	MODEL	FINISH	PRICE
	• Dia Single Handle Lavatory Faucet • Single-hole installation • 7-1/8" height • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLS3512PP SLS3512STNPP SLS3512MBPP SLS3512BBZPP	Chrome Satin Nickel Matte Black Brushed Bronze	290.45 392.15 421.20 421.20
	• Dia Single Handle Lavatory Faucet • Single-hole installation • 5" height • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLS3522PP SLS3522STNPP SLS3522MBPP SLS3522BBZPP	Chrome Satin Nickel Matte Black Brushed Bronze	290.45 392.15 421.20 421.20
	• Dia Centerset Lavatory Faucet • 3-hole installation with 4" center • 1/2" IPS connections • Ceramic cartridges • Solid brass construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLC3512PP SLC3512STNPP	Chrome Satin Nickel	272.40 357.80
	• Dia Widespread Lavatory Faucet • 3-hole installation with 8-16" center • 7-1/4" spout height • Threadless valve-to-spout connections • 3/8" braided hose connections • Ceramic cartridges • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLW3512PP SLW3512STNPP SLW3512MBPP SLW3512BBZPP	Chrome Satin Nickel Matte Black Brushed Bronze	441.90 574.60 622.25 622.25

Dia® Lavatory Faucets

	DESCRIPTION	MODEL	FINISH	PRICE
	• Dia Widespread Lavatory Faucet • 3-hole installation with 8-16" center • 5-3/4" spout height • Threadless valve-to-spout connections • 3/8" braided hose connections • Ceramic cartridges • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLW3522PP	Chrome	441.90
		SLW3522STNPP	Satin Nickel	574.60
		SLW3522MBPP	Matte Black	618.65
		SLW3522BBZPP	Brushed Bronze	618.65
	WS P LF			
	• Dia Widespread Lavatory Faucet • 3-hole installation with 8-16" center • 7-1/4" spout height • Cross handles • Threadless valve-to-spout connections • 3/8" braided hose connections • Ceramic cartridges • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLW3512H3PP	Chrome	452.85
		SLW3512STNH3PP	Satin Nickel	588.70
	WS P LF			
	• Dia Freestanding Tub Filler • Floor-mounted tub filler with single-handle temperature control • Single-function hand shower wand • 60" flexible metal hose • Metal lever handle • 2.0 gpm (7.6 L/min) flow rate hand shower • 5.3 gpm (20.1 L/min) at 45 psi tub filler	*If tempering valve is required, use MaxLine® 7-230 Series (page xxx)*		
		FSTF357220	Chrome	1525.45
		FSTF357220STN	Satin Nickel	1983.10
		FSTF357220MB	Matte Black	2135.65
		FSTF357220BBZ	Brushed Bronze	2135.65
	P LF			

Modifications for Dia Lavatory Faucets and Tub Filler

SUFFIX	DESCRIPTION	CHROME	STN	BBZ	MB
05	CG 0.5 gpm (1.9 L/min) flow restrictor	N/C	N/C	N/C	N/C
L2	Less hand shower wand	-32.55	-43.00	-45.60	-45.60

Dia® Shower and Tub/Shower

DESCRIPTION	MODEL	FINISH	PRICE
• Dia Shower Trim with VersaFlex Integral Diverter/Volume Control • 4" HydroMersion showerhead with 7 modes • EverFlow rubber spray nozzles • VersaFlex Integral Diverter/Volume Control lever • Metal handle and escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: S26 Series Temptrol® valve required (see page 151)*		
	S3591BTRM	Chrome	328.30
	S3591BSTNTRM	Satin Nickel	419.45
	S3591BMBTRM	Matte Black	462.20
	S3591BBBZTRM	Brushed Bronze	462.20
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 151)		
	S3591BTRMTC	Chrome	394.90
	S3591BSTNTRMTC	Satin Nickel	485.95
	S3591BMBTRMTC	Matte Black	528.70
	S3591BBBZTRMTC	Brushed Bronze	528.70
• Dia Shower Trim • 4" HydroMersion showerhead with 7 modes • EverFlow rubber spray nozzles • Metal handle and escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	3591BTRM	Chrome	307.00
	3591BSTNTRM	Satin Nickel	378.90
	3591BMBTRM	Matte Black	432.20
	3591BBBZTRM	Brushed Bronze	432.20
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	3591BTRMTC	Chrome	373.50
	3591BSTNTRMTC	Satin Nickel	445.40
	3591BMBTRMTC	Matte Black	498.75
	3591BBBZTRMTC	Brushed Bronze	498.75
• Dia Tub and Shower Trim with VersaFlex Integral Diverter • 4" HydroMersion showerhead with 7 modes • EverFlow rubber spray nozzles • VersaFlex Integral Diverter lever • 7" slip-on non-diverter tub spout • Metal handle and escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: S26 Series Temptrol® valve required (see page 147)*		
	S3592BTRM	Chrome	356.95
	S3592BSTNTRM	Satin Nickel	443.00
	S3592BMBTRM	Matte Black	502.50
	S3592BBBZTRM	Brushed Bronze	502.50
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
	S3592BTRMTC	Chrome	423.45
	S3592BSTNTRMTC	Satin Nickel	509.50
	S3592BMBTRMTC	Matte Black	569.00
	S3592BBBZTRMTC	Brushed Bronze	569.00
• Dia Tub and Shower Trim • 4" HydroMersion showerhead with 7 modes • EverFlow rubber spray nozzles • 7" slip-on diverter tub spout • Metal handle and escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	3592BTRM	Chrome	351.90
	3592BSTNTRM	Satin Nickel	422.30
	3592BMBTRM	Matte Black	495.40
	3592BBBZTRM	Brushed Bronze	495.40
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	3592BTRMTC	Chrome	418.40
	3592BSTNTRMTC	Satin Nickel	488.80
	3592BMBTRMTC	Matte Black	561.85
	3592BBBZTRMTC	Brushed Bronze	561.85

DESCRIPTION	MODEL	FINISH	PRICE
• Dia Hand Shower Trim • 4" HydroMersion hand shower wand with 7 modes • EverFlow rubber spray nozzles • 30" hand shower slide bar • 60" flexible metal hose • Metal handle and escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	3593BTRM	Chrome	657.75
	3593BSTNTRM	Satin Nickel	910.55
	3593BMBTRM	Matte Black	926.00
	3593BBBZTRM	Brushed Bronze	926.00
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	3593BTRMTC	Chrome	724.25
	3593BSTNTRMTC	Satin Nickel	977.05
	3593BMBTRMTC	Matte Black	992.50
	3593BBBZTRMTC	Brushed Bronze	992.50
• Dia Tub and Hand Shower Trim with VersaFlex Integral Diverter • 4" HydroMersion hand shower wand with 7 modes • EverFlow rubber spray nozzles • VersaFlex Integral Diverter lever • 7" slip-on non-diverter tub spout • 30" hand shower slide bar • 60" flexible metal hose • Metal handle and escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: S26 Series Temptrol® valve required (see page 147)*		
	S3594BTRM	Chrome	686.65
	S3594BSTNTRM	Satin Nickel	892.65
	S3594BMBTRM	Matte Black	1033.60
	S3594BBBZTRM	Brushed Bronze	1033.60
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
	S3594BTRMTC	Chrome	753.15
	S3594BSTNTRMTC	Satin Nickel	959.15
	S3594BMBTRMTC	Matte Black	1100.10
	S3594BBBZTRMTC	Brushed Bronze	1100.10
• Dia Shower and Hand Shower Trim with VersaFlex Integral Diverter • 4" HydroMersion showerhead and hand shower wand with 7 modes • EverFlow rubber spray nozzles • VersaFlex Integral Diverter lever • 30" hand shower slide bar • 60" flexible metal hose • Metal handle and escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: S26 Series Temptrol® valve required (see page 147)*		
	S3598BTRM	Chrome	658.25
	S3598BSTNTRM	Satin Nickel	855.70
	S3598BMBTRM	Matte Black	994.45
	S3598BBBZTRM	Brushed Bronze	994.45
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
	S3598BTRMTC	Chrome	724.75
	S3598BSTNTRMTC	Satin Nickel	970.50
	S3598BMBTRMTC	Matte Black	1060.90
	S3598BBBZTRMTC	Brushed Bronze	1060.90
• Dia Shower and Hand Shower Trim • 4" HydroMersion showerhead and hand shower wand with 7 modes • EverFlow rubber spray nozzles • Separate dual outlet diverter trim • 30" hand shower slide bar • 60" flexible metal hose • Metal handle and escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: 26 Series Temptrol® and 2DIV Series valves required (see pages 139 and 158)*		
	3595BTRM	Chrome	896.40
	3595BSTNTRM	Satin Nickel	1220.65
	3595BMBTRM	Matte Black	1261.95
	3595BBBZTRM	Brushed Bronze	1261.95
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® and 2DIV Series valves required (see pages 139 and 158)		
	3595BTRMTC	Chrome	962.90
	3595BSTNTRMTC	Satin Nickel	1287.15
	3595BMBTRMTC	Matte Black	1328.45
	3595BBBZTRMTC	Brushed Bronze	1328.45

Dia® Shower and Tub/Shower

DESCRIPTION	MODEL	FINISH	PRICE
• Dia Shower System Trim • 4" HydroMersion showerhead and hand shower wand with 7 modes • EverFlow rubber spray nozzles • Separate triple outlet diverter trim • 30" hand shower slide bar • 60" flexible metal hose • 7" slip-on non-diverter tub spout • Metal handle and escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: 26 Series Temptrol® and 3DIV Series valves required (see pages 139 and 158)*		
	3596BTRM	Chrome	942.95
	3596BSTNTRM	Satin Nickel	1309.95
	3596BMBTRM	Matte Black	1327.55
	3596BBBZTRM	Brushed Bronze	1327.55
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® and 3DIV Series valves required (see pages 139 and 158)		
	3596BTRMTC	Chrome	1009.45
	3596BSTNTRMTC	Satin Nickel	1376.45
	3596BMBTRMTC	Matte Black	1394.05
	3596BBBZTRMTC	Brushed Bronze	1394.05
WS P			
• Dia Shower Valve Trim with VersaFlex Integral Diverter/Volume Control • VersaFlex Integral Diverter/Volume Control lever • Metal handle and escutcheon	*Trim Only: S26 Series Temptrol® valve required (see pages 147 and 151)*		
	S3590BTRM	Chrome	242.60
	S3590BSTNTRM	Satin Nickel	339.35
	S3590BMBTRM	Matte Black	358.75
	S3590BBBZTRM	Brushed Bronze	358.75
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see pages 147 and 151)		
	S3590BTRMTC	Chrome	309.10
	S3590BSTNTRMTC	Satin Nickel	405.85
	S3590BMBTRMTC	Matte Black	425.20
P	S3590BBBZTRMTC	Brushed Bronze	425.20
• Dia Shower Valve Trim • Metal handle and escutcheon	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	3590BTRM	Chrome	229.05
	3590BSTNTRM	Satin Nickel	306.00
	3590BMBTRM	Matte Black	322.45
	3590BBBZTRM	Brushed Bronze	322.45
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	3590BTRMTC	Chrome	295.55
	3590BSTNTRMTC	Satin Nickel	317.30
	3590BMBTRMTC	Matte Black	388.95
P	3590BBBZTRMTC	Brushed Bronze	388.95

Modifications for Dia Shower and Tub/Shower Systems

SUFFIX	DESCRIPTION	CHROME	STN	BBZ	MB
15	CG 1.5 gpm (5.7 L/min) flow restrictor	N/C	N/C	N/C	N/C
L1	Less showerhead	-31.45	-40.90	-44.30	-44.30
L2	Less hand shower	-32.55	-42.30	-45.60	-45.60
L3	Less showerhead and hand shower	-64.00	-83.20	-89.60	-89.60
L4	Less showerhead, arm and flange	-41.65	-54.15	-59.05	-59.05
L5	Less hand shower system	-160.65	-208.80	-224.90	-224.90
L6	Less tub spout	-21.20	-29.75	-30.85	-30.85
L7	Less handle	-41.70	-52.80	-58.35	-58.35
Delete Suffix B	Chrome plastic escutcheon on valve with color graphics/indicators in place of standard brass escutcheon	-78.20	-101.65	N/A	N/A

Dia® Shower and Tub/Shower Accessories

DESCRIPTION	MODEL	FINISH	PRICE
• Multifunction Showerhead • Standard on the Dia collection • 4" diameter • 7 modes • HydroMersion technology for increased force • EverFlow rubber spray nozzles • Easy-shift thumb lever • Solid brass ball joint • Contemporary/Modern style	*2.0 gpm (7.6 L/min) standard*		
	482SH7	Chrome	78.60
	482SH7STN	Satin Nickel	102.25
	482SH7MB	Matte Black	110.70
	482SH7BBZ	Brushed Bronze	110.70
	1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
	482SH715	Chrome	78.60
	482SH7STN15	Satin Nickel	102.25
	482SH7MB15	Matte Black	110.70
	482SH7BBZ15	Brushed Bronze	110.70
WS P			
• Multifunction Showerhead • 6" diameter • 7 modes • HydroMersion technology for increased force • EverFlow rubber spray nozzles • Solid brass ball joint • Contemporary/Modern style	*2.0 gpm (7.6 L/min) standard*		
	682SH7	Chrome	169.15
	682SH7STN	Satin Nickel	219.85
	682SH7MB	Matte Black	236.80
	682SH7BBZ	Brushed Bronze	236.80
	1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
	682SH715	Chrome	169.15
	682SH7STN15	Satin Nickel	219.85
	682SH7MB15	Matte Black	236.80
	682SH7BBZ15	Brushed Bronze	236.80
WS P			
• Single-Function Showerhead • 6" diameter • HydroMersion technology for increased force • Total spray for complete coverage • EverFlow rubber spray nozzles • Solid brass ball joint • Contemporary/Modern style	*2.0 gpm (7.6 L/min) standard*		
	682SH	Chrome	113.30
	682SHSTN	Satin Nickel	147.30
	682SHMB	Matte Black	158.60
	682SHBBZ	Brushed Bronze	158.60
	1.5 gpm (5.7 L/min) WaterSense®, CalGreen		
	682SH15	Chrome	113.30
	682SHSTN15	Satin Nickel	147.30
	682SHMB15	Matte Black	158.60
	682SHBBZ15	Brushed Bronze	158.60
WS P			
• Multifunction Hand Shower Wand • Standard on the Dia collection • 4" diameter • 7 modes • HydroMersion technology for increased force • EverFlow rubber spray nozzles • Easy-shift thumb lever • Pause mode for non-positive shutoff • Contemporary/Modern style	*2.0 gpm (7.6 L/min) standard*		
	482W7	Chrome	81.35
	482W7STN	Satin Nickel	105.80
	482W7MB	Matte Black	113.90
	482W7BBZ	Brushed Bronze	113.90
	1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
	482W715	Chrome	81.35
	482W7STN15	Satin Nickel	105.80
	482W7MB15	Matte Black	113.90
	482W7BBZ15	Brushed Bronze	113.90
WS P			

Dia® Shower and Tub/Shower Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• Single-Function Hand Shower Wand • Standard on the Identity collection • 4" diameter • HydroMersion technology for increased force • Total spray for complete coverage • Pause mode for non-positive shutoff • EverFlow rubber spray nozzles • Easy-shift thumb lever • Contemporary/Modern style	*2.0 gpm (7.6 L/min) standard*		
		482W	Chrome	61.80
		482WSTN	Satin Nickel	80.35
		482WMB	Matte Black	86.50
		482WBBZ	Brushed Bronze	86.50
		1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
		482W	Chrome	61.80
		482WSTN15	Satin Nickel	80.35
		482WMB15	Matte Black	86.50
		482WBBZ15	Brushed Bronze	86.50
		HR507	Chrome	336.75
	• Multifunction Hand Shower System • Coordinates with the Dia collection • 4" HydroMersion hand shower wand with 7 modes • EverFlow rubber spray nozzles • Wall cradle and elbow • 60" flexible metal hose • Contemporary/Modern style • 2.0 gpm (7.6 L/min) flow rate	HR507STN	Satin Nickel	437.80
		HR507MB	Matte Black	471.50
		HR507BBZ	Brushed Bronze	471.50
		HR527	Chrome	401.60
	• Multifunction Hand Shower Slide Bar System • Coordinates with the Dia collection • 4" HydroMersion hand shower wand with 7 modes • EverFlow rubber spray nozzles • 30" hand shower slide bar • 60" flexible metal hose • Contemporary/Modern style • 2.0 gpm (7.6 L/min) flow rate	HR527STN	Satin Nickel	522.05
		HR527MB	Matte Black	562.25
		HR527BBZ	Brushed Bronze	562.25

Dia® Shower and Tub/Shower Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• 24" or 36" Slide/Grab Bar • Contemporary/Modern style • 4" HydroMersion hand shower wand with 7 modes • EverFlow rubber spray nozzles • 60" flexible metal hose • 1-1/2" diameter slide bar • Pause mode for non-positive shutoff • ADA slide mechanism • Wall elbow included • 2.0 gpm (7.6 L/min) flow rate	*24" Length*		
		H35924	Chrome	426.20
		H35924STN	Satin Nickel	584.25
		H35924MB	Matte Black	596.70
		36" Length		
		H35936	Chrome	434.65
		H35936STN	Satin Nickel	595.95
		H35936MB	Matte Black	608.45
	• Exposed Shower Riser • Round flanges • Metal lever handle • Diverter included for toggling between distinct showerhead and hand shower positions • Includes column/slide bar and hand shower bracket • 60" flexible metal hose • Hand shower and showerhead not included	35EX	Chrome	539.45
		35EX-STN	Satin Nickel	755.30
		35EX-MB	Matte Black	755.30
	• Short shower arm and flange • Stamped flange • 6" length	300S	Chrome	25.60
		300S-STN	Satin Nickel	33.25
		300S-MB	Matte Black	37.15
		300S-BBZ	Brushed Bronze	37.15
	• Non-diverter tub spout • 7" length • Metal construction • Thread-on installation	067	Chrome	53.25
		067-STN	Satin Nickel	74.45
		067-MB	Matte Black	77.15
		067-BBZ	Brushed Bronze	77.15
	• Diverter tub spout • 7" length • Pull-up diverter • Metal construction • Thread-on installation	352TS	Chrome	53.25
		352TS-STN	Satin Nickel	74.45
		352TS-MB	Matte Black	74.95
		352TS-BBZ	Brushed Bronze	74.95

DESCRIPTION	MODEL	FINISH	PRICE
• Dia Diverter Valve Trim • 5" diameter • Metal lever handle • Screwless escutcheon • Dual or triple outlet	*Trim Only: 2DIV-BODY or 3DIV-BODY required (see page 158)*		
	35-2DIV-CYL-TRM	Chrome	251.75
	35-2DIV-CYL-STN-TRM	Satin Nickel	350.10
	35-2DIV-CYL-MB-TRM	Matte Black	434.10
	35-2DIV-CYL-BBZ-TRM	Brushed Bronze	434.10

Modifications for Dia Shower and Tub/Shower Accessories

SUFFIX	DESCRIPTION	CHROME	STN	BBZ	MB
15	CG 1.5 gpm (5.7 L/min) flow restrictor	N/C	N/C	N/C	N/C

Dia® Bath Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• 18" or 24" Towel Bar • Coordinates with Dia and Identity collections • Metal construction • Durable mounting system	*18" Length*		
		353TB-18	Chrome	67.50
		353TB-18-STN	Satin Nickel	87.90
		353TB-18-MB	Matte Black	95.15
		353TB-18-BBZ	Brushed Bronze	95.15
		24" Length		
		353TB-24	Chrome	74.05
		353TB-24-STN	Satin Nickel	96.45
		353TB-24-MB	Matte Black	104.40
		353TB-24-BBZ	Brushed Bronze	104.40
	• 18" or 24" Double Towel Bar • Coordinates with Dia and Identity collections • Metal construction • Durable mounting system	*18" Length*		
		353DTB-18	Chrome	119.55
		353DTB-18-STN	Satin Nickel	155.20
		353DTB-18-MB	Matte Black	168.20
		353DTB-18-BBZ	Brushed Bronze	168.20
		24" Length		
		353DTB-24	Chrome	126.80
		353DTB-24-STN	Satin Nickel	164.75
		353DTB-24-MB	Matte Black	178.40
		353DTB-24-BBZ	Brushed Bronze	178.40
	• 18" or 24" Towel Bar with Assist Bar • Coordinates with Dia and Identity collections • Stainless-steel construction • Durable mounting system • ADA compliant	*18" Length*		
		353GBTB-18	Chrome	126.80
		353GBTB-18-STN	Satin Nickel	177.50
		24" Length		
		353GBTB-24	Chrome	140.85
		353GBTB-24-STN	Satin Nickel	197.20
	• 22" Towel Shelf with Bar • Coordinates with Dia and Identity collections • Metal construction • Durable mounting system	353TS-22	Chrome	243.60
		353TS-22-STN	Satin Nickel	316.45
	• Robe Hook • Coordinates with Dia and Identity collections • Durable mounting system • Metal construction	353RH	Chrome	21.85
		353RH-STN	Satin Nickel	28.25
		353RH-MB	Matte Black	31.60
		353RH-BBZ	Brushed Bronze	31.60

Dia® Bath Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• Robe Hook • Coordinates with Dia and Identity collections • Metal construction • Glass mount installation only	0142-353GMRH	Chrome	95.00
	• Double Robe Hook • Coordinates with Dia and Identity collections • Durable mounting system • Metal construction	353DRH 353DRH-STN 353DRH-MB 353DRH-BBZ	Chrome Satin Nickel Matte Black Brushed Bronze	23.95 31.05 33.75 33.75
	• Towel Ring • Coordinates with Dia and Identity collections • Durable mounting system • Metal construction	353TR 353TR-STN 353TR-MB 353TR-BBZ	Chrome Satin Nickel Matte Black Brushed Bronze	43.00 62.35 62.85 62.85
	• Toilet Paper Holder • Coordinates with Dia and Identity collections • Durable mounting system • Metal construction	353TP 353TP-STN 353TP-MB 353TP-BBZ	Chrome Satin Nickel Matte Black Brushed Bronze	41.45 53.95 60.05 60.05
	• Toilet Paper Holder with Cover • Coordinates with Dia and Identity collections • Durable mounting system • Metal construction	353TPC 353TPC-STN	Chrome Satin Nickel	65.20 84.70
	• Toilet Paper Holder • Coordinates with Dia and Identity collections • Durable mounting system • Metal construction • Mounts vertical or horizontal	0323-3TP	Chrome	148.80

Dia® Bath Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• Toilet Paper Holder with Assist Bar • Coordinates with Dia and Identity collections • Durable mounting system • Stainless-steel construction • ADA compliant	353GBTP	Chrome	128.05
		353GBTP-STN	Satin Nickel	179.25
	• Soap Dish • Metal construction	353SD	Chrome	69.80
		353SD-STN	Satin Nickel	90.90
	• Curved Shower Rod • Contemporary/Modern style • Metal construction	*5' Length*		
		353SR-5	Chrome	93.45
		353SR-5-STN	Satin Nickel	136.00
		6' Length		
		353SR-6	Chrome	108.85
		353SR-6-STN	Satin Nickel	158.75
	• Grab Bar • Coordinates with Dia and Identity collections • Durable mounting system • Stainless-steel construction • Screwless flanges • ADA compliant	*12" Length*		
		353GB-12	Chrome	129.90
		353GB-12-STN	Satin Nickel	181.85
		18" Length		
		353GB-18	Chrome	139.60
		353GB-18-STN	Satin Nickel	195.55
		353GB18MB	Matte Black	195.55
		353GB18BBZ	Brushed Bronze	186.20
		24" Length		
		353GB-24	Chrome	167.50
		353GB-24-STN	Satin Nickel	234.50
		353GB24MB	Matte Black	234.50
		353GB24BBZ	Brushed Bronze	234.50
		36" Length		
		353GB-36	Chrome	175.80
		353GB-36-STN	Satin Nickel	246.20
		353GB36MB	Matte Black	246.20
		353GB36BBZ	Brushed Bronze	246.20
		42" Length		
		353GB-42	Chrome	184.65
		353GB-42-STN	Satin Nickel	258.55

Dia® Kitchen and Bar Sink Faucets

	DESCRIPTION	MODEL	FINISH	PRICE
	• Single Handle Pull-Down Kitchen Faucet • Single-hole mount • Ceramic cartridge • Braided hose connections • 2-function pull-down spout • Rotating spray selection • 360° swivel spout • 1.5 gpm (5.7 L/min) standard	SK2302PD SK2302STSPD SK2302MBPD SK2302BBZPD	Chrome Stainless Steel Matte Black Brushed Bronze	407.05 508.85 590.30 590.30
	• Dia Pull-Down Kitchen Faucet • Single-hole mount • Pull-down wand with two-mode spray-to-stream control • Braided hose connections • 1.5 gpm (5.7 L/min) flow rate	SK3510PD SK3510STSPD SK3510MBPD SK3510BBZPD	Chrome Stainless Steel Matte Black Brushed Bronze	407.05 508.85 590.30 590.30
	• Dia Pull-Down Spring Kitchen Faucet • Pull-down spray wand • Single-hole mount • Ceramic cartridge • Braided hose connections • 1.5 gpm (5.7 L/min) standard	SPR3510PD SPR3510PDSTS SPR3510PDMB	Chrome Stainless Steel Matte Black	631.55 861.70 884.15
	• Dia Pull Out Kitchen Faucet • Single-hole mount configuration • Pull-out wand • Braided hose connections • 1.5 gpm (5.7 L/min) flow rate	SK7200PO	Chrome	635.80
	• Dia Single Handle Kitchen Faucet • Single-hole mount configuration • 8-3/8" swivel spout • Braided hose connections • 1.5 gpm (5.7 L/min) flow rate	SK2660	Chrome	397.10

Dia® Kitchen and Bar Sink Faucets

DESCRIPTION	MODEL	FINISH	PRICE
• Dia Single Handle Bar Faucet	SPB3510	Chrome	338.05
• Single-hole mount	SPB3510STN	Satin Nickel	439.50
• Ceramic cartridge	SPB3510MB	Matte Black	387.85
• Braided hose connections	SPB3510BBZ	Brushed Bronze	387.80
• Standard swivel spout with option of rigid			
• 1.5 gpm (5.7 L/min) standard			

Modifications for Dia Kitchen and Bar Sink Faucets

SUFFIX	DESCRIPTION	CHROME	STN	BBZ	MB
10	1.0 gpm (3.8 L/min) flow restrictor (available on SK2302, SK3510 & SK2660)	N/C	N/C	N/C	N/C
DP	8" deck plate (SK3510 & SK2302)	70.35	98.45	102.00	102.00

Duro® Collection

The bold angular design of the Duro Collection reflects the concept of form and function as one ideal. The precise rectangular shapes present a clean, minimalist feel for any modern or contemporary bathroom.

Available in these finishes:



Polished Chrome | Satin Nickel Radiance® PVD (STN) | Matte Black (MB) | Brushed Bronze Radiance® PVD (BBZ)

Duro® Lavatory and Roman Tub Faucets

	DESCRIPTION	MODEL	FINISH	PRICE
	• Duro Single Handle Lavatory Faucet • Single-hole installation • 6-7/8" height • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLS3612PP SLS3612STNPP SLS3612MBPP SLS3612BBZPP	Chrome Satin Nickel Matte Black Brushed Bronze	339.80 441.70 492.80 492.80
	• Duro Single Handle Lavatory Faucet • Single-hole installation • 4-1/2" height • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLS3622PP SLS3622STNPP SLS3622MBPP SLS3622BBZPP	Chrome Satin Nickel Matte Black Brushed Bronze	339.80 441.70 492.80 492.80
	• Duro Centerset Lavatory Faucet • 3-hole installation with 4" center • 1/2" IPS connections • Ceramic cartridges • Solid brass construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLC3612PP SLC3612STNPP	Chrome Satin Nickel	334.70 435.75
	• Duro Widespread Lavatory Faucet • 3-hole installation with 8-16" center • 6-11/16" spout height • Threadless valve-to-spout connections • 3/8" braided hose connections • Ceramic cartridges • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLW3612PP SLW3612STNPP SLW3612MBPP SLW3612BBZPP	Chrome Satin Nickel Matte Black Brushed Bronze	552.95 718.85 778.30 778.30

Duro® Lavatory and Roman Tub Faucets

	DESCRIPTION	MODEL	FINISH	PRICE
	• Duro Widespread Lavatory Faucet • 3-hole installation with 8-16" center • 4-1/16" spout height • Threadless valve-to-spout connections • 3/8" braided hose connections • Ceramic cartridges • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLW3622PP	Chrome	566.65
		SLW3622STNPP	Satin Nickel	697.90
	WS P LF			
	• Duro Single Handle Roman Tub Faucet • Ceramic cartridge • 1/2" IPS inlet connections • Cast brass spout	SRT-0231	Chrome	1663.65
		SRT-0231-STN	Satin Nickel	2245.95
	P			
	• Duro Freestanding Tub Filler • Floor-mounted tub filler with single-handle temperature control • Single-function hand shower wand • 60" flexible metal hose • Metal lever handle • 2.0 gpm (7.6 L/min) flow rate hand shower • 5.3 gpm (20.1 L/min) at 45 psi tub filler	*If tempering valve is required, use MaxLine® 7-230 Series (page xxx)*		
		FSTF367220	Chrome	1677.95
		FSTF367220STN	Satin Nickel	2180.80
		FSTF367220MB	Matte Black	2349.15
		FSTF367220BBZ	Brushed Bronze	2349.15
	P			

Modifications for Duro Lavatory Faucets

SUFFIX	DESCRIPTION	CHROME	STN	BBZ	MB
05	CG 0.5 gpm (1.9 L/min) flow restrictor	N/C	N/C	N/C	N/C
L2	Less hand shower wand	-41.95	-54.55	-58.75	-58.75
DP4	4" deck plate for single hole mount faucets	34.10	44.35	49.45	49.45

Duro® Shower and Tub/Shower

DESCRIPTION	MODEL	FINISH	PRICE
• Duro Shower Trim with VersaFlex Integral Diverter/Volume Control • 5" HydroMersion showerhead with Total spray • EverFlow rubber spray nozzles • VersaFlex Integral Diverter/Volume Control lever • Metal handle • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: S26 Series Temptrol® valve required (see page 151)*		
	S3691TRM	Chrome	328.30
	S3691STNTRM	Satin Nickel	419.45
	S3691MBTRM	Matte Black	462.20
	S3691BBZTRM	Brushed Bronze	462.20
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 151)		
	S3691TRMTC	Chrome	394.90
	S3691STNTRMTC	Satin Nickel	485.95
	S3691MBTRMTC	Matte Black	528.70
	S3691BBZTRMTC	Brushed Bronze	528.70
• Duro Shower Trim • 5" HydroMersion showerhead with Total spray • EverFlow rubber spray nozzles • Metal handle • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	3691TRM	Chrome	307.00
	3691STNTRM	Satin Nickel	378.90
	3691MBTRM	Matte Black	432.20
	3691BBZTRM	Brushed Bronze	432.20
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	3691TRMTC	Chrome	373.50
	3691STNTRMTC	Satin Nickel	445.40
	3691MBTRMTC	Matte Black	498.65
	3691BBZTRMTC	Brushed Bronze	498.65
• Duro Tub and Shower Trim with VersaFlex Integral Diverter • 5" HydroMersion showerhead with Total spray • EverFlow rubber spray nozzles • VersaFlex Integral Diverter lever • 6" non-diverter tub spout • Metal handle • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: S26 Series Temptrol® valve required (see page 147)*		
	S3692TRM	Chrome	356.95
	S3692STNTRM	Satin Nickel	443.00
	S3692MBTRM	Matte Black	502.50
	S3692BBZTRM	Brushed Bronze	502.50
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
	S3692TRMTC	Chrome	423.45
	S3692STNTRMTC	Satin Nickel	509.50
	S3692MBTRMTC	Matte Black	568.95
	S3692BBZTRMTC	Brushed Bronze	568.95
• Duro Tub and Shower Trim • 5" HydroMersion showerhead with Total spray • EverFlow rubber spray nozzles • 6" diverter tub spout • Metal handle • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	3692TRM	Chrome	351.90
	3692STNTRM	Satin Nickel	422.30
	3692MBTRM	Matte Black	495.40
	3692BBZTRM	Brushed Bronze	495.40
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	3692TRMTC	Chrome	418.40
	3692STNTRMTC	Satin Nickel	488.80
	3692MBTRMTC	Matte Black	561.90
	3692BBZTRMTC	Brushed Bronze	561.90

DESCRIPTION

- Duro Hand Shower Trim
- 2-1/2" x 4-1/2" HydroMersion hand shower wand with Total spray and push-button Pause mode
- EverFlow rubber spray nozzles
- 30" hand shower slide bar
- 60" flexible metal hose
- Metal handle
- 2.0 gpm (7.6 L/min) flow rate

MODEL	FINISH	PRICE
Trim Only: 26 Series Temptrol® valve required (see page 139)		
3693TRM	Chrome	657.75
3693STNTRM	Satin Nickel	910.55
3693MBTRM	Matte Black	926.00
3693BBZTRM	Brushed Bronze	926.00
Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
3693TRMTC	Chrome	724.25
3693STNTRMTC	Satin NIckel	977.05
3693MBTRMTC	Matte Black	992.50
3693BBZTRMTC	Brushed Bronze	992.50

- Duro Tub and Hand Shower Trim with VersaFlex Integral Diverter
- 2-1/2" x 4-1/2" HydroMersion hand shower wand with Total spray and push-button Pause mode
- EverFlow rubber spray nozzles
- VersaFlex Integral Diverter lever
- 6" non-diverter tub spout
- 30" hand shower slide bar
- 60" flexible metal hose
- Metal handle
- 2.0 gpm (7.6 L/min) flow rate

MODEL	FINISH	PRICE
Trim Only: S26 Series Temptrol® valve required (see page 147)		
S3694TRM	Chrome	686.65
S3694STNTRM	Satin Nickel	1017.60
S3694MBTRM	Matte Black	1033.60
S3694BBZTRM	Brushed Bronze	1033.60
Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
S3694TRMTC	Chrome	753.10
S3694STNTRMTC	Satin Nickel	1084.10
S3694MBTRMTC	Matte Black	1100.10
S3694BBZTRMTC	Brushed Bronze	1100.10

- Duro Shower and Hand Shower Trim with VersaFlex Integral Diverter
- 5" HydroMersion showerhead with Total spray
- 2-1/2" x 4-1/2" HydroMersion hand shower wand with Total spray and push-button Pause mode
- EverFlow rubber spray nozzles
- VersaFlex Integral Diverter lever
- 30" hand shower slide bar
- 60" flexible metal hose
- Metal handle
- 2.0 gpm (7.6 L/min) flow rate

MODEL	FINISH	PRICE
Trim Only: S26 Series Temptrol® valve required (see page 147)		
S3698TRM	Chrome	670.45
S3698STNTRM	Satin Nickel	904.00
S3698MBTRM	Matte Black	994.45
S3698BBZTRM	Brushed Bronze	994.45
Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
S3698TRMTC	Chrome	736.95
S3698STNTRMTC	Satin Nickel	970.45
S3698MBTRMTC	Matte Black	1060.95
S3698BBZTRMTC	Brushed Bronze	1060.95

DESCRIPTION	MODEL	FINISH	PRICE
• Duro Shower and Hand Shower Trim • 5" HydroMersion showerhead with Total spray • 2-1/2" x 4-1/2" HydroMersion hand shower wand with Total spray and push-button Pause mode • Separate dual outlet diverter trim • EverFlow rubber spray nozzles • 30" hand shower slide bar • 60" flexible metal hose • Metal handle • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: 26 Series Temptrol® and 2DIV Series valves required (see pages 139 and 158)*		
	3695TRM	Chrome	896.40
	3695STNTRM	Satin Nickel	1220.65
	3595MBTRM	Matte Black	1261.95
	3695BBZTRM	Brushed Bronze	1261.95
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® and 2DIV Series valves required (see pages 139 and 158)		
	3695TRMTC	Chrome	962.90
	3695STNTRMTC	Satin Nickel	1287.15
	3695MBTRMTC	Matte Black	1328.45
	3695BBZTRMTC	Brushed Bronze	1328.45
• Duro Shower System Trim • 5" HydroMersion showerhead with Total spray • 2-1/2" x 4-1/2" HydroMersion hand shower wand with Total spray and push-button Pause mode • EverFlow rubber spray nozzles • Separate triple outlet diverter trim • 30" hand shower slide bar • 60" flexible metal hose • 6" non-diverter tub spout • Metal handle • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: 26 Series Temptrol® and 3DIV Series valves required (see pages 139 and 158)*		
	3696TRM	Chrome	942.95
	3696STNTRM	Satin Nickel	1309.95
	3696MBTRM	Matte Black	1327.55
	3696BBZTRM	Brushed Bronze	1327.55
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® and 3DIV Series valves required (see pages 139 and 158)		
	3696TRMTC	Chrome	1009.45
	3696STNTRMTC	Satin Nickel	1376.45
	3696MBTRMTC	Matte Black	1394.05
	3696BBZTRMTC	Brushed Bronze	1394.05
• Duro Shower Valve Trim with VersaFlex Integral Diverter/Volume Control • VersaFlex Integral Diverter/Volume Control lever • Metal handle	*Trim Only: S26 Series Temptrol® valve required (see pages 147 and 151)*		
	S3690TRM	Chrome	254.80
	S3690STNTRM	Satin Nickel	339.35
	S3690MBTRM	Matte Black	358.75
	S3690BBZTRM	Brushed Bronze	358.75
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see pages 147 and 151)		
	S3690TRMTC	Chrome	321.30
	S3690STNTRMTC	Satin Nickel	405.85
	S3690MBTRMTC	Matte Black	425.25
	S3690BBZTRMTC	Brushed Bronze	425.25

DESCRIPTION	MODEL	FINISH	PRICE
• Duro Shower Valve Trim • Metal handle	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	3690TRM	Chrome	229.05
	3690STNTRM	Satin Nickel	306.00
	3690MBTRM	Matte Black	322.45
	3690BBZTRM	Brushed Bronze	322.45
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	3690TRMTC	Chrome	295.55
	3690STNTRMTC	Satin Nickel	372.50
	3690MBTRMTC	Matte Black	388.95
	3690BBZTRMTC	Brushed Bronze	388.95

Modifications for Duro Shower and Tub/Shower Systems

SUFFIX	DESCRIPTION	CHROME	STN	BBZ	MB
15	CG 1.5 gpm (5.7 L/min) flow restrictor	N/C	N/C	N/C	N/C
L1	Less showerhead	-28.35	-36.85	-39.70	-39.70
L2	Less hand shower	-41.95	-54.55	-58.75	-58.75
L3	Less showerhead and hand shower	-70.30	-91.40	-98.45	-98.45
L4	Less showerhead, arm and flange	-58.50	-76.00	-81.90	-81.90
L5	Less hand shower system	-145.00	-188.40	-203.00	-203.00
L6	Less tub spout (for non diverter tub spout, deduct this line)	-44.10	-57.30	-61.75	-61.75
L7	Less handle	-41.70	-52.80	-58.35	-58.35

Duro® Shower and Tub/Shower Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• Single-Function Showerhead • Standard on the Duro collection • 5" square • HydroMersion technology for increased force • EverFlow rubber spray nozzles • Total spray for complete coverage • Solid brass ball joint • Contemporary/Modern style	*2.0 gpm (7.6 L/min) standard*		
		482SHSQ	Chrome	70.85
		482SHSQSTN	Satin Nickel	91.80
		482SHSQMB	Matte Black	99.65
		482SHSQBBZ	Brushed Bronze	99.65
		1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
		482SHSQ15	Chrome	70.85
		482SHSQSTN15	Satin Nickel	91.80
		482SHSQMB15	Matte Black	99.65
		482SHSQBBZ15	Brushed Bronze	99.65
	WS P			
	• Single-Function Showerhead • 8" square • HydroMersion technology for increased force • EverFlow rubber spray nozzles • Total spray for complete coverage • Solid brass ball joint • Contemporary/Modern style	*2.0 gpm (7.6 L/min) standard*		
		682SHSQ	Chrome	150.80
		682SHSQSTN	Satin Nickel	196.00
		682SHSQMB	Matte Black	211.10
		682SHSQBBZ	Brushed Bronze	211.10
		1.5 gpm (5.7 L/min) CALGreen		
		682SHSQ15	Chrome	150.80
		682SHSQSTN15	Satin Nickel	196.00
		682SHSQMB15	Matte Black	211.10
		682SHSQBBZ15	Brushed Bronze	211.10
	WS P			
	• Single-Function Hand Shower Wand • Standard on the Duro and Verity collections • 2-1/2" x 4-1/2" spray head • HydroMersion technology for increased force • EverFlow rubber spray nozzles • Total spray for complete coverage • Push-button Pause mode for non-positive shutoff • Contemporary/Modern style	*2.0 gpm (7.6 L/min) standard*		
		482WSQ	Chrome	104.90
		482WSQSTN	Satin Nickel	136.35
		482WSQMB	Matte Black	146.90
		482WSQBBZ	Brushed Bronze	146.90
		1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
		482WSQ15	Chrome	104.90
		482WSQSTN15	Satin Nickel	136.35
		482WSQMB15	Matte Black	146.90
		482WSQBBZ15	Brushed Bronze	146.90
	WS P			

DESCRIPTION	MODEL	FINISH	PRICE
• Single-Function Hand Shower Slide Bar System • Coordinates with Duro and Verity collections • 2-1/2" x 4-1/2" HydroMersion hand shower wand with Total spray and push-button Pause mode • EverFlow rubber spray nozzles • 30" hand shower slide bar • 60" flexible metal hose • Contemporary/Modern style • 2.0 gpm (7.6 L/min) flow rate	HS521	Chrome	362.40
	HS521STN	Satin Nickel	471.10
	HS521MB	Matte Black	507.40
	HS521BBZ	Brushed Bronze	507.40
• 24" or 36" Slide/Grab Bar • 2-1/2" x 4-1/2" HydroMersion hand shower wand with Total spray and push-button Pause mode • EverFlow rubber spray nozzles • 60" flexible metal hose • 1-1/2" diameter slide bar • ADA slide mechanism • Wall elbow included • Contemporary/Modern style • 2.0 gpm (7.6 L/min) flow rate	*24" Length*		
	H36924	Chrome	426.20
	H36924STN	Satin Nickel	584.25
	H36924MB	Matte Black	596.80
	36" Length		
	H36936	Chrome	434.65
	H36936STN	Satin Nickel	595.95
	H36936MB	Matte Black	608.45
• Exposed Shower Riser • Square flanges • Metal lever handle • Diverter included for toggling between distinct showerhead and hand shower positions • Includes column/slide bar and hand shower bracket • 60" flexible metal hose • Hand shower and showerhead not included	36EX	Chrome	539.45
	36EX-STN	Satin Nickel	755.30
• Shower Arm and Flange • Standard on Duro and Verity collections • Metal square flange • 8" length	300SQ	Chrome	75.40
	300SQ-STN	Satin Nickel	98.05
	300SQ-MB	Matte Black	106.20
	300SQ-BBZ	Brushed Bronze	106.20

Duro® Shower and Tub/Shower Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• Duro Non-Diverter Tub Spout • 6" length • Metal construction • Thread-on installation	361TS	Chrome	184.70
		361TS-STN	Satin Nickel	240.20
		361TS-MB	Matte Black	260.00
		361TS-BBZ	Brushed Bronze	260.00
	P			
	• Duro Non-Diverter Tub Spout • 6" length • Metal construction • Slip-on installation	361TS-SS	Chrome	184.70
		361TS-SS-STN	Satin Nickel	240.20
	P			
	• Duro Diverter Tub Spout • 6-1/2" length • Pull-up diverter • Metal construction • Thread-on installation	361DTS	Chrome	200.35
		361DTS-STN	Satin Nickel	260.35
		361DTS-MB	Matte Black	282.05
		361DTS-BBZ	Brushed Bronze	282.05
	P			
	• Duro Diverter Tub Spout • 6-1/2" length • Pull-up diverter • Metal construction • Slip-on installation	361DTS-SS	Chrome	200.35
		361DTS-SS-STN	Satin Nickel	260.35
	P			
	• Duro Diverter Valve Trim • 5" square • Metal handle • Screwless escutcheon • Dual or triple outlet	*Trim Only: 2DIV-BODY or 3DIV-BODY required (see page 158)*		
		36-2DIV-TRM	Chrome	251.75
		36-2DIV-STN-TRM	Satin Nickel	350.10
		36-2DIV-MB-TRM	Matte Black	434.10
		36-2DIV-BBZ-TRM	Brushed Bronze	434.10
	P			

Modifications for Duro Shower and Tub/Shower Accessories

SUFFIX	DESCRIPTION	CHROME	STN	BBZ	MB
15	CG 1.5 gpm (5.7 L/min) flow restrictor	N/C	N/C	N/C	N/C

Duro® Bath Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• 18" or 24" Towel Bar • Coordinates with the Duro collection • Durable mounting system • Metal construction	*18" Length*		
		363TB-18	Chrome	93.70
		363TB-18-STN	Satin Nickel	121.75
		363TB-18-MB	Matte Black	131.80
		363TB-18-BBZ	Brushed Bronze	131.80
		24" Length		
		363TB-24	Chrome	108.50
		363TB-24-STN	Satin Nickel	140.60
		363TB-24-MB	Matte Black	152.70
		363TB-24-BBZ	Brushed Bronze	152.70
	• 18" or 24" Double Towel Bar • Coordinates with the Duro collection • Durable mounting system • Metal construction	*18" Length*		
		363DTB-18	Chrome	124.20
		363DTB-18-STN	Satin Nickel	161.30
		24" Length		
		363DTB-24	Chrome	145.40
		363DTB-24-STN	Satin Nickel	188.90
	• 18" or 24" Towel Bar with Assist Bar • Coordinates with the Duro collection • Durable mounting system • Metal construction • Screwless flanges • ADA compliant	*18" Length*		
		363GBTB-18	Chrome	126.80
		363GBTB-18-STN	Satin Nickel	177.50
		24" Length		
		363GBTB-24	Chrome	140.85
		363GBTB-24-STN	Satin Nickel	197.20
	• 22" towel shelf with bar • Coordinates with the Duro collection • Durable mounting system • Metal construction	363TS-22	Chrome	306.35
		363TS-22-STN	Satin Nickel	398.15
	• Robe Hook • Coordinates with the Duro collection • Durable mounting system • Metal construction	363RH	Chrome	28.25
		363RH-STN	Satin Nickel	36.70
		363RH-MB	Matte Black	39.90
		363RH-BBZ	Brushed Bronze	39.90
	• Towel Holder • Coordinates with the Duro collection • Durable mounting system • Metal construction	363TR	Chrome	94.35
		363TR-STN	Satin Nickel	122.55
		363TR-MB	Matte Black	132.80
		363TR-BBZ	Brushed Bronze	132.80

Duro® Bath Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• Toilet Paper Holder • Coordinates with the Duro collection • Durable mounting system • Metal construction	363TP	Chrome	53.40
		363TP-STN	Satin Nickel	69.45
		363TP-MB	Matte Black	75.25
		363TP-BBZ	Brushed Bronze	75.25
	• Toilet Paper Holder • Coordinates with the Duro collection • Durable mounting system • Metal construction	0113-TP	Chrome	79.20
	• Toilet Paper Holder with Assist Bar • Coordinates with the Duro collection • Durable mounting system • Metal construction • Screwless flanges • ADA compliant	363GBTP	Chrome	128.05
		363GBTP-STN	Satin Nickel	179.25
	• Corner Soap Basket • Durable mounting system • Metal construction	363-SD2	Chrome	134.60
	• Grab Bar • Coordinates with the Duro collection • Metal construction • Durable mounting system • Screwless flanges • ADA compliant	*12" Length*		
		363GB-12	Chrome	135.60
		363GB-12-STN	Satin Nickel	190.00
		18" Length		
		363GB-18	Chrome	150.75
		363GB-18-STN	Satin Nickel	211.10
		24" Length		
		363GB-24	Chrome	167.50
		363GB-24-STN	Satin Nickel	234.50
		36" Length		
		363GB-36	Chrome	175.80
		363GB-36-STN	Satin Nickel	246.20
		42" Length		
		363GB-42	Chrome	184.65
		363GB-42-STN	Satin Nickel	258.55

Duro® Kitchen Faucet

DESCRIPTION	MODEL	FINISH	PRICE
• Duro Pull-Out Kitchen Faucet • Single-hole mount • Ceramic cartridge • Braided hose connections • Pull-out spray spout • 1.5 gpm (5.7 L/min) standard	SK3610PO	Chrome	391.00
	SK3610STSPO	Stainless Steel	547.40
	SK3610MBPO	Matte Black	547.40
	SK3610BBZPO	Brushed Bronze	547.40

Elm® Collection

The sleek form and simple lines of the Symmons Elm Collection can be a subtle addition, or choose a bold finish to make it the focal point of any bathroom design.

Available in these finishes:



Polished Chrome | Satin Nickel Radiance® PVD (STN) | Matte Black (MB) | Brushed Bronze Radiance® PVD (BBZ)

Elm® Lavatory Faucets and Tub Filler

	DESCRIPTION	MODEL	FINISH	PRICE
	• Elm Single Handle Lavatory Faucet • Single-hole installation • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLS5512PP SLS5512STNPP SLS5512MBPP SLS5512BBZPP	Chrome Satin Nickel Matte Black Brushed Bronze	322.10 420.70 450.90 450.90
	• Elm Centerset Lavatory Faucet • 3-hole installation with 4" center • 1/2" IPS connections • Ceramic cartridges • Solid brass construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLC5512PP SLC5512STNPP SLC5512MBPP SLC5512BBZPP	Chrome Satin Nickel Matte Black Brushed Bronze	234.65 307.55 328.45 328.45
	• Elm Widespread Lavatory Faucet • 3-hole installation with 8-16" center • Threadless valve-to-spout connections • 3/8" braided hose connections • Ceramic cartridges • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLW5512PP SLW5512STNPP SLW5512MBPP SLW5512BBZPP	Chrome Satin Nickel Matte Black Brushed Bronze	404.70 530.70 566.55 566.55
	• Elm Two Handle Roman Tub Faucet • Ceramic cartridges • 1/2" rigid copper connections • Cast brass spout • Hand spray not included	SRT-5570 SRT-5570-STN	Chrome Satin Nickel	590.65 768.70

Modifications for Elm Lavatory Faucets

SUFFIX	DESCRIPTION	CHROME	STN	BBZ	MB
05	CG 0.5 gpm (1.9 L/min) flow restrictor	N/C	N/C	N/C	N/C

Elm® Shower and Tub/Shower

DESCRIPTION	MODEL	FINISH	PRICE
• Elm Shower Valve Trim with VersaFlex Integral Diverter/Volume Control • 4" HydroMersion showerhead with 7 modes • EverFlow rubber spray nozzles • VersaFlex Integral Diverter/Volume Control lever • Metal handle • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: S26 Series Temptrol® valve required (see page 151)*		
	S5591TRM	Chrome	243.95
	S5591STNTRM	Satin Nickel	317.15
	S5591MBTRM	Matte Black	341.55
	S5591BBZTRM	Brushed Bronze	341.55
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 151)		
	S5591TRMTC	Chrome	310.45
	S5591STNTRMTC	Satin Nickel	383.60
	S5592MBTRMTC	Matte Black	451.20
	S5591BBZTRMTC	Brushed Bronze	408.05
• Elm Shower Trim • 4" HydroMersion showerhead with 7 modes • EverFlow rubber spray nozzles • Metal handle • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	5591TRM	Chrome	217.10
	5591STNTRM	Satin Nickel	282.25
	5591MBTRM	Matte Black	304.00
	5591BBZTRM	Brushed Bronze	304.00
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	5591TRMTC	Chrome	283.60
	5591STNTRMTC	Satin Nickel	348.75
	5591MBTRMTC	Matte Black	370.50
	5591BBZTRMTC	Brushed Bronze	370.50
• Elm Tub and Shower Trim with VersaFlex Integral Diverter • 4" HydroMersion showerhead with 7 modes • EverFlow rubber spray nozzles • 5-7/8" non-diverter tub spout • Metal handle • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: S26 Series Temptrol® valve required (see page 147)*		
	S5592TRM	Chrome	274.80
	S5592STNTRM	Satin Nickel	357.25
	S5592MBTRM	Matte Black	384.70
	S5592BBZTRM	Brushed Bronze	384.70
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
	S5592TRMTC	Chrome	341.35
	S5592STNTRMTC	Satin Nickel	423.75
	S5592MBTRMTC	Matte Black	451.20
	S5592BBZTRMTC	Brushed Bronze	451.20
• Elm Tub and Shower Trim • 4" HydroMersion showerhead with 7 modes • EverFlow rubber spray nozzles • 5-7/8" diverter tub spout • Metal handle • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	5592TRM	Chrome	246.20
	5592STNTRM	Satin Nickel	320.05
	5592MBTRM	Matte Black	344.70
	5592BBZTRM	Brushed Bronze	344.70
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	5592TRMTC	Chrome	312.70
	5592STNTRMTC	Satin Nickel	386.55
	5592MBTRMTC	Matte Black	411.20
	5592BBZTRMTC	Brushed Bronze	411.20

Elm® Shower and Tub/Shower

DESCRIPTION	MODEL	FINISH	PRICE
• Elm Hand Shower Trim • 4" HydroMersion hand shower wand with 7 modes • EverFlow rubber spray nozzles • Cradle for hand shower wand • 60" flexible metal hose • Metal lever handle • 2.0 gpm (7.6 L/min) flow rate WS P	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	5593TRM	Chrome	471.00
	5593STNTRM	Satin Nickel	612.35
	5593MBTRM	Matte Black	659.40
	5593BBZTRM	Brushed Bronze	659.40
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	5593TRMTC	Chrome	537.50
	5593STNTRMTC	Satin Nickel	678.80
	5593MBTRMTC	Matte Black	725.90
	5593BBZTRMTC	Brushed Bronze	725.90
• Elm Tub and Hand Shower Trim with VersaFlex Integral Diverter • 4" HydroMersion hand shower wand with 7 modes • EverFlow rubber spray nozzles • 5-7/8" non-diverter tub spout • Cradle for hand shower wand • 60" flexible metal hose • VersaFlex Integral Diverter lever • Metal handle • 2.0 gpm (7.6 L/min) flow rate WS P	*Trim Only: S26 Series Temptrol® valve required (see page 147)*		
	S5594TRM	Chrome	499.60
	S5594STNTRM	Satin Nickel	649.45
	S5594MBTRM	Matte Black	699.40
	S5594BBZTRM	Brushed Bronze	699.40
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
	S5594TRMTC	Chrome	566.15
	S5594STNTRMTC	Satin Nickel	786.30
	S5594MBTRMTC	Matte Black	765.90
	S5594BBZTRMTC	Brushed Bronze	765.90
• Elm Shower and Hand Shower Trim with VersaFlex Integral Diverter • 4" HydroMersion showerhead and hand shower wand with 7 modes • EverFlow rubber spray nozzles • Cradle for hand shower wand • 60" flexible metal hose • VersaFlex Integral Diverter lever • Metal handle • 2.0 gpm (7.6 L/min) flow rate WS P	*Trim Only: S26 Series Temptrol® valve required (see page 147)*		
	S5598TRM	Chrome	435.50
	S5598STNTRM	Satin Nickel	566.15
	S5598MBTRM	Matte Black	609.65
	S5598BBZTRM	Brushed Bronze	609.65
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
	S5598TRMTC	Chrome	501.95
	S5598STNTRMTC	Satin Nickel	695.70
	S5598MBTRMTC	Matte Black	676.15
	S5598BBZTRMTC	Brushed Bronze	676.15

DESCRIPTION	MODEL	FINISH	PRICE
• Elm Shower and Hand Shower Trim • 4" HydroMersion showerhead and hand shower wand with 7 modes • EverFlow rubber spray nozzles • Separate dual outlet diverter trim • Cradle for hand shower wand • 60" flexible metal hose • Metal handle • 2.0 gpm (7.6 L/min) flow rate • Matte Black and Brushed Bronze finishes are Special Order	*Trim Only: 26 Series Temptrol® and 2DIV Series valves required (see pages 139 and 158)*		
	5595TRM	Chrome	642.25
	5595STNTRM	Satin Nickel	834.90
	5595MBTRM	Matte Black	899.75
	5595BBZTRM	Brushed Bronze	899.75
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® and 2DIV Series valves required (see pages 139 and 158)		
	5595TRMTC	Chrome	708.75
	5595STNTRMTC	Satin Nickel	901.40
	5595MBTRMTC	Matte Black	966.25
	5595BBZTRMTC	Brushed Bronze	966.25
WS P			
• Elm Shower System Trim • 4" HydroMersion showerhead and hand shower wand with 7 modes • EverFlow rubber spray nozzles • Separate triple outlet diverter trim • Cradle for hand shower wand • 60" flexible metal hose • 5-7/8" non-diverter tub spout • Metal handle • 2.0 gpm (7.6 L/min) flow rate • Matte Black and Brushed Bronze finishes are Special Order	*Trim Only: 26 Series Temptrol® and 3DIV Series valves required (see pages 139 and 158)*		
	5596TRM	Chrome	645.85
	5596STNTRM	Satin Nickel	839.60
	5596MBTRM	Matte Black	904.25
	5596BBZTRM	Brushed Bronze	904.25
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® and 3DIV Series valves required (see pages 139 and 158)		
	5596TRMTC	Chrome	712.35
	5596STNTRMTC	Satin Nickel	906.10
	5596MBTRMTC	Matte Black	970.70
	5596BBZTRMTC	Brushed Bronze	970.70
WS P			
• Elm Shower Valve Trim with VersaFlex Integral Diverter/Volume Control • Metal handle • VersaFlex Integral Diverter/Volume Control lever	*Trim Only: S26 Series Temptrol® valve required (see pages 147 and 151)*		
	S5590TRM	Chrome	179.25
	S5590STNTRM	Satin Nickel	233.05
	S5590MBTRM	Matte Black	250.95
	S5590BBZTRM	Brushed Bronze	251.00
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see pages 147 and 151)		
	S5590TRMTC	Chrome	245.75
	S5590STNTRMTC	Satin Nickel	299.50
	S5590MBTRMTC	Matte Black	317.45
P	S5590BBZTRMTC	Brushed Bronze	317.45
• Elm Shower Valve Trim • Metal handle	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	5590TRM	Chrome	170.05
	5590STNTRM	Satin Nickel	221.05
	5590MBTRM	Matte Black	238.10
	5590BBZTRM	Brushed Bronze	238.10
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	5590TRMTC	Chrome	236.60
	5590STNTRMTC	Satin Nickel	287.50
	5590MBTRMTC	Matte Black	304.55
P	5590BBZTRMTC	Brushed Bronze	304.55

Modifications for Elm Shower and Tub/Shower Systems

SUFFIX	DESCRIPTION	CHROME	STN	BBZ	MB
15	CG 1.5 gpm (5.7 L/min) flow restrictor	N/C	N/C	N/C	N/C
L1	Less showerhead	-31.45	-40.90	-44.00	-44.00
L2	Less hand shower	-32.55	-42.30	-45.60	-45.60
L3	Less showerhead and hand shower	-64.00	-83.20	-89.60	-89.60
L4	Less showerhead, arm and flange	-41.65	-54.15	-59.05	-59.05
L5	Less hand shower system	-134.70	-175.10	-188.60	-188.60
L6	Less tub spout (for non diverter tub spout, deduct this line)	-36.80	-49.75	-51.55	-51.55
L6.	Less tub spout (for diverter tub spout, deduct this line)	-38.15	-49.75	-51.55	-51.55
L7	Less handle	-13.90	-18.00	-19.45	-19.45

Elm® Shower and Tub/Shower Accessories

DESCRIPTION	MODEL	FINISH	PRICE
• Multifunction Showerhead • Standard on the Elm collection • 4" diameter • 7 modes • HydroMersion technology for increased force • EverFlow rubber spray nozzles • Easy-shift thumb lever • Solid brass ball joint • Transitional style	*2.0 gpm (7.6 L/min) standard*		
	592SH7	Chrome	78.60
	592SH7STN	Satin Nickel	102.25
	592SH7MB	Matte Black	110.75
	592SH7BBZ	Brushed Bronze	110.75
	1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
	592SH715	Chrome	78.60
	592SH7STN15	Satin Nickel	102.25
	592SH7MB15	Matte Black	110.75
	592SH7BBZ15	Brushed Bronze	110.75
WS P			
• Multifunction Hand Shower Wand • Standard on the Elm collection • 4" diameter • 7 modes • HydroMersion technology for increased force • EverFlow rubber spray nozzles • Easy-shift thumb lever • Pause mode for non-positive shutoff • Transitional style	*2.0 gpm (7.6 L/min) standard*		
	592W7	Chrome	81.35
	592W7STN	Satin Nickel	105.80
	592W7MB	Matte Black	113.90
	592W7BBZ	Brushed Bronze	113.90
	1.5 gpm (5.7 L/min) WaterSense®		
	592W715	Chrome	81.35
	592W7STN15	Satin Nickel	105.80
	592W7MB15	Matte Black	113.90
	592W7BBZ15	Brushed Bronze	113.90
WS P			
• Multifunction Hand Shower System • Standard on the Elm collection • 4" HydroMersion hand shower wand with 7 modes • EverFlow rubber spray nozzles • Wall cradle and elbow • 60" flexible metal hose • Transitional style • 2.0 gpm (7.6 L/min) flow rate	HR607	Chrome	336.75
	HR607STN	Satin Nickel	437.80
	HR607MB	Matte Black	471.50
	HR607BBZ	Brushed Bronze	471.50
WS P			
• Multifunction Hand Shower Slide Bar System • Coordinates with the Elm collection • 4" HydroMersion hand shower wand with 7 modes • EverFlow rubber spray nozzles • 30" hand shower slide bar • 60" flexible metal hose • Transitional style • 2.0 gpm (7.6 L/min) flow rate	HR627	Chrome	401.60
	HR627STN	Satin Nickel	522.05
	HR627MB	Matte Black	562.25
	HR627BBZ	Brushed Bronze	562.25
WS P			

Elm® Shower and Tub/Shower Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• 24" or 36" Slide/Grab Bar • Contemporary/Modern style • 4" HydroMersion hand shower wand with 7 modes • EverFlow rubber spray nozzles • 60" flexible metal hose • 1-1/2" diameter slide bar • Pause mode for non-positive shutoff • ADA slide mechanism • Wall elbow included • 2.0 gpm (7.6 L/min) flow rate	*24" Length*		
		H35924	Chrome	426.20
		H35924STN	Satin Nickel	584.25
		H35924MB	Matte Black	596.70
		36" Length		
		H35936	Chrome	434.65
		H35936STN	Satin Nickel	595.95
		H35936MB	Matte Black	608.45
	• Exposed Shower Riser • Round flanges • Metal lever handle • Diverter included for toggling between distinct showerhead and hand shower positions • Includes column/slide bar and hand shower bracket • 60" flexible metal hose • Hand shower and showerhead not included	35EX	Chrome	539.45
		35EX-STN	Satin Nickel	755.30
		35EX-MB	Matte Black	755.30
	• Short shower arm and flange • Stamped flange • 6" length	300S	Chrome	25.60
		300S-STN	Satin Nickel	33.25
		300S-MB	Matte Black	37.15
		300S-BBZ	Brushed Bronze	37.15
	• Shower arm with heavy flange • 8" length	300	Chrome	68.65
		300-STN	Satin Nickel	89.10
		300-MB	Matte Black	89.10
		300-BBZ	Brushed Bronze	89.10
	• Elm Non-Diverter Tub Spout • 5-7/8" length • Metal construction • Thread-on installation	552TS	Chrome	92.10
		552TS-STN	Satin Nickel	124.30
		552TSMB	Matte Black	128.90
		552TSBBZ	Brushed Bronze	128.90

Elm® Shower and Tub/Shower Accessories

DESCRIPTION	MODEL	FINISH	PRICE
• Elm Diverter Tub Spout • 5-7/8" length • Pull-up diverter • Metal construction • Thread-on installation	552TSD	Chrome	95.50
	552TSD-STN	Satin Nickel	128.80
	552TSDMB	Matte Black	133.70
	552TSDBBZ	Brushed Bronze	133.70

• Elm Diverter Valve Trim • 5" diameter • Screwless escutcheon • Dual or triple outlet • Matte Black and Brushed Bronze finishes are Special Order	*Trim Only: 2DIV-BODY or 3DIV-BODY required (see page 158)*		
	55-2DIV-TRM	Chrome	215.95
	55-2DIV-STN-TRM	Satin Nickel	328.05
	55DIVMBTRM	Matte Black	302.35
	55DIVBBZTRM	Brushed Bronze	302.35

Modifications for Elm Shower and Tub/Shower Accessories

SUFFIX	DESCRIPTION	CHROME	STN	BBZ	MB
15	CG 1.5 gpm (5.7 L/min) flow restrictor	N/C	N/C	N/C	N/C

Elm® Bath Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• 18" or 24" Towel Bar • Coordinates with Birch and Elm collections • Durable mounting system • Metal construction	*18" Length*		
		553TB-18	Chrome	66.85
		553TB-18-STN	Satin Nickel	96.80
		553TB18MB	Matte Black	100.00
		553TB18BBZ	Brushed Bronze	100.00
		24" Length		
		553TB-24	Chrome	73.40
		553TB-24-STN	Satin Nickel	106.35
		553TB24MB	Matte Black	102.70
		553TB24BBZ	Brushed Bronze	102.75
	• Double Robe Hook • Coordinates with Birch and Elm collections • Durable mounting system • Metal construction	553RH	Chrome	35.75
		553RH-STN	Satin Nickel	51.85
		553RHMB	Matte Black	50.00
		553RHBBZ	Brushed Bronze	50.00
	• Towel Ring • Coordinates with Birch and Elm collections • Durable mounting system • Metal construction	553TR	Chrome	44.80
		553TR-STN	Satin Nickel	64.85
		553TRMB	Matte Black	62.80
		553TRBBZ	Brushed Bronze	62.80
	• Toilet Paper Holder • Coordinates with Birch and Elm collections • Durable mounting system • Metal construction	553TP	Chrome	73.40
		553TP-STN	Satin Nickel	114.35
		553TPMB	Matte Black	102.75
		553TPBBZ	Brushed Bronze	102.75

Identity® Collection

The Identity Collection balances sleek curves and defined edges with stylish simplicity. Its distinct contours bring a contemporary touch with hints of retro Space Age design.

Available in these finishes:



Polished Chrome | Satin Nickel Radiance® PVD (STN) | Matte Black (MB) | Brushed Bronze Radiance® PVD (BBZ)

Identity® Lavatory Faucets

	DESCRIPTION	MODEL	FINISH	PRICE
	• Identity Single Handle Lavatory Faucet • Single-hole installation • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLS6712PP SLS6712STNPP SLS6712MBPP SLS6712BBZPP	Chrome Satin Nickel Matte Black Brushed Bronze	222.10 310.95 310.95 310.95
	• Identity Centerset Lavatory Faucet • 3-hole installation with 4" center • 1/2" IPS connections • Ceramic cartridges • Solid brass construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLC6712PP SLC6712STNPP	Chrome Satin Nickel	192.65 269.65
	• Identity Widespread Lavatory Faucet • 3-hole installation with 8-16" center • Threadless valve-to-spout connections • 3/8" braided hose connections • Ceramic cartridges • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLW6712PP SLW6712STNPP SLW6712MBPP SLW6712BBZPP	Chrome Satin Nickel Matte Black Brushed Bronze	279.50 391.20 391.20 391.25

Modifications for Identity Lavatory Faucets

SUFFIX	DESCRIPTION	CHROME	STN	BBZ	MB
05	CG 0.5 gpm (1.9 L/min) flow restrictor	N/C	N/C	N/C	N/C

Identity® Shower and Tub/Shower

DESCRIPTION	MODEL	FINISH	PRICE
• Identity Shower Trim with VersaFlex Integral Diverter/Volume Control • 4" HydroMersion showerhead with Total spray • EverFlow rubber spray nozzles • VersaFlex Integral Diverter/Volume Control lever • Metal handle • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: S26 Series Temptrol® valve required (see page 151)*		
	S6791TRM	Chrome	211.40
	S6791STNTRM	Satin Nickel	273.20
	S6791MBTRM	Matte Black	295.95
	S6791BBZTRM	Brushed Bronze	295.95
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 151)		
	S6791TRMTC	Chrome	277.90
	S6791STNTRMTC	Satin Nickel	339.70
	S6791MBTRMTC	Matte Black	362.45
	S6791BBZTRMTC	Brushed Bronze	362.45
• Identity Shower Trim • 4" HydroMersion showerhead with Total spray • EverFlow rubber spray nozzles • Metal handle • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	6791TRM	Chrome	161.60
	6791STNTRM	Satin Nickel	203.05
	6791MBTRM	Matte Black	226.25
	6791BBZTRM	Brushed Bronze	226.25
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	6791TRMTC	Chrome	228.15
	6791STNTRMTC	Satin Nickel	269.55
	6791MBTRMTC	Matte Black	292.75
	6791BBZTRMTC	Brushed Bronze	292.75
• Identity Tub and Shower Trim with VersaFlex Integral Diverter • 4" HydroMersion showerhead with Total spray • EverFlow rubber spray nozzles • VersaFlex Integral Diverter lever • 5-1/2" non-diverter tub spout • Metal handle • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: S26 Series Temptrol® valve required (see page 147)*		
	S6792TRM	Chrome	227.50
	S6792STNTRM	Satin Nickel	295.50
	S6792MBTRM	Matte Black	318.50
	S6792BBZTRM	Brushed Bronze	318.50
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
	S6792TRMTC	Chrome	294.00
	S6792STNTRMTC	Satin Nickel	362.05
	S6792MBTRMTC	Matte Black	385.00
	S6792BBZTRMTC	Brushed Bronze	385.00
• Identity Tub and Shower Trim • 4" HydroMersion showerhead with Total spray • EverFlow rubber spray nozzles • 5-1/2" diverter tub spout • Metal handle • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	6792TRM	Chrome	171.70
	6792STNTRM	Satin Nickel	217.25
	6792MBTRM	Matte Black	240.35
	6792BBZTRM	Brushed Bronze	240.35
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	6792TRMTC	Chrome	238.20
	6792STNTRMTC	Satin Nickel	283.75
	6792MBTRMTC	Matte Black	306.85
	6792BBZTRMTC	Brushed Bronze	306.85

Identity® Shower and Tub/Shower

DESCRIPTION

- Identity Hand Shower Trim
- 4" HydroMersion hand shower wand with Total spray and Pause mode
- EverFlow rubber spray nozzles
- Cradle for hand shower wand
- 60" flexible metal hose
- Metal lever handle
- 2.0 gpm (7.6 L/min) flow rate

WS P

MODEL	FINISH	PRICE
Trim Only: 26 Series Temptrol® valve required (see page 139)		
6793TRM	Chrome	400.10
6793STNTRM	Satin Nickel	536.95
6793MBTRM	Matte Black	560.10
6793BBZTRM	Brushed Bronze	560.10
Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
6793TRMTC	Chrome	466.60
6793STNTRMTC	Satin Nickel	603.45
6793MBTRMTC	Matte Black	626.60
6793BBZTRMTC	Brushed Bronze	626.60

- Identity Tub and Hand Shower Trim with VersaFlex Integral Diverter
- 4" HydroMersion hand shower wand with Total spray and Pause mode
- EverFlow rubber spray nozzles
- VersaFlex Integral Diverter lever
- 5-1/2" non-diverter tub spout
- Cradle for hand shower wand
- 60" flexible metal hose
- Metal handle
- 2.0 gpm (7.6 L/min) flow rate

WS P

Trim Only: S26 Series Temptrol® valve required (see page 147)		
S6794TRM	Chrome	456.60
S6794STNTRM	Satin Nickel	593.60
S6794MBTRM	Matte Black	639.25
S6794BBZTRM	Brushed Bronze	639.25
Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
S6794TRMTC	Chrome	523.15
S6794STNTRMTC	Satin Nickel	660.10
S6794MBTRMTC	Matte Black	705.75
S6794BBZTRMTC	Brushed Bronze	705.75

- Identity Shower and Hand Shower Trim with VersaFlex Integral Diverter
- 4" HydroMersion showerhead with Total spray
- 4" HydroMersion hand shower wand with Total spray and Pause mode
- EverFlow rubber spray nozzles
- VersaFlex Integral Diverter lever
- Cradle for hand shower wand
- 60" flexible metal hose
- Metal handle
- 2.0 gpm (7.6 L/min) flow rate

WS P

Trim Only: S26 Series Temptrol® valve required (see page 147)		
S6798TRM	Chrome	429.20
S6798STNTRM	Satin Nickel	576.75
S6798MBTRM	Matte Black	600.80
S6798BBZTRM	Brushed Bronze	600.80
Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
S6798TRMTC	Chrome	495.65
S6798STNTRMTC	Satin Nickel	643.25
S6798MBTRMTC	Matte Black	667.30
S6798BBZTRMTC	Brushed Bronze	667.30

Identity® Shower and Tub/Shower

DESCRIPTION	MODEL	FINISH	PRICE
• Identity Shower and Hand Shower Trim • 4" HydroMersion showerhead with Total spray • 4" HydroMersion hand shower wand with Total spray and Pause mode • Separate dual outlet diverter trim • EverFlow rubber spray nozzles • Cradle for hand shower wand • 60" flexible metal hose • Metal handle • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: 26 Series Temptrol® and 2DIV Series valves required (see pages 139 and 158)*		
	6795TRM	Chrome	551.85
	6795STNTRM	Satin Nickel	749.50
	6795MBTRM	Matte Black	772.65
	6795BBZTRM	Brushed Bronze	772.65
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® and 2DIV Series valves required (see pages 139 and 158)		
	6795TRMTC	Chrome	618.35
	6795STNTRMTC	Satin Nickel	816.00
	6795MBTRMTC	Matte Black	839.15
	6795BBZTRMTC	Brushed Bronze	839.15
WS P			
• Identity Shower System Trim • 4" HydroMersion showerhead with Total spray • 4" HydroMersion hand shower wand with Total spray and Pause mode • EverFlow rubber spray nozzles • Separate triple outlet diverter trim • Cradle for hand shower wand • 60" flexible metal hose • 5-1/2" non-diverter tub spout • Metal handle • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: 26 Series Temptrol® and 3DIV Series valves required (see pages 139 and 158)*		
	6796TRM	Chrome	571.70
	6796STNTRM	Satin Nickel	777.35
	6796MBTRM	Matte Black	800.40
	6796BBZTRM	Brushed Bronze	800.40
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® and 3DIV Series valves required (see pages 139 and 158)		
	6796TRMTC	Chrome	638.20
	6796STNTRMTC	Satin Nickel	843.85
	6796MBTRMTC	Matte Black	866.90
	6796BBZTRMTC	Brushed Bronze	866.90
WS P			
• Identity Shower Valve Trim with VersaFlex Integral Diverter/Volume Control • VersaFlex Integral Diverter/Volume Control lever • Metal handle	*Trim Only: S26 Series Temptrol® valve required (see pages 147 and 151)*		
	S6790TRM	Chrome	171.65
	S6790STNTRM	Satin Nickel	217.35
	S6790MBTRM	Matte Black	240.30
	S6790BBZTRM	Brushed Bronze	240.30
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see pages 147 and 151)		
	S6790TRMTC	Chrome	238.15
	S6790STNTRMTC	Satin Nickel	283.85
	S6790MBTRMTC	Matte Black	306.80
P	S6790BBZTRMTC	Brushed Bronze	306.80
• Identity Shower Valve Trim • Metal handle	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	6790TRM	Chrome	128.45
	6790STNTRM	Satin Nickel	156.50
	6790MBTRM	Matte Black	179.80
	6790BBZTRM	Brushed Bronze	179.80
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	6790TRMTC	Chrome	195.00
	6790STNTRMTC	Satin Nickel	223.00
	6790MBTRMTC	Matte Black	246.30
P	6790BBZTRMTC	Brushed Bronze	246.30

Modifications for Identity Shower and Tub/Shower Systems

SUFFIX	DESCRIPTION	CHROME	STN	BBZ	MB
15	CG 1.5 gpm (5.7 L/min) flow restrictor	N/C	N/C	N/C	N/C
L1	Less showerhead	-21.30	-27.75	-29.85	-29.85
L2	Less hand shower	-24.70	-32.15	-34.60	-34.60
L3	Less showerhead and hand shower	-46.65	-59.90	-64.50	-64.50
L4	Less showerhead, arm and flange	-31.55	-41.05	-44.70	-44.70
L5	Less hand shower system	-126.90	-164.95	-177.60	-177.60
L6	Less tub spout (for non diverter tub spout, deduct this line)	-10.80	-13.65	-15.15	-15.15
L6.	Less tub spout (for diverter tub spout, deduct this line)	-23.55	-30.60	-33.95	-33.95
L7	Less handle	-18.55	-24.10	-26.00	-26.00

Identity® Shower and Tub/Shower Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• Single-Function Showerhead • Standard on the Identity collection • 4" diameter • HydroMersion technology for increased force • Total spray for complete coverage • EverFlow rubber spray nozzles • Solid brass ball joint • Contemporary/Modern style	*2.0 gpm (7.6 L/min) standard*		
		482SH	Chrome	53.35
		482SHSTN	Satin Nickel	69.35
		482SHMB	Matte Black	74.65
		482SHBBZ	Brushed Bronze	74.65
		1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
		482SH15	Chrome	53.35
		482SHSTN15	Satin Nickel	69.35
		482SHMB15	Matte Black	74.65
		482SHBBZ15	Brushed Bronze	74.65
	WS P			
	• Single-Function Hand Shower Wand • Standard on the Identity collection • 4" diameter • HydroMersion technology for increased force • Total spray for complete coverage • Pause mode for non-positive shutoff • EverFlow rubber spray nozzles • Easy-shift thumb lever • Contemporary/Modern style	*2.0 gpm (7.6 L/min) standard*		
		482W	Chrome	61.80
		482WSTN	Satin Nickel	80.35
		482WMB	Matte Black	86.50
		482WBBZ	Brushed Bronze	86.50
		1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
		482W	Chrome	61.80
		482WSTN15	Satin Nickel	80.35
		482WMB15	Matte Black	86.50
		482WBBZ15	Brushed Bronze	86.50
	WS P			
	• Single-Function Hand Shower System • Standard on the Identity collection • 4" HydroMersion hand shower wand with Total spray Pause mode • EverFlow rubber spray nozzles • Wall cradle and elbow • 60" flexible metal hose • Contemporary/Modern style • 2.0 gpm (7.6 L/min) flow rate	HR501	Chrome	317.20
		HR501STN	Satin Nickel	412.35
		HR501MB	Matte Black	444.10
		HR501BBZ	Brushed Bronze	444.10
	WS P			
	• Single-Function Hand Shower Slide Bar System • Coordinates with the Identity collection • 4" HydroMersion hand shower wand with Total spray and Pause mode • EverFlow rubber spray nozzles • 30" hand shower slide bar • 60" flexible metal hose • Contemporary/Modern style • 2.0 gpm (7.6 L/min) flow rate	HR521	Chrome	382.05
		HR521STN	Satin Nickel	496.60
		HR521MB	Matte Black	534.85
		HR521BBZ	Brushed Bronze	534.85
	WS P			

Identity® Shower and Tub/Shower Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• 24" or 36" Slide/Grab Bar • Contemporary/Modern style • 4" HydroMersion hand shower wand with 7 modes • EverFlow rubber spray nozzles • 60" flexible metal hose • 1-1/2" diameter slide bar • Pause mode for non-positive shutoff • ADA slide mechanism • Wall elbow included • 2.0 gpm (7.6 L/min) flow rate	*24" Length*		
		H35924	Chrome	426.20
		H35924STN	Satin Nickel	584.25
		H35924MB	Matte Black	579.40
		36" Length		
		H35936	Chrome	434.65
		H35936STN	Satin Nickel	595.95
		H35936MB	Matte Black	608.45
	• Exposed Shower Riser • Round flanges • Metal lever handle • Diverter included for toggling between distinct showerhead and hand shower positions • Includes column/slide bar and hand shower bracket • 60" flexible metal hose • Hand shower and showerhead not included	35EX	Chrome	539.45
		35EX-STN	Satin Nickel	755.30
		35EX-MB	Matte Black	755.30
	• Short shower arm and flange • Stamped flange • 6" length	300S	Chrome	25.60
		300S-STN	Satin Nickel	33.25
		300S-MB	Matte Black	37.15
		300S-BBZ	Brushed Bronze	37.15
	• Non-diverter tub spout • 5-1/4" length • Metal construction • Thread-on installation	060	Chrome	27.05
		060-STN	Satin Nickel	35.75
		060MB	Matte Black	37.85
		060BBZ	Brushed Bronze	37.85
	• Diverter tub spout • 5-1/2" length • Pull-up diverter • Metal construction • Thread-on installation	054	Chrome	60.60
		054-STN	Satin Nickel	76.50
		054MB	Matte Black	82.40
		054BBZ	Brushed Bronze	82.40

Identity® Shower and Tub/Shower Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• Non-diverter tub spout • 5-1/4" length • Metal construction • Slip-on installation	061	Chrome	54.80
		061-STN	Satin Nickel	76.95
	• Diverter tub spout • 5-1/2" length • 1/2" inlet • Pull-up diverter • Metal construction • Slip-on installation	053	Chrome	84.10
		053-STN	Satin Nickel	117.65
	• Identity Diverter Valve Trim • 5" diameter • Metal handle • Screwed escutcheon • Dual or triple outlet	*Trim Only: 2DIV-BODY or 3DIV-BODY required (see page 158)*		
		67-DIV-TRM	Chrome	167.30
		67-DIV-TRM-STN	Satin Nickel	233.60
		67DIVTRMMB	Matte Black	234.25
		67DIVTRMBBZ	Brushed Bronze	234.25

Modifications for Identity Shower and Tub/Shower Accessories

SUFFIX	DESCRIPTION	CHROME	STN	BBZ	MB
15	CG 1.5 gpm (5.7 L/min) flow restrictor	N/C	N/C	N/C	N/C

Identity® Bath Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• 18" or 24" Towel Bar • Coordinates with the Identity collection • Durable mounting system • Metal construction	*18" Length*		
		673TB-18	Chrome	34.00
		673TB-STN-18	Satin Nickel	47.65
		24" Length		
		673TB-24	Chrome	40.10
		673TB-STN-24	Satin Nickel	56.10
	• Robe Hook • Coordinates with the Identity collection • Durable mounting system • Metal construction	673RH	Chrome	19.00
		673RH-STN	Satin Nickel	26.50
	• Towel Ring • Coordinates with the Identity collection • Durable mounting system • Metal construction	673TR	Chrome	34.00
		673TR-STN	Satin Nickel	47.65
	• Toilet Paper Holder • Coordinates with the Identity collection • Durable mounting system • Metal construction	673TP	Chrome	37.75
		673TP-STN	Satin Nickel	52.85

Identity® Kitchen Faucet

DESCRIPTION	MODEL	FINISH	PRICE
• Identity Single Handle Kitchen Faucet • Single-hole mount • Ceramic cartridge • Braided hose connections • Pull-down wand with 2-mode spray-to-stream control • Push-button spray selection • 360° swivel spout • 1.5 gpm (5.7 L/min) standard	SK6710PD	Chrome	303.05
	SK6710PDSTS	Stainless Steel	394.00

Modifications for Identity Kitchen Faucet

SUFFIX	DESCRIPTION	CHROME	STS
DP	8" deck plate for SK6710 Series	29.45	38.30

Oak™ Collection

The Oak Collection seamlessly blends the classic allure of traditional design with the clean lines and trend-forward finishes that hint toward contemporary style.

Available in these finishes:



Polished Chrome | Satin Nickel Radiance® PVD (STN) | Matte Black (MB) | Brushed Bronze Radiance® PVD (BBZ)

Oak™ Lavatory Faucets and Tub Filler

DESCRIPTION	MODEL	FINISH	PRICE
• Oak Widespread Lavatory Faucet • 3-hole installation with 8-16" center • Threadless valve-to-spout connections • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate WS P LF	SLW5612PP	Chrome	441.90
	SLW5612STNPP	Satin Nickel	574.55
	SLW5612MBPP	Matte Black	618.70
	SLW5612BBZPP	Brushed Bronze	618.70
• Oak Single Handle Lavatory Faucet • Single-hole installation • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate WS P LF	SLS5612PP	Chrome	290.65
	SLS5612STNPP	Satin Nickel	377.85
	SLS5612MBPP	Matte Black	406.95
	SLS5612BBZPP	Brushed Bronze	406.95
• Oak Freestanding Tub Filler • Floor-mounted tub filler with single-handle temperature control • 4" HydroMersion hand shower wand with Total spray and push-button Pause mode • EverFlow rubber spray nozzles • 60" flexible metal hose • Metal lever handle • 2.0 gpm (7.6 L/min) flow rate hand shower • 5.3 gpm (20.1 L/min) at 45 psi tub filler P	*If tempering valve is required, use MaxLine® 7-230 Series (page xxx)*		
	FSTF5672	Chrome	1525.45
	FSTF5672STN	Satin Nickel	1983.05
	FSTF5672MB	Matte Black	2135.60
	FSTF5672BBZ	Brushed Bronze	2135.60

Modifications for Oak Lavatory Faucets and Tub Filler

SUFFIX	DESCRIPTION	CHROME	STN	BBZ	MB
05	CG 0.5 gpm (1.9 L/min) flow restrictor	N/C	N/C	N/C	N/C
L2	Less hand shower wand	-41.95	-54.55	-58.75	-58.75

Oak™ Shower and Tub/Shower

DESCRIPTION	MODEL	FINISH	PRICE
• Oak Shower Trim with VersaFlex Integral Diverter/Volume Control • 5" HydroMersion showerhead with Total spray • EverFlow rubber spray nozzles • VersaFlex Integral Diverter/Volume Control lever • Metal handle • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: S26 Series Temptrol® valve required (see page 151)*		
	S5691TRM	Chrome	328.30
	S5691STNTRM	Satin Nickel	426.85
	S5691MBTRM	Matte Black	459.65
	S5691BBZTRM	Brushed Bronze	459.65
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 151)		
	S5691TRMTC	Chrome	394.80
	S5691STNTRMTC	Satin Nickel	493.35
	S5691MBTRMTC	Matte Black	526.15
	S5691BBZTRMTC	Brushed Bronze	526.15
• Oak Shower Trim • 5" HydroMersion showerhead with Total spray • EverFlow rubber spray nozzles • Metal handle • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	5691TRM	Chrome	307.00
	5691STNTRM	Satin Nickel	399.05
	5691MBTRM	Matte Black	429.75
	5691BBZTRM	Brushed Bronze	429.75
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	5691TRMTC	Chrome	373.50
	5691STNTRMTC	Satin Nickel	465.55
	5691MBTRMTC	Matte Black	496.25
	5691BBZTRMTC	Brushed Bronze	496.25
• Oak Tub and Shower Trim with VersaFlex Integral Diverter • 5" HydroMersion showerhead with Total spray • EverFlow rubber spray nozzles • VersaFlex Integral Diverter lever • 7-11/16" slip-on non-diverter tub spout • Metal handle • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: S26 Series Temptrol® valve required (see page 147)*		
	S5692TRM	Chrome	356.95
	S5692STNTRM	Satin Nickel	464.00
	S5692MBTRM	Matte Black	499.70
	S5692BBZTRM	Brushed Bronze	499.70
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
	S5692TRMTC	Chrome	423.45
	S5692STNTRMTC	Satin Nickel	530.50
	S5692MBTRMTC	Matte Black	566.20
	S5692BBZTRMTC	Brushed Bronze	566.20
• Oak Tub and Shower Trim • 5" HydroMersion showerhead with Total spray • EverFlow rubber spray nozzles • 7-11/16" slip-on diverter tub spout • Metal handle • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	5692TRM	Chrome	351.90
	5692STNTRM	Satin Nickel	457.45
	5692MBTRM	Matte Black	492.65
	5692BBZTRM	Brushed Bronze	492.65
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	5692TRMTC	Chrome	418.40
	5692STNTRMTC	Satin Nickel	523.95
	5692MBTRMTC	Matte Black	559.15
	5692BBZTRMTC	Brushed Bronze	559.15

Oak™ Shower and Tub/Shower

- Oak Hand Shower Trim
- 4" single-function HydroMersion hand shower wand
- Hand shower wand features a Total spray and push-button Pause mode
- EverFlow rubber spray nozzles
- 30" hand shower slide bar
- 60" flexible metal hose
- Metal lever handle
- 2.0 gpm (7.6 L/min) flow rate

MODEL	FINISH	PRICE
Trim Only: 26 Series Temptrol® valve required (see page 139)		
5693TRM	Chrome	579.60
5693STNTRM	Satin Nickel	753.45
5693MBTRM	Matte Black	811.45
5693BBZTRM	Brushed Bronze	811.45
Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
5693TRMTC	Chrome	646.10
5693STNTRMTC	Satin Nickel	819.95
5693MBTRMTC	Matte Black	877.95
5693BBZTRMTC	Brushed Bronze	877.95

- Oak Tub and Hand Shower Trim with VersaFlex Integral Diverter
- 4" HydroMersion hand shower wand with Total spray and push-button Pause mode
- EverFlow rubber spray nozzles
- VersaFlex Integral Diverter lever
- 7-11/16" slip-on non-diverter tub spout
- 30" hand shower slide bar
- 60" flexible metal hose
- Metal handle
- 2.0 gpm (7.6 L/min) flow rate

MODEL	FINISH	PRICE
Trim Only: S26 Series Temptrol® valve required (see page 147)		
S5694TRM	Chrome	608.40
S5694STNTRM	Satin Nickel	790.95
S5694MBTRM	Matte Black	851.80
S5694BBZTRM	Brushed Bronze	851.80
Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
S5694TRMTC	Chrome	674.90
S5694STNTRMTC	Satin Nickel	857.45
S5694MBTRMTC	Matte Black	918.30
S5694BBZTRMTC	Brushed Bronze	918.30

- Oak Shower and Hand Shower Trim with VersaFlex Integral Diverter
- 5" HydroMersion showerhead with Total spray
- 4" HydroMersion hand shower wand with Total spray and push-button Pause mode
- EverFlow rubber spray nozzles
- VersaFlex Integral Diverter lever
- 30" hand shower slide bar
- 60" flexible metal hose
- Metal handle
- 2.0 gpm (7.6 L/min) flow rate

MODEL	FINISH	PRICE
Trim Only: S26 Series Temptrol® valve required (see page 147)		
S5698TRM	Chrome	658.25
S5698STNTRM	Satin NIckel	855.80
S5698MBTRM	Matte Black	921.60
S5698BBZTRM	Brushed Bronze	921.60
Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
S5698TRMTC	Chrome	724.75
S5698STNTRMTC	Satin Nickel	922.30
S5698MBTRMTC	Matte Black	988.10
S5698BBZTRMTC	Brushed Bronze	988.10

DESCRIPTION	MODEL	FINISH	PRICE
• Oak Shower and Hand Shower Trim • 5" HydroMersion showerhead with Total spray • 4" HydroMersion hand shower wand with Total spray and push-button Pause mode • EverFlow rubber spray nozzles • Separate dual outlet diverter trim • 30" hand shower slide bar • 60" flexible metal hose • Metal handle • 2.0 gpm (7.6 L/min) flow rate • Brushed Bronze finish is Special Order	*Trim Only: 26 Series Temptrol® and 2DIV Series valves required (see pages 139 and 158)*		
	5695TRM	Chrome	896.40
	5695STNTRM	Satin Nickel	1165.35
	5695MBTRM	Matte Black	1255.00
	5695BBZTRM	Brushed Bronze	1255.00
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® and 2DIV Series valves required (see pages 139 and 158)		
	5695TRMTC	Chrome	962.90
	5695STNTRMTC	Satin Nickel	1231.85
	5695MBTRMTC	Matte Black	1321.50
	5695BBZTRMTC	Brushed Bronze	1321.50
• Oak Shower System Trim • 5" HydroMersion showerhead with Total spray • 4" HydroMersion hand shower wand with Total spray and push-button Pause mode • EverFlow rubber spray nozzles • Separate triple outlet diverter trim • 30" hand shower slide bar • 60" flexible metal hose • 7-11/16" slip-on non-diverter tub spout • Metal handle • 2.0 gpm (7.6 L/min) flow rate • Brushed Bronze finish is Special Order	*Trim Only: 26 Series Temptrol® and 3DIV Series valves required (see pages 139 and 158)*		
	5696TRM	Chrome	942.95
	5696STNTRM	Satin Nickel	1225.85
	5696MBTRM	Matte Black	1320.15
	5696BBZTRM	Brushed Bronze	1320.15
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® and 3DIV Series valves required (see pages 139 and 158)		
	5696TRMTC	Chrome	1009.45
	5696STNTRMTC	Satin Nickel	1292.35
	5696MBTRMTC	Matte Black	1386.65
	5696BBZTRMTC	Brushed Bronze	1386.65
• Oak Shower Valve Trim with VersaFlex Integral Diverter/Volume Control • VersaFlex Integral Diverter/Volume Control lever • Metal handle	*Trim Only: S26 Series Temptrol® valve required (see pages 147 and 151)*		
	S5690TRM	Chrome	242.60
	S5690STNTRM	Satin Nickel	315.40
	S5690MBTRM	Matte Black	339.70
	S5690BBZTRM	Brushed Bronze	339.70
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see pages 147 and 151)		
	S5690TRMTC	Chrome	309.10
	S5690STNTRMTC	Satin Nickel	381.90
	S5690MBTRMTC	Matte Black	406.20
	S5690BBZTRMTC	Brushed Bronze	406.20

Oak™ Shower and Tub/Shower

DESCRIPTION	MODEL	FINISH	PRICE
• Oak Shower Valve Trim • Metal handle	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	5690TRM	Chrome	229.05
	5690STNTRM	Satin Nickel	297.75
	5690MBTRM	Matte Black	320.70
	5690BBZTRM	Brushed Bronze	320.70
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	5690TRMTC	Chrome	295.55
	5690STNTRMTC	Satin Nickel	364.25
	5690MBTRMTC	Matte Black	387.20
	5690BBZTRMTC	Brushed Bronze	387.20

Modifications for Oak Shower and Tub/Shower Systems

SUFFIX	DESCRIPTION	CHROME	STN	BBZ	MB
15	1.5 gpm (5.7 L/min) flow restrictor	N/C	N/C	N/C	N/C
L1	Less showerhead	-31.45	-40.90	-44.00	-44.00
L2	Less hand shower	-41.95	-54.55	-58.75	-58.75
L3	Less showerhead and hand shower	-73.40	-95.45	-102.75	-102.75
L4	Less showerhead, arm and flange	-58.50	-76.00	-81.90	-81.90
L5	Less hand shower system	-170.05	-221.05	-238.05	-238.05
L6	Less tub spout	-21.20	-29.75	-30.85	-30.85
L7	Less handle	-37.00	-48.00	-51.80	-51.80

Oak™ Shower and Tub/Shower Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• Single-Function Showerhead • Standard on the Oak collection • 5" square • HydroMersion technology for increased force • EverFlow rubber spray nozzles • Total spray for complete coverage • Solid brass ball joint • Transitional style	*2.0 gpm (7.6 L/min) standard*		
		562SH	Chrome	78.60
		562SHSTN	Satin Nickel	102.20
		562SHMB	Matte Black	110.00
		562SHBBZ	Brushed Bronze	110.00
		1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
		562SH15	Chrome	78.60
		562SHSTN15	Satin Nickel	102.20
		562SHMB15	Matte Black	110.00
		562SHBBZ15	Brushed Bronze	110.00
	• Single-Function Hand Shower Wand • Standard on the Oak collection • 4" square • HydroMersion technology for increased force • EverFlow rubber spray nozzles • Total spray for complete coverage • Push-button Pause mode for non-positive shutoff • Transitional style	*2.0 gpm (7.6 L/min) standard*		
		562W	Chrome	104.90
		562WSTN	Satin Nickel	136.35
		562WMB	Matte Black	146.90
		562WBBZ	Brushed Bronze	146.90
		1.5 gpm (5.7 L/min) WaterSense®		
		562W15	Chrome	104.90
		562WSTN15	Satin Nickel	136.35
		562WMB15	Matte Black	146.90
		562WBBZ15	Brushed Bronze	146.90
	• Single-Function Hand Shower System • Coordinates with the Oak collection • 4" HydroMersion hand shower wand with Total spray and push-button Pause mode • EverFlow rubber spray nozzles • Integrated wall cradle and elbow • 60" flexible metal hose • Transitional style • 2.0 gpm (7.6 L/min) flow rate	HS601	Chrome	360.30
		HS601STN	Satin Nickel	468.40
		HS601MB	Matte Black	504.45
		HS601BBZ	Brushed Bronze	504.45
	• Single-Function Hand Shower Slide Bar System • Standard on the Oak collection • 4" HydroMersion hand shower wand with Total spray and push-button Pause mode • EverFlow rubber spray nozzles • 30" hand shower slide bar • 60" flexible metal hose • Transitional style • 2.0 gpm (7.6 L/min) flow rate	HS621	Chrome	425.15
		HS621STN	Satin Nickel	552.65
		HS621MB	Matte Black	595.20
		HS621BBZ	Brushed Bronze	595.20

Oak™ Shower and Tub/Shower Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• 24" or 36" Slide/Grab Bar • 2-1/2" x 4-1/2" HydroMersion hand shower wand with Total spray and push-button Pause mode • EverFlow rubber spray nozzles • 60" flexible metal hose • 1-1/2" diameter slide bar • ADA slide mechanism • Wall elbow included • Contemporary/Modern style • 2.0 gpm (7.6 L/min) flow rate	*24" Length*		
		H36924	Chrome	426.20
		H36924STN	Satin Nickel	584.25
		H36924MB	Matte Black	596.80
		36" Length		
		H36936	Chrome	434.65
		H36936STN	Satin Nickel	595.95
		H36936MB	Matte Black	608.45
	• Shower arm and flange • Standard on the Oak collection • 8" length	562SA	Chrome	73.20
		562SASTN	Satin Nickel	95.15
		562SAMB	Matte Black	102.50
		562SABBZ	Brushed Bronze	102.50
	• Oak Tub Spout • 7-11/16" length • Metal construction • Slip-on installation	562TS	Chrome	53.25
		562TSSTN	Satin Nickel	69.20
		562TSMB	Matte Black	74.55
		562TSBBZ	Brushed Bronze	74.55
	• Oak Diverter Tub Spout • 7-11/16" length • Pull-up diverter • Metal construction • Slip-on installation	562DTS	Chrome	53.25
		562DTSSTN	Satin Nickel	69.20
		562DTSMB	Matte Black	74.55
		562DTSBBZ	Brushed Bronze	74.55
	• Oak Diverter Valve Trim • 5" square • Metal handle • Screwless escutcheon • Dual or triple outlet • Brushed Bronze finish is Special Order	*Trim Only: 2DIV-BODY or 3DIV-BODY required (see page 158)*		
		56DIVTRM	Chrome	251.75
		56DIVSTNTRM	Satin Nickel	327.25
		56DIVMBTRM	Matte Black	352.40
		56DIVBBZTRM	Brushed Bronze	352.40

Modifications for Oak Shower and Tub/Shower Accessories

SUFFIX	DESCRIPTION	CHROME	STN	BBZ	MB
15	1.5 gpm (5.7 L/min) flow restrictor	N/C	N/C	N/C	N/C

Oak™ Bath Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• 18" or 24" Towel Bar • Coordinates with Oak collection • Durable mounting system • Metal construction	*18" Length*		
		563TB18	Chrome	67.50
		563TB18STN	Satin Nickel	87.75
		563TB18MB	Matte Black	94.50
		563TB18BBZ	Brushed Bronze	94.50
		24" Length		
		563TB24	Chrome	74.05
		563TB24STN	Satin Nickel	96.25
		563TB24MB	Matte Black	103.65
		563TB24BBZ	Brushed Bronze	103.65
	• Robe Hook • Coordinates with the Oak collection • Durable mounting system • Metal construction	563RH	Chrome	21.85
		563RHSTN	Satin Nickel	28.40
		563RHMB	Matte Black	30.60
		563RHBBZ	Brushed Bronze	30.60
	• Towel Ring • Coordinates with Oak collection • Durable mounting system • Metal construction	563TR	Chrome	43.00
		563TRSTN	Satin Nickel	55.95
		563TRMB	Matte Black	60.20
		563TRBBZ	Brushed Bronze	60.20
	• Toilet Paper Holder • Coordinates with Oak collection • Durable mounting system • Metal construction	563TP	Chrome	41.45
		563TPSTN	Satin Nickel	53.90
		563TPMB	Matte Black	58.05
		563TPBBZ	Brushed Bronze	58.05
	• Double Toilet Paper Holder • Coordinates with Oak collection • Durable mounting system • Metal construction	563DTP	Chrome	92.70
		563DTPSTN	Satin Nickel	120.50
		563DTPMB	Matte Black	129.80
		563DTPBBZ	Brushed Bronze	129.80
	• 24" or 36" Grab Bar • Coordinates with Oak collection • Metal construction • Screwless flanges • ADA compliant • Brushed Bronze finish is Special Order	*24" Length*		
		563GB24	Chrome	167.50
		563GB24STN	Satin Nickel	217.75
		563GB24MB	Matte Black	234.50
		563GB24BBZ	Brushed Bronze	234.50
		36" Length		
		563GB36	Chrome	175.80
		563GB36STN	Satin Nickel	228.55
		563GB36MB	Matte Black	246.15
		563GB36BBZ	Brushed Bronze	246.15

Origins® Collection

The one that started it all. The Origins Collection is a versatile Symmons transitional design that's right at home in any bath space.

Available in these finishes:



Polished Chrome

Satin Nickel Radiance® PVD (STN)

Origins® Lavatory Faucets

	DESCRIPTION	MODEL	FINISH	PRICE
	• Origins Single Handle Centerset Lavatory Faucet • 3-hole installation with 4" center • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	S9612PP S9612STNPP	Chrome Satin Nickel	95.00 126.30
	• Origins Centerset Lavatory Faucet • 3-hole installation with 4" center • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLC9612PP SLC9612STNPP	Chrome Satin Nickel	106.40 141.55
	• Origins Widespread Lavatory Faucet • 3-hole installation with 8-16" center • Threadless valve-to-spout connections • 3/8" braided hose connections • Ceramic cartridges • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	S2442LAMPP S2442STNLAMPP	Chrome Satin Nickel	315.20 458.95
	• Origins Widespread Lavatory Faucet • 3-hole installation with 8-16" center • Threadless valve-to-spout connections • 3/8" braided hose connections • Ceramic cartridges • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	S2442LWGPP S2442STNLWGPP	Chrome Satin Nickel	315.20 458.95
	• Origins Widespread Lavatory Faucet • 3-hole installation with 8-16" center • Threadless valve-to-spout connections • 3/8" braided hose connections • Ceramic cartridges • Drain assembly not included • 1.0 gpm (3.8 L/min) flow rate	S2440LAM S2440STNLAM	Chrome Chrome	294.15 400.65

Origins® Lavatory Faucets

DESCRIPTION	MODEL	FINISH	PRICE
• Origins Widespread Lavatory Faucet • 3-hole installation with 8-16" center • Threadless valve-to-spout connections • 3/8" braided hose connections • Ceramic cartridges • Drain assembly not included • 1.0 gpm (3.8 L/min) flow rate	S2440LWG	Chrome	294.15
	S2440STNLWG	Satin Nickel	400.65

Modifications for Origins Lavatory Faucets

SUFFIX	DESCRIPTION	CHROME	STN
05	CG 0.5 gpm (1.9 L/min) flow restrictor	N/C	N/C

Origins® Shower and Tub/Shower

DESCRIPTION	MODEL	FINISH	PRICE
• Origins Shower with VersaFlex Integral Volume Control • Temptrol pressure-balancing valve • Tri-star handle • Adjustable stop screw to limit handle turn • 2-3/4" single-mode showerhead • Easy to clean rubber nozzles • Red and blue indicators on escutcheon • 2.0 gpm (7.6 L/min) flow rate • Tub spout not included	*Valve & Trim: S26 Series Temptrol® valve included (see page 151)*		
	S-9601-P	Chrome	313.10
	Trim Only: S26 Series Temptrol® valve required (see page 151)		
	S-9601-P-TRM	Chrome	172.10
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 151)		
	S9601PTRMTC	Chrome	238.55
• Origins Shower with VersaFlex Integral Volume Control • Temptrol pressure-balancing valve • Metal lever handle • Adjustable stop screw to limit handle turn • 2-3/4" single-mode showerhead • Easy to clean rubber nozzles • Red and blue indicators on escutcheon • 2.0 gpm (7.6 L/min) flow rate • Tub spout not included	*Valve & Trim: S26 Series Temptrol® valve included (see page 151)*		
	S-9601-PLR	Chrome	335.45
	S-9601-PLR-STN	Satin Nickel	392.30
	Trim Only: S26 Series Temptrol® valve required (see page 151)		
	S-9601-PLR-TRM	Chrome	194.35
	S-9601-PLR-TRM-STN	Satin Nickel	251.30
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 151)		
	S9601PLRTRMTC	Chrome	260.95
	S9601PLRTRMSTNTC	Satin Nickel	317.75
• Origins Shower • Temptrol pressure-balancing valve • Tri-star handle • Adjustable stop screw to limit handle turn • 2-3/4" single-mode showerhead • Easy to clean rubber nozzles • Red and blue indicators on escutcheon • 2.0 gpm (7.6 L/min) flow rate • Tub spout not included	*Valve & Trim: 26 Series Temptrol® valve included (see page 139)*		
	9601-P	Chrome	168.25
	Trim Only: 26 Series Temptrol® valve required (see page 139)		
	9601-P-TRM	Chrome	38.80
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	9601PTRMTC	Chrome	105.25
• Origins Shower • Temptrol pressure-balancing valve • Metal lever handle • Adjustable stop screw to limit handle turn • 2-3/4" single-mode showerhead • Easy to clean rubber nozzles • Red and blue indicators on escutcheon • 2.0 gpm (7.6 L/min) flow rate • Tub spout not included	*Valve & Trim: 26 Series Temptrol® valve included (see page 139)*		
	9601-PLR	Chrome	193.55
	9601-PLR-STN	Satin Nickel	222.20
	Trim Only: 26 Series Temptrol® valve required (see page 139)		
	9601-PLR-TRM	Chrome	64.00
	9601-PLR-TRM-STN	Satin Nickel	92.70
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	9601PLRTRMTC	Chrome	130.50
	9601PLRTRMSTNTC	Satin Nickel	159.20

Origins® Shower and Tub/Shower

DESCRIPTION	MODEL	FINISH	PRICE
• Origins Tub and Shower with VersaFlex Integral Diverter • Temptrol pressure-balancing valve • Tri-star handle • Adjustable stop screw to limit handle turn • 5-1/4" non-diverter tub spout • 2-3/4" single-mode showerhead • Easy to clean rubber nozzles • Red and blue indicators on escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Valve & Trim: S26 Series Temptrol® valve included (see page 147)*		
	S-9602-P	Chrome	329.50
	Trim Only: S26 Series Temptrol® valve required (see page 147)		
	S-9602-P-TRM	Chrome	188.50
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
	S9602PTRMTC	Chrome	255.00
• Origins Tub and Shower with VersaFlex Integral Diverter • Temptrol pressure-balancing valve • Metal lever handle • Adjustable stop screw to limit handle turn • 5-1/4" non-diverter tub spout • 2-3/4" single-mode showerhead • Easy to clean rubber nozzles • Red and blue indicators on escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Valve & Trim: S26 Series Temptrol® valve included (see page 147)*		
	S-9602-PLR	Chrome	354.75
	S-9602-PLR-STN	Satin Nickel	415.25
	Trim Only: S26 Series Temptrol® valve required (see page 147)		
	S-9602-PLR-TRM	Chrome	213.75
	S-9602-PLR-TRM-STN	Satin Nickel	274.30
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
	S9602PLRTRMTC	Chrome	280.20
	S9602PLRTRMSTNTC	Satin Nickel	340.70
• Origins Tub and Shower • Temptrol pressure-balancing valve • Tri-star handle • Adjustable stop screw to limit handle turn • 5-1/2" diverter tub spout • 2-3/4" single-mode showerhead • Easy to clean rubber nozzles • Red and blue indicators on escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Valve & Trim: 26 Series Temptrol® valve included (see page 139)*		
	9602-P	Chrome	175.65
	Trim Only: 26 Series Temptrol® valve required (see page 139)		
	9602-P-TRM	Chrome	46.10
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	9602PTRMTC	Chrome	112.65
• Origins Tub and Shower • Temptrol pressure-balancing valve • Metal lever handle • Adjustable stop screw to limit handle turn • 5-1/2" diverter tub spout • 2-3/4" single-mode showerhead • Easy to clean rubber nozzles • Red and blue indicators on escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Valve & Trim: 26 Series Temptrol® valve included (see page 139)*		
	9602-PLR	Chrome	200.90
	9602-PLR-STN	Satin Nickel	233.00
	Trim Only: 26 Series Temptrol® valve required (see page 139)		
	9602-PLR-TRM	Chrome	71.35
	9602-PLR-TRM-STN	Satin Nickel	103.45
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	9602PLRTRMTC	Chrome	137.90
	9602PLRTRMSTNTC	Satin Nickel	170.00

Origins® Shower and Tub/Shower

DESCRIPTION

- Origins Hand Shower with VersaFlex Integral Volume Control
- Temptrol pressure-balancing valve
- Metal lever handle
- Adjustable stop screw to limit handle turn
- ADA 36" grab bar for hand shower
- 60" flexible metal hose
- 3-3/8" ADA single-mode hand shower wand with non-positive shutoff
- Red and blue indicators on escutcheon
- 2.0 gpm (7.6 L/min) flow rate
- Tub spout and showerhead not included

MODEL	FINISH	PRICE
Valve & Trim: S26 Series Temptrol® valve included (see page 151)		
S-9603-PLR	Chrome	686.70
S-9603-PLR-STN	Satin Nickel	880.05
Trim Only: S26 Series Temptrol® valve required (see page 151)		
S-9603-PLR-TRM	Chrome	545.70
S-9603-PLR-TRM-STN	Satin Nickel	739.10
Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 151)		
S9603PLRTRMTC	Chrome	612.20
S9603PLRTRMSTNTC	Satin Nickel	805.55

- Origins Hand Shower
- Temptrol pressure-balancing valve
- Metal lever handle
- Adjustable stop screw to limit handle turn
- ADA 36" grab bar for hand shower
- 60" flexible metal hose
- 3-3/8" ADA single-mode hand shower wand with non-positive shutoff
- Red and blue indicators on escutcheon
- 2.0 gpm (7.6 L/min) flow rate
- Tub spout and showerhead not included

Valve & Trim: 26 Series Temptrol® valve included (see page 139)		
9603-PLR	Chrome	503.90
9603-PLR-STN	Satin Nickel	672.35
Trim Only: 26 Series Temptrol® valve required (see page 139)		
9603-PLR-TRM	Chrome	374.45
9603-PLR-TRM-STN	Satin Nickel	542.90
Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
9603PLRTRMTC	Chrome	440.90
9603PLRTRMSTNTC	Satin Nickel	609.40

- Origins Tub and Hand Shower with VersaFlex Integral Diverter
- Temptrol pressure-balancing valve
- Metal lever handle
- Adjustable stop screw to limit handle turn
- ADA 36" grab bar for hand shower
- 5-1/4" non-diverter tub spout
- 60" flexible metal hose
- 3-3/8" ADA single-mode hand shower wand with non-positive shutoff
- Red and blue indicators on escutcheon
- 2.0 gpm (7.6 L/min) flow rate
- Showerhead not included

Valve & Trim: S26 Series Temptrol® valve included (see page 147)		
S-9604-PLR	Chrome	707.35
S-9604-PLR-STN	Satin Nickel	909.10
Trim Only: S26 Series Temptrol® valve required (see page 147)		
S-9604-PLR-TRM	Chrome	566.35
S-9604-PLR-TRM-STN	Satin Nickel	768.00
Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
S9604PLRTRMTC	Chrome	632.95
S9604PLRTRMSTNTC	Satin Nickel	834.55

DESCRIPTION

- Origins Tub and Hand Shower
- Temptrol pressure-balancing valve
- Metal lever handle
- Adjustable stop screw to limit handle turn
- ADA 36" grab bar for hand shower
- 5-1/2" diverter tub spout
- 60" flexible metal hose
- 3-3/8" ADA single-mode hand shower wand with non-positive shutoff
- Red and blue indicators on escutcheon
- 2.0 gpm (7.6 L/min) flow rate
- Showerhead not included

MODEL	FINISH	PRICE
Valve & Trim: 26 Series Temptrol® valve included (see page 139)		
9604-PLR	Chrome	525.60
9604-PLR-STN	Satin Nickel	703.80
Trim Only: 26 Series Temptrol® valve required (see page 139)		
9604-PLR-TRM	Chrome	396.15
9604-PLR-TRM-STN	Satin Nickel	574.35
Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
9604PLRTRMTC	Chrome	462.70
9604PLRTRMSTNTC	Satin Nickel	640.80

- Origins Shower and Hand Shower Trim with VersaFlex Integral Diverter
- Metal lever handle
- ADA 36" grab bar for hand shower
- 60" flexible metal hose
- 3-3/8" ADA single-mode hand shower wand with non-positive shutoff
- 2-3/4" single-mode showerhead
- Easy to clean rubber nozzles
- Red and blue indicators on escutcheon
- 2.0 gpm (7.6 L/min) flow rate
- Tub spout not included

Trim Only: S26 Series Temptrol® valve required (see page 147)		
S9608PLRTRM	Chrome	501.20
S9608PLRTRMSTN	Satin Nickel	690.80
Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
S9608PLRTRMTC	Chrome	567.70
S9608PLRTRMSTNTC	Satin Nickel	757.50

- Origins Shower and Hand Shower
- Temptrol pressure-balancing valve
- Metal lever handle
- Adjustable stop screw to limit handle turn
- ADA 36" grab bar for hand shower
- Separate dual outlet diverter
- 60" flexible metal hose
- 3-3/8" ADA single-mode hand shower wand with non-positive shutoff
- 2-3/4" single-mode showerhead
- Easy to clean rubber nozzles
- Red and blue indicators on escutcheon
- 2.0 gpm (7.6 L/min) flow rate
- Tub spout not included

Valve & Trim: 26 Series Temptrol® and 2DIV Series valves included (see pages 139 and 158)		
9605-PLR	Chrome	807.85
9605-PLR-STN	Satin Nickel	1035.35
Trim Only: 26 Series Temptrol® and 2DIV Series valves required (see pages 139 and 158)		
9605-PLR-TRM	Chrome	505.75
9605-PLR-TRM-STN	Satin Nickel	733.35
Trim Only with flow control spindle and cap nut: 16 Series Temptrol® and 2DIV Series valves required (see pages 139 and 158)		
9605PLRTRMTC	Chrome	572.20
9605PLRTRMSTNTC	Satin Nickel	799.80

Origins® Shower and Tub/Shower

DESCRIPTION

- Origins Shower System with VersaFlex Dual Integral Diverter
- Temptrol pressure-balancing valve
- Metal lever handle
- Adjustable stop screw to limit handle turn
- Separate dual outlet diverter
- ADA 36" grab bar for hand shower
- VersaFlex Integral dual-outlet diverter lever
- 5-1/4" non-diverter tub spout
- 60" flexible metal hose
- 3-3/8" ADA single-mode hand shower wand with non-positive shutoff
- 2-3/4" single-mode showerhead
- Easy to clean rubber nozzles
- Red and blue indicators on escutcheon
- 2.0 gpm (7.6 L/min) flow rate

MODEL	FINISH	PRICE
Valve & Trim: S26 Series Temptrol® and 2DIV Series valves included (see pages 147 and 158)		
S-9606-PLR	Chrome	1044.40
S-9606-PLR-STN	Satin Nickel	1269.30
Trim Only: S26 Series Temptrol® and 2DIV Series valves required (see pages 147 and 158)		
S-9606-PLR-TRM	Chrome	687.50
S-9606-PLR-TRM-STN	Satin Nickel	912.50
Trim Only with flow control spindle and cap nut: S16 Series Temptrol® and 2DIV Series valves required (see pages 147 and 158)		
S9606PLRTRMTC	Chrome	754.05
S9606PLRTRMSTNTC	Satin Nickel	978.95

- Origins Shower System
- Temptrol pressure-balancing valve
- Metal lever handle
- Adjustable stop screw to limit handle turn
- ADA 36" grab bar for hand shower
- Separate triple outlet diverter
- 5-1/2" non-diverter tub spout
- 60" flexible metal hose
- 3-3/8" ADA single-mode hand shower wand with non-positive shutoff
- 2-3/4" single-mode showerhead
- Easy to clean rubber nozzles
- Red and blue indicators on escutcheon
- 2.0 gpm (7.6 L/min) flow rate

Valve & Trim: 26 Series Temptrol® and 3DIV Series valves included (see pages 139 and 158)		
9606-PLR	Chrome	869.95
9606-PLR-STN	Satin Nickel	1106.05
Trim Only: 26 Series Temptrol® and 3DIV Series valves required (see pages 139 and 158)		
9606-PLR-TRM	Chrome	524.70
9606-PLR-TRM-STN	Satin Nickel	760.80
Trim Only with flow control spindle and cap nut: 16 Series Temptrol® and 3DIV Series valves required (see pages 139 and 158)		
9606PLRTRMTC	Chrome	591.20
9606PLRTRMSTNTC	Satin Nickel	827.35

- Origins Shower Valve and Trim with VersaFlex Integral Volume Control
- Temptrol pressure-balancing valve
- Tri-star handle
- Adjustable stop screw to limit handle turn
- Red and blue indicators on escutcheon
- Tub spout and showerhead not included

Valve & Trim: S26 Series Temptrol® valve included (see page 151)		
S-9600-P	Chrome	289.15
Trim Only: S26 Series Temptrol® valve required (see page 151)		
S-9600-P-TRM	Chrome	148.20
Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 151)		
S9600PTRMTC	Chrome	214.70

Origins® Shower and Tub/Shower

- Origins Shower Valve and Trim with VersaFlex Integral Volume Control
- Temptrol pressure-balancing valve
- Metal lever handle
- Adjustable stop screw to limit handle turn
- Red and blue indicators on escutcheon
- Tub spout and showerhead not included

MODEL	FINISH	PRICE
Valve & Trim: S26 Series Temptrol® valve included (see page 151)		
S-9600-PLR	Chrome	314.40
S-9600-PLR-STN	Satin Nickel	349.90
Trim Only: S26 Series Temptrol® valve required (see page 151)		
S-9600-PLR-TRM	Chrome	173.45
S-9600-PLR-TRM-STN	Satin Nickel	208.95
Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 151)		
S9600PLRTRMTC	Chrome	239.95
S9600PLRTRMSTNTC	Satin Nickel	275.45

- Origins Tub and Shower Valve and Trim with VersaFlex Integral Diverter
- Temptrol pressure-balancing valve
- Tri-star handle
- Adjustable stop screw to limit handle turn
- Red and blue indicators on escutcheon
- Tub and shower icons on escutcheon
- Tub spout and showerhead not included

MODEL	FINISH	PRICE
Valve & Trim: S26 Series Temptrol® valve included (see page 147)		
S-9600TS-P	Chrome	289.15
Trim Only: S26 Series Temptrol® valve required (see page 147)		
S-9600TS-P-TRM	Chrome	148.20
Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
S9600TSPTRMTC	Chrome	214.70

- Origins Tub and Shower Valve and Trim with VersaFlex Integral Diverter
- Temptrol pressure-balancing valve
- Metal lever handle
- Adjustable stop screw to limit handle turn
- Red and blue indicators on escutcheon
- Tub and shower icons on escutcheon
- Tub spout and showerhead not included

MODEL	FINISH	PRICE
Valve & Trim: S26 Series Temptrol® valve included (see page 147)		
S-9600TS-PLR	Chrome	314.40
S-9600TS-PLR-STN	Satin Nickel	349.90
Trim Only: S26 Series Temptrol® valve required (see page 147)		
S-9600TS-PLR-TRM	Chrome	173.45
S-9600TS-PLR-TRM-STN	Satin Nickel	208.95
Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
S9600TSPLRTRMTC	Chrome	239.95
S9600TSPLRTRMSTNTC	Satin Nickel	275.45

- Origins Valve and Trim
- Temptrol pressure-balancing valve
- Tri-star handle
- Adjustable stop screw to limit handle turn
- Red and blue indicators on escutcheon
- Plug included to make shower only
- Diverter tub spout and showerhead not included

MODEL	FINISH	PRICE
Valve & Trim: 26 Series Temptrol® valve included (see page 139)		
9600-P	Chrome	148.80
Trim Only: 26 Series Temptrol® valve required (see page 139)		
9600-P-TRM	Chrome	19.25
Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
9600PTRMTC	Chrome	85.75

Origins® Shower and Tub/Shower

DESCRIPTION	MODEL	FINISH	PRICE
• Origins Valve and Trim • Temptrol pressure-balancing valve • Metal lever handle • Adjustable stop screw to limit handle turn • Red and blue indicators on escutcheon • Plug included to make shower only • Diverter tub spout and showerhead not included	*Valve & Trim: 26 Series Temptrol® valve included (see page 139)*		
	9600-PLR	Chrome	173.95
	9600-PLR-STN	Satin Nickel	194.05
	Trim Only: 26 Series Temptrol® valve required (see page 139)		
	9600-PLR-TRM	Chrome	44.45
	9600-PLR-TRM-STN	Satin Nickel	64.50
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	9600PLRTRMTC	Chrome	111.00
	9600PLRTRMSTNTC	Satin Nickel	131.00
• Origins Shower Valve 13" Trim with VersaFlex Integral Volume Control • Metal lever handle • Red and blue indicators on escutcheon • Tub spout and showerhead not included	*Trim Only: S26 Series Temptrol® valve required (see page 151)*		
	S-9600-PLR-OP-TRM	Chrome	248.25
	S-9600-PLR-OP-TRM-STN	Satin Nickel	313.65
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 151)		
	S9600PLROPTRMTC	Chrome	314.75
	S9600PLROPTRMSTNTC	Satin Nickel	380.10
• Origins Tub and Shower 13" Trim with VersaFlex Integral Diverter • Metal lever handle • Tub and shower icons on escutcheon • Red and blue indicators on escutcheon • Tub spout and showerhead not included	*Trim Only: S26 Series Temptrol® valve required (see page 151)*		
	S-9600TS-PLR-OP-TRM	Chrome	248.25
	S-9600TS-PLR-OP-TRM-STN	Satin Nickel	313.65
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 151)		
	S9600TSPLROPTRMTC	Chrome	314.75
	S9600TSPLROPTRMSTNTC	Satin Nickel	380.10
• Origins 13" Trim • Metal lever handle • Red and blue indicators on escutcheon • Diverter tub spout and showerhead not included	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	9600-PLR-OP-TRM	Chrome	119.35
	9600-PLR-OP-TRM-STN	Satin Nickel	169.25
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see pae 139)		
	9600PLROPTRMTC	Chrome	185.80
	9600PLROPTRMSTNTC	Satin NIckel	235.75

Modifications for Origins Shower and Tub/Shower Systems

SUFFIX	DESCRIPTION	CHROME	STN
15	CG 1.5 gpm (5.7 L/min) flow restrictor	N/C	N/C
B	Brass escutcheon & dome (chrome only)	43.00	N/A
CHKS	Integral check stops - for use in installations where a positive shut-off device is used downstream of mixing valve	89.30	89.30
L1	Less showerhead	-20.90	-33.50
L2	Less hand shower	-34.90	-50.25
L3	Less showerhead and hand shower	-55.85	-83.80
L4	Less showerhead, arm and flange	-31.20	-46.70
L5	Less hand shower system	-158.40	-205.70
L6	Less tub spout (for non diverter tub spout, deduct this line)	-10.80	-17.25
L6.	Less tub spout (for diverter tub spout, deduct this line)	-24.20	-34.00
L7	Less handle (PLR handle only)	-29.30	-41.10
NS	CG Non-shared diverter valve for 9605, 9606 and S-9606 series	N/C	N/C
X	Integral service stops - allows water shutoff at valve for service	23.10	23.10

Origins® Shower and Tub/Shower Accessories

DESCRIPTION	MODEL	FINISH	PRICE
• Single-Function Showerhead • Female ball joint connection • 2-3/4" diameter • Easy to clean rubber nozzles • 2.0 gpm (7.6 L/min) flow rate	*2.0 gpm (7.6 L/min) standard*		
	4-141	Chrome	52.25
	4-141-STN	Satin Nickel	83.75
	1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
	4-141-1.5	Chrome	52.25
	4-141-STN-1.5	Satin Nickel	83.75
• ADA Hand Shower Wand • 3-3/8" diameter • Non-positive shutoff button • 2.0 gpm (7.6 L/min) flow rate	*2.0 gpm (7.6 L/min) standard*		
	ADACHS	Chrome	88.95
	ADACHS-STN	Satin Nickel	124.60
	ADACHS-MB	Matte Black	129.00
	ADACHS-BBZ	Brushed Bronze	129.00
	ADACHS-WHT	White	65.40
	1.5 gpm (5.7 L/min) WaterSense®		
	ADACHS-1.5	Chrome	88.95
	ADACHS-1.5-STN	Satin Nickel	124.60
	ADACHS-MB-1.5	Matte Black	129.00
	ADACHS-BBZ-1.5	Brushed Bronze	129.00
	ADACHS-1.5-WHT	White	65.40
• Multifunction Hand Shower Slide Bar System • Coordinates with the Dia collection • 4" HydroMersion hand shower wand with 7 modes • EverFlow rubber spray nozzles • 30" hand shower slide bar • 60" flexible metal hose • Contemporary/Modern style • 2.0 gpm (7.6 L/min) flow rate	HR527	Chrome	401.60
	HR527STN	Satin Nickel	522.05
• 1-1/2" Diameter Grab Bar/Slide Bar • ADA slide mechanism • 60" flexible metal hose • ADA Chrome or Satin Nickel hand shower wand with non-positive shutoff • Supply elbow included • Wall connection and flange • 2.0 gpm (7.6 L/min) flow rate	T724	24" Chrome	372.60
	T724-STN	24" Satin Nickel	486.25
	T736	36" Chrome	396.05
	T736-STN	36" Satin Nickel	514.25
	T748	48" Chrome	496.40
	T748-STN	48" Satin Nickel	561.10

Origins® Shower and Tub/Shower Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• 1-1/2" Diameter Grab Bar/Slide Bar • ADA slide mechanism • 60" flexible metal hose • ADA white hand shower wand with non-positive shutoff • Supply elbow included • Wall connection and flange • 2.0 gpm (7.6 L/min) flow rate	T24-WT T36-WT T48-WT	24" White 36" White 48" White	349.05 372.40 411.40
	• Short shower arm and flange • Stamped flange • 6" length	300S 300S-STN	Chrome Satin Nickel	25.60 33.25
	• Shower arm with heavy flange • 8" length	300 300-STN	Chrome Satin Nickel	68.65 89.10
	• Non-diverter tub spout • 5-1/4" length • Metal construction • Thread-on installation	060 060-STN	Chrome Satin Nickel	27.05 35.75
	• Diverter tub spout • 5-1/2" length • Pull-up diverter • Metal construction • Thread-on installation	054 054-STN	Chrome Satin Nickel	60.60 76.50
	• Non-diverter tub spout • 5-1/4" length • Metal construction • Slip-on installation	061 061-STN	Chrome Satin Nickel	54.80 76.95

Origins® Shower and Tub/Shower Accessories

- Diverter tub spout
- 5-1/2" length
- 1/2" inlet
- Pull-up diverter
- Metal construction
- Slip-on installation

DESCRIPTION	MODEL	FINISH	PRICE
	053	Chrome	84.10
	053-STN	Satin Nickel	117.65

- Origins Diverter Trim
- 4-1/4" diameter
- Screwed escutcheon
- Dual or triple outlet

Valve & Trim: 2DIV-BODY included (see page 158)		
96-2DIV-PLR	Chrome	307.25
96-2DIV-PLR-STN	Satin Nickel	361.20
Trim Only: 2DIV-BODY required (see page 158)		
96-DIV-PLR-TRM	Chrome	133.45
96-DIV-PLR-TRM-STN	Satin Nickel	186.75

Modifications for Origins Shower and Tub/Shower Accessories

SUFFIX	DESCRIPTION	CHROME	STN
15	CG 1.5 gpm (5.7 L/min) flow restrictor	N/C	N/C

Origins® Kitchen Faucets

	DESCRIPTION	MODEL	FINISH	PRICE
	• Origins Single Handle Kitchen Faucet • 8-5/8" swivel spout • Separate hand spray mounted within deck plate • Braided hose connections • 8" deck plate included • 1.5 gpm (5.7 L/min) flow rate	SK233	Chrome	209.75
	• Origins Single Handle Kitchen Faucet • 8-5/8" swivel spout • Separate hand spray • Braided hose connections • 8" deck plate included • 1.5 gpm (5.7 L/min) flow rate	SK232 SK232STN	Chrome Satin Nickel	209.75 287.80
	• Origins Single Handle Kitchen Faucet • 8-5/8" swivel spout • Ceramic cartridge • Braided hose supply lines • 360° swivel spout head • 8" deck plate included • 1.5 gpm (5.7 L/min) flow rate	SK231	Chrome	192.70
	• Origins Single Handle Kitchen Faucet • 8-5/8" swivel spout • Braided hose connections • 8" deck plate included • 1.5 gpm (5.7 L/min) flow rate	SK23 SK23STN	Chrome Satin Nickel	176.90 230.00
	• Origins Kitchen Faucet • 8-5/8" swivel spout • Braided hose connections • 8" deck plate included • 1.5 gpm (5.7 L/min) flow rate	SK248	Chrome	190.45

Origins® Kitchen Faucets

	DESCRIPTION	MODEL	FINISH	PRICE
	• Origins Kitchen Faucet • 8-5/8" swivel spout • Braided hose connections • 8" deck plate included • 1.5 gpm (5.7 L/min) flow rate	SK248LAM	Chrome	212.60
	• Origins Kitchen Faucet • 8-5/8" swivel spout • Braided hose connections • 8" deck plate included • 1.5 gpm (5.7 L/min) flow rate	SK248LWG	Chrome	212.60

Modifications for Origins Kitchen Faucets

SUFFIX	DESCRIPTION	CHROME	STN
05	CG 0.5 gpm (1.9 L/min) flow restrictor (SK23 series, except SK231) (Call for availability)	N/C	N/C
10.	CG 1.0 gpm (3.8 L/min) flow restrictor (SK23 series, except SK231) (Call for availability)	N/C	N/C
W	6" lever handle (SK23 series only) (Chrome only)	17.20	N/A

Solarity™ Collection

The Solarity Collection shines in today's contemporary bath spaces, with on-trend finishes and smooth, rounded elements for a clean and inviting look.

Available in these finishes:



Polished Chrome | Satin Nickel Radiance® PVD (STN) | Matte Black (MB)

Solarity™ Lavatory Faucets

	DESCRIPTION	MODEL	FINISH	PRICE
	• Solarity Widespread Lavatory Faucet • 3-hole installation with 8-16" center • Threadless valve-to-spout connections • 3/8" braided hose connections • Ceramic cartridges • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate • Available Q1 2025	SLW3312PP SLW3312STNPP SLW3312MBPP	Chrome Satin Nickel Matte Black	279.50 363.35 391.30
	• Solarity Single Handle Lavatory Faucet • Single-hole installation • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate • Available Q1 2025	SLS3312PP SLS3312STNPP SLS3312MBPP	Chrome Satin Nickel Matte Black	222.10 288.75 310.95

Modifications for Solarity Lavatory Faucets

SUFFIX	DESCRIPTION	CHROME	STN	MB
05	CG 0.5 gpm (1.9 L/min) flow restrictor	N/C	N/C	N/C

Solarity™ Shower and Tub/Shower

- Solarity Shower Trim with VersaFlex Integral Diverter/Volume Control
- 4" HydroMersion showerhead with Total spray
- EverFlow rubber spray nozzles
- VersaFlex Integral Diverter/Volume Control lever
- Metal handle
- 2.0 gpm (7.6 L/min) flow rate
- Available Q1 2025

MODEL	FINISH	PRICE
Trim Only: S26 Series Temptrol® valve required (see page 151)		
S3391TRM	Chrome	211.40
S3391STNTRM	Satin Nickel	274.80
S3391MBTRM	Matte Black	295.95
Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 151)		
S3391TRMTC	Chrome	277.90
S3391STNTRMTC	Satin Nickel	341.30
S3391MBTRMTC	Matte Black	362.45

- Solarity Shower Trim
- 4" HydroMersion showerhead with Total spray
- EverFlow rubber spray nozzles
- Metal handle
- 2.0 gpm (7.6 L/min) flow rate
- Available Q1 2025

MODEL	FINISH	PRICE
Trim Only: 26 Series Temptrol® valve required (see page 139)		
3391TRM	Chrome	161.60
3391STNTRM	Satin Nickel	210.05
3391MBTRM	Matte Black	226.25
Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
3391TRMTC	Chrome	228.10
3391STNTRMTC	Satin Nickel	276.55
3391MBTRMTC	Matte Black	292.75

- Solarity Tub and Shower Trim with VersaFlex Integral Diverter
- 4" HydroMersion showerhead with Total spray
- EverFlow rubber spray nozzles
- VersaFlex Integral Diverter lever
- 5-1/2" non-diverter tub spout
- Metal handle
- 2.0 gpm (7.6 L/min) flow rate
- Available Q1 2025

MODEL	FINISH	PRICE
Trim Only: S26 Series Temptrol® valve required (see page 147)		
S3392TRM	Chrome	227.50
S3392STNTRM	Satin Nickel	295.70
S3392MBTRM	Matte Black	318.50
Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
S3392TRMTC	Chrome	294.00
S3392STNTRMTC	Satin Nickel	362.20
S3392MBTRMTC	Matte Black	385.00

- Solarity Tub and Shower Trim
- 4" HydroMersion showerhead with Total spray
- EverFlow rubber spray nozzles
- 5-1/2" diverter tub spout
- Metal handle
- 2.0 gpm (7.6 L/min) flow rate
- Available Q1 2025

MODEL	FINISH	PRICE
Trim Only: 26 Series Temptrol® valve required (see page 139)		
3392TRM	Chrome	171.70
3392STNTRM	Satin Nickel	223.20
3392MBTRM	Matte Black	240.40
Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
3392TRMTC	Chrome	238.20
3392STNTRMTC	Satin Nickel	289.70
3392MBTRMTC	Matte Black	306.90

Solarity™ Shower and Tub/Shower

DESCRIPTION

- Solarity Hand Shower Trim
- 4" single-function HydroMersion hand shower wand with Total spray and Pause mode
- EverFlow rubber spray nozzles
- 30" hand shower slide bar
- 60" flexible metal hose
- Metal handle
- 2.0 gpm (7.6 L/min) flow rate
- Available Q1 2025

MODEL	FINISH	PRICE
Trim Only: 26 Series Temptrol® valve required (see page 139)		
3393TRM	Chrome	400.10
3393STNTRM	Satin Nickel	520.15
3393MBTRM	Matte Black	560.15
Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 147)		
3393TRMTC	Chrome	466.60
3393STNTRMTC	Satin Nickel	586.65
3393MBTRMTC	Matte Black	626.65

- Solarity Tub and Hand Shower Trim with VersaFlex Integral Diverter
- 4" HydroMersion hand shower wand with Total spray and Pause mode
- EverFlow rubber spray nozzles
- VersaFlex Integral Diverter lever
- 5-1/2" non-diverter tub spout
- 30" hand shower slide bar
- 60" flexible metal hose
- Metal handle
- 2.0 gpm (7.6 L/min) flow rate
- Available Q1 2025

Trim Only: S26 Series Temptrol® valve required (see page 147)		
S3394TRM	Chrome	456.70
S3394STNTRM	Satin Nickel	593.60
S3394MBTRM	Matte Black	639.40
Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
S3394TRMTC	Chrome	523.20
S3394STNTRMTC	Satin Nickel	660.10
S3394MBTRMTC	Matte Black	705.90

- Solarity Shower and Hand Shower Trim with VersaFlex Integral Diverter
- 4" HydroMersion showerhead with Total spray
- 4" HydroMersion hand shower wand with Total spray and Pause mode
- EverFlow rubber spray nozzles
- VersaFlex Integral Diverter lever
- 30" hand shower slide bar
- 60" flexible metal hose
- Metal handle
- 2.0 gpm (7.6 L/min) flow rate
- Available Q1 2025

Trim Only: S26 Series Temptrol® valve required (see page 147)		
S3398TRM	Chrome	429.20
S3398STNTRM	Satin Nickel	557.95
S3398MBTRM	Matte Black	600.90
Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
S3398TRMTC	Chrome	495.70
S3398STNTRMTC	Satin Nickel	624.45
S3398MBTRMTC	Matte Black	667.40

Solarity™ Shower and Tub/Shower

DESCRIPTION

- Solarity Shower and Hand Shower Trim
- 4" HydroMersion showerhead with Total spray
- 4" HydroMersion hand shower wand with Total spray and Pause mode
- Separate dual outlet diverter trim
- EverFlow rubber spray nozzles
- 30" hand shower slide bar
- 60" flexible metal hose
- Metal handle
- 2.0 gpm (7.6 L/min) flow rate
- Available Q1 2025

MODEL	FINISH	PRICE
Trim Only: 26 Series Temptrol® and 2DIV Series valves required (see pages 139 and 158))		
3395TRM	Chrome	551.85
3395STNTRM	Satin Nickel	717.45
3395MBTRM	Matte Black	772.60
Trim Only with flow control spindle and cap nut: 16 Series Temptrol® and 2DIV Series valves required (see pages 139 and 158)		
3395TRMTC	Chrome	618.35
3395STNTRMTC	Satin Nickel	783.95
3395MBTRMTC	Matte Black	839.10

- Solarity Shower System Trim
- 4" HydroMersion showerhead with Total spray
- 4" HydroMersion hand shower wand with Total spray and Pause mode
- EverFlow rubber spray nozzles
- Separate triple outlet diverter trim
- 30" hand shower slide bar
- 60" flexible metal hose
- 5-1/2" non-diverter tub spout
- Metal handle
- 2.0 gpm (7.6 L/min) flow rate
- Available Q1 2025

MODEL	FINISH	PRICE
Trim Only: 26 Series Temptrol® and 3DIV Series valves required (see pages 139 and 158)		
3396TRM	Chrome	571.70
3396STNTRM	Satin Nickel	743.20
3396MBTRM	Matte Black	800.40
Trim Only with flow control spindle and cap nut: 16 Series Temptrol® and 3DIV Series valves required (see pages 139 and 158)		
3396TRMTC	Chrome	638.20
3396STNTRMTC	Satin Nickel	809.70
3396MBTRMTC	Matte Black	866.90

- Solarity Shower Valve Trim with VersaFlex Integral Diverter/Volume Control
- VersaFlex Integral Diverter/Volume Control lever
- Metal handle
- Available Q1 2025

MODEL	FINISH	PRICE
Trim Only: S26 Series Temptrol® valve required (see pages 147 and 151)		
S3390TRM	Chrome	171.65
S3390STNTRM	Satin Nickel	223.15
S3390MBTRM	Matte Black	240.30
Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see pages 147 and 151)		
S3390TRMTC	Chrome	238.15
S3390STNTRMTC	Satin Nickel	289.65
S3390MBTRMTC	Matte Black	306.80

- Solarity Shower Valve Trim
- Metal handle
- Available Q1 2025

MODEL	FINISH	PRICE
Trim Only: 26 Series Temptrol® valve required (see page 139)		
3390TRM	Chrome	128.45
3390STNTRM	Satin Nickel	166.95
3390MBTRM	Matte Black	179.85
Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
3390TRMTC	Chrome	194.95
3390STNTRMTC	Satin NIckel	233.45
3390MBTRMTC	Matte Black	246.35

Modifications for Solarity Shower and Tub/Shower Systems

SUFFIX	DESCRIPTION	CHROME	STN	MB
15	CG 1.5 gpm (5.7 L/min) flow restrictor	N/C	N/C	N/C
L1	Less showerhead	-21.30	-27.75	-29.85
L2	Less hand shower	-24.70	-32.15	-34.60
L3	Less showerhead and hand shower	-46.65	-59.90	-64.50
L4	Less showerhead, arm and flange	-31.55	-41.05	-44.70
L5	Less hand shower system	-126.90	-164.95	-177.60
L6	Less tub spout (for non diverter tub spout, deduct this line)	-10.80	-13.65	-15.15
L6.	Less tub spout (for diverter tub spout, deduct this line)	-23.55	-30.60	-33.95
L7	Less handle	-18.55	-24.10	-26.00

Solarity™ Shower and Tub/Shower Accessories

DESCRIPTION	MODEL	FINISH	PRICE
• Single-Function Showerhead • Standard on the Identity collection • 4" diameter • HydroMersion technology for increased force • Total spray for complete coverage • EverFlow rubber spray nozzles • Solid brass ball joint • Contemporary/Modern style	*2.0 gpm (7.6 L/min) standard*		
	482SH	Chrome	53.35
	482SHSTN	Satin Nickel	69.35
	482SHMB	Matte Black	74.65
	1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
	482SH15	Chrome	53.35
	482SHSTN15	Satin Nickel	69.35
	482SHMB15	Matte Black	74.65
WS P			
• Single-Function Hand Shower Wand • Standard on the Identity collection • 4" diameter • HydroMersion technology for increased force • Total spray for complete coverage • Pause mode for non-positive shutoff • EverFlow rubber spray nozzles • Easy-shift thumb lever • Contemporary/Modern style	*2.0 gpm (7.6 L/min) standard*		
	482W	Chrome	61.80
	482WSTN	Satin Nickel	80.35
	482WMB	Matte Black	86.50
	1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
	482W	Chrome	61.80
	482WSTN15	Satin Nickel	80.35
	482WMB15	Matte Black	86.50
WS P			
• Single-Function Hand Shower System • Standard on the Identity collection • 4" HydroMersion hand shower wand with Total spray Pause mode • EverFlow rubber spray nozzles • Wall cradle and elbow • 60" flexible metal hose • Contemporary/Modern style • 2.0 gpm (7.6 L/min) flow rate	HR501	Chrome	317.20
	HR501STN	Satin Nickel	412.35
	HR501MB	Matte Black	444.10
WS P			
• Single-Function Hand Shower Slide Bar System • Coordinates with the Identity collection • 4" HydroMersion hand shower wand with Total spray and Pause mode • EverFlow rubber spray nozzles • 30" hand shower slide bar • 60" flexible metal hose • Contemporary/Modern style • 2.0 gpm (7.6 L/min) flow rate	HR521	Chrome	382.05
	HR521STN	Satin Nickel	496.60
	HR521MB	Matte Black	534.85
WS P			

Solarity™ Shower and Tub/Shower Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• Short shower arm and flange • Stamped flange • 6" length	300S 300S-STN 300S-MB	Chrome Satin Nickel Matte Black	25.60 33.25 37.15
	• Non-diverter tub spout • 5-1/4" length • Metal construction • Thread-on installation	060 060-STN 060MB	Chrome Satin Nickel Matte Black	27.05 35.75 37.85
	• Diverter tub spout • 5-1/2" length • Pull-up diverter • Metal construction • Thread-on installation	054 054-STN 054MB	Chrome Satin Nickel Matte Black	60.60 76.50 82.40
	• Non-diverter tub spout • 5-1/4" length • Metal construction • Slip-on installation	061 061-STN	Chrome Satin Nickel	54.80 76.95
	• Diverter tub spout • 5-1/2" length • 1/2" inlet • Pull-up diverter • Metal construction • Slip-on installation	053 053-STN	Chrome Satin Nickel	84.10 117.65
	• Solarity Diverter Valve Trim • 5" diameter • Metal lever handle • Screwed escutcheon • Dual or triple outlet • Available Q1 2025	*Trim Only: 2DIV-BODY or 3DIV-BODY required (see page 158)* 33DIVTRM 33DIVSTNTRM 33DIVMBTRM	 Chrome Satin Nickel Matte Black	 167.30 217.55 234.25

Modifications for Solarity Shower and Tub/Shower Accessories

SUFFIX	DESCRIPTION	CHROME	STN	MB
15	CG 1.5 gpm (5.7 L/min) flow restrictor	N/C	N/C	N/C

Solarity™ Bath Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• 18" or 24" Towel Bar • Coordinates with Dia and Identity collections • Metal construction • Durable mounting system	*18" Length*		
		353TB-18	Chrome	67.50
		353TB-18-STN	Satin Nickel	87.90
		353TB-18-MB	Matte Black	95.15
		24" Length		
		353TB-24	Chrome	74.05
		353TB-24-STN	Satin Nickel	96.45
		353TB-24-MB	Matte Black	104.40
	• Robe Hook • Coordinates with Dia and Identity collections • Durable mounting system • Metal construction	353RH	Chrome	21.85
		353RH-STN	Satin Nickel	28.25
		353RH-MB	Matte Black	31.60
	• Towel Ring • Coordinates with Dia and Identity collections • Durable mounting system • Metal construction	353TR	Chrome	43.00
		353TR-STN	Satin Nickel	62.35
		353TR-MB	Matte Black	62.85
	• Toilet Paper Holder • Coordinates with Dia and Identity collections • Durable mounting system • Metal construction	353TP	Chrome	41.45
		353TP-STN	Satin Nickel	53.95
		353TP-MB	Matte Black	60.05

Verity® Collection

The Verity Collection merges a sleek, geometric design with subtle circular elements for a sophisticated upscale look. Verity's modern silhouette and clean lines serve as a focal point in contemporary bath spaces.

Available in these finishes:



Polished Chrome | Satin Nickel Radiance® PVD (STN) | Matte Black (MB)

Verity®

Faucets • Tub/Showers • Accessories

Verity® Lavatory Faucets

	DESCRIPTION	MODEL	FINISH	PRICE
	• Verity Single Handle Lavatory Faucet • Single-hole installation • 6-3/16" height • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLS4912PP SLS4912STNPP SLS4912MBPP	Chrome Satin Nickel Matte Black	222.10 288.75 310.95
	• Verity Widespread Lavatory Faucet • 3-hole installation with 8-16" center • 5-7/16" spout height • Threadless valve-to-spout connections • 3/8" braided hose connections • Ceramic cartridges • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLW4912PP SLW4912STNPP SLW4912MBPP	Chrome Satin Nickel Matte Black	279.50 363.35 391.20

Modifications for Verity Lavatory Faucets

SUFFIX	DESCRIPTION	CHROME	STN	MB
05	CG 0.5 gpm (1.9 L/min) flow restrictor	N/C	N/C	N/C

Verity® Shower and Tub/Shower

DESCRIPTION	MODEL	FINISH	PRICE
• Verity Shower Trim with VersaFlex Integral Diverter/Volume Control • 7" HydroMersion showerhead with Total spray • EverFlow rubber spray nozzles • VersaFlex Integral Diverter/Volume Control lever • Metal handle • Red and blue indicators on escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: S26 Series Temptrol® valve required (see page 151)*		
	S4991TRM	Chrome	211.40
	S4991STNTRM	Satin Nickel	273.20
	S4991MBTRM	Matte Black	295.95
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 151)		
	S4991TRMTC	Chrome	277.90
	S4991STNTRMTC	Satin Nickel	339.70
	S4991MBTRMTC	Matte Black	362.45
• Verity Shower Trim • 7" HydroMersion showerhead with Total spray • EverFlow rubber spray nozzles • Metal handle • 2.0 gpm (7.6 L/min) flow rate • Red and blue indicators on escutcheon	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	4991TRM	Chrome	161.60
	4991STNTRM	Satin Nickel	203.05
	4991MBTRM	Matte Black	226.25
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	4991TRMTC	Chrome	228.10
	4991STNTRMTC	Satin Nickel	269.60
	4991MBTRMTC	Matte Black	292.75
• Verity Tub and Shower Trim with VersaFlex Integral Diverter • 7" HydroMersion showerhead with Total spray • EverFlow rubber spray nozzles • VersaFlex Integral Diverter lever • 5-1/2" slip-on non-diverter tub spout • Metal handle • Red and blue indicators on escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: S26 Series Temptrol® valve required (see page 147)*		
	S4992TRM	Chrome	227.50
	S4992STNTRM	Satin Nickel	295.50
	S4992MBTRM	Matte Black	318.50
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
	S4992TRMTC	Chrome	294.00
	S4992STNTRMTC	Satin Nickel	362.00
	S4992MBTRMTC	Matte Black	385.00
• Verity Tub and Shower Trim • 7" HydroMersion showerhead with Total spray • EverFlow rubber spray nozzles • 5-1/2" slip-on diverter tub spout • Metal handle • Red and blue indicators on escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	4992TRM	Chrome	171.70
	4992STNTRM	Satin Nickel	217.25
	4992MBTRM	Matte Black	240.40
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	4992TRMTC	Chrome	238.20
	4992STNTRMTC	Satin Nickel	283.75
	4992MBTRMTC	Matte Black	306.90

Verity® Shower and Tub/Shower

DESCRIPTION	MODEL	FINISH	PRICE
• Verity Hand Shower Trim • 2-1/2" x 4-1/2" HydroMersion hand shower wand with Total spray and push-button Pause mode • EverFlow rubber spray nozzles • 30" hand shower slide bar • 60" flexible metal hose • Metal handle • Red and blue indicators on escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	4993TRM	Chrome	400.10
	4993STNTRM	Satin Nickel	536.95
	4993MBTRM	Matte Black	560.10
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	4993TRMTC	Chrome	466.60
	4993STNTRMTC	Satin Nickel	603.95
	4993MBTRMTC	Matte Black	626.60
• Verity Tub and Hand Shower Trim with VersaFlex Integral Diverter • 2-1/2" x 4-1/2" HydroMersion hand shower wand with Total spray and push-button Pause mode • EverFlow rubber spray nozzles • VersaFlex Integral Diverter lever • 5-1/2" slip-on non-diverter tub spout • 30" hand shower slide bar • 60" flexible metal hose • Metal handle • Red and blue indicators on escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: S26 Series Temptrol® valve required (see page 147)*		
	S4994TRM	Chrome	456.60
	S4994STNTRM	Satin Nickel	616.25
	S4994MBTRM	Matte Black	639.20
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147))		
	S4994TRMTC	Chrome	522.70
	S4994STNTRMTC	Satin Nickel	682.75
	S4994MBTRMTC	Matte Black	705.70
• Verity Shower and Hand Shower Trim with VersaFlex Integral Diverter • 7" HydroMersion showerhead with Total spray • 2-1/2" x 4-1/2" HydroMersion hand shower wand with Total spray and push-button Pause mode • EverFlow rubber spray nozzles • VersaFlex Integral Diverter lever • 30" hand shower slide bar • 60" flexible metal hose • Metal handle • Red and blue indicators on escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: S26 Series Temptrol® valve required (see page 147)*		
	S4998TRM	Chrome	429.20
	S4998STNTRM	Satin Nickel	576.75
	S4998MBTRM	Matte Black	600.80
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see page 147)		
	S4998TRMTC	Chrome	495.70
	S4998STNTRMTC	Satin Nickel	643.25
	S4998MBTRMTC	Matte Black	667.30

DESCRIPTION	MODEL	FINISH	PRICE
• Verity Shower and Hand Shower Trim • 7" HydroMersion showerhead with Total spray • 2-1/2" x 4-1/2" HydroMersion hand shower wand with Total spray and push-button Pause mode • Separate dual outlet diverter trim • EverFlow rubber spray nozzles • 30" hand shower slide bar • 60" flexible metal hose • Metal handle • Red and blue indicators on escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: 26 Series Temptrol® and 2DIV Series valves required (see pages 139 and 158)*		
	4995TRM	Chrome	551.85
	4995STNTRM	Satin Nickel	749.50
	4995MBTRM	Matte Black	772.65
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® and 2DIV Series valves required (see pages 139 and 158)		
	4995TRMTC	Chrome	618.35
	4995STNTRMTC	Satin Nickel	816.00
	4995MBTRMTC	Matte Black	839.15
• Verity Shower System Trim • 7" HydroMersion showerhead with Total spray • 2-1/2" x 4-1/2" HydroMersion hand shower wand with Total spray and push-button Pause mode • EverFlow rubber spray nozzles • Separate triple outlet diverter trim • 30" hand shower slide bar • 60" flexible metal hose • 5-1/2" slip-on non-diverter tub spout • Metal handle • Red and blue indicators on escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: 26 Series Temptrol® and 3DIV Series valves required (see pages 139 and 158)*		
	4996TRM	Chrome	571.70
	4996STNTRM	Satin Nickel	777.35
	4996MBTRM	Matte Black	800.40
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® and 3DIV Series valves required (see pages 139 and 158)		
	4996TRMTC	Chrome	638.20
	4996STNTRMTC	Satin Nickel	843.85
	499MBTRMTC	Matte Black	866.90
• Verity Shower Valve Trim with VersaFlex Integral Diverter/Volume Control • VersaFlex Integral Diverter/Volume Control lever • Metal handle • Red and blue indicators on escutcheon	*Trim Only: S26 Series Temptrol® valve required (see pages 147 and 151)*		
	S4990TRM	Chrome	171.65
	S4990STNTRM	Satin Nickel	217.35
	S4990MBTRM	Matte Black	240.30
	Trim Only with flow control spindle and cap nut: S16 Series Temptrol® valve required (see pages 147 and 151)		
	S4990TRMTC	Chrome	238.15
	S4990STNTRMTC	Satin Nickel	283.85
	S4990MBTRMTC	Matte Black	306.80
• Verity Shower Valve Trim • Metal handle • Red and blue indicators on escutcheon	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	4990TRM	Chrome	128.45
	4990STNTRM	Satin Nickel	156.50
	4990MBTRM	Matte Black	179.80
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	4990TRMTC	Chrome	194.95
	4990STNTRMTC	Satin Nickel	223.00
	4990MBTRMTC	Matte Black	246.30

Modifications for Verity Showers and Tub/Shower Systems

SUFFIX	DESCRIPTION	CHROME	STN	MB
15	CG 1.5 gpm (5.7 L/min) flow restrictor	N/C	N/C	N/C
L1	Less showerhead	-21.30	-27.75	-29.85
L2	Less hand shower	-41.95	-54.55	-58.75
L3	Less showerhead and hand shower	-63.30	-82.30	-88.65
L4	Less showerhead, arm and flange	-51.50	-66.95	-72.10
L5	Less hand shower system	-144.95	-157.55	-161.75
L6	Less tub spout (for non diverter tub spout, deduct this line)	-21.95	-28.50	-30.70
L6.	Less tub spout (for diverter tub spout, deduct this line)	-33.65	-43.70	-47.05
L7	Less handle	-18.55	-24.10	-25.95

Verity® Shower and Tub/Shower Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• Single-Function Showerhead • Standard on the Verity collection • 7" square • HydroMersion technology for increased force • EverFlow rubber spray nozzles • Total spray for complete coverage • Solid brass ball joint • Contemporary/Modern style	*2.0 gpm (7.6 L/min) standard*		
		491SH	Chrome	53.35
		491SHSTN	Satin Nickel	69.35
		491SHMB	Matte Black	74.65
		1,5 gpm (5.7 L/min) CALGreen		
		491SH15	Chrome	53.35
		491SHSTN15	Satin Nickel	69.35
		491SHMB15	Matte Black	74.65
	WS P			
	• Single-Function Hand Shower Wand • Standard on the Duro and Verity collections • 2-1/2" x 4-1/2" spray head • HydroMersion technology for increased force • EverFlow rubber spray nozzles • Total spray for complete coverage • Push-button Pause mode for non-positive shutoff • Contemporary/Modern style	*2.0 gpm (7.6 L/min) standard*		
		482WSQ	Chrome	104.90
		482WSQSTN	Satin Nickel	136.35
		482WSQMB	Matte Black	146.90
		482WSQBBZ	Brushed Bronze	146.90
		1,5 gpm (5.7 L/min) CALGreen		
		482WSQ15	Chrome	104.90
		482WSQSTN15	Satin Nickel	136.35
		482WSQMB15	Matte Black	146.90
		482WSQBBZ15	Brushed Bronze	146.90
	WS P			
	• Single-Function Hand Shower Slide Bar System • Coordinates with Duro and Verity collections • 2-1/2" x 4-1/2" HydroMersion hand shower wand with Total spray and push-button Pause mode • EverFlow rubber spray nozzles • 30" hand shower slide bar • 60" flexible metal hose • Contemporary/Modern style • 2.0 gpm (7.6 L/min) flow rate	HS521	Chrome	362.40
		HS521STN	Satin Nickel	471.10
		HS521MB	Matte Black	507.40
	WS P			

Verity® Shower and Tub/Shower Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• 24" or 36" Slide/Grab Bar • 2-1/2" x 4-1/2" HydroMersion hand shower wand with Total spray and push-button Pause mode • EverFlow rubber spray nozzles • 60" flexible metal hose • 1-1/2" diameter slide bar • ADA slide mechanism • Wall elbow included • Contemporary/Modern style • 2.0 gpm (7.6 L/min) flow rate	*24" Length*		
		H36924	Chrome	426.20
		H36924STN	Satin Nickel	584.25
		H36924MB	Matte Black	596.80
		36" Length		
		H36936	Chrome	434.65
		H36936STN	Satin Nickel	595.95
		H36936MB	Matte Black	608.45
	WS P			
	• 24" or 36" Slide/Grab Bar • Contemporary/Modern style • 4" HydroMersion hand shower wand with 7 modes • EverFlow rubber spray nozzles • 60" flexible metal hose • 1-1/2" diameter slide bar • Pause mode for non-positive shutoff • ADA slide mechanism • Wall elbow included • 2.0 gpm (7.6 L/min) flow rate	*24" Length*		
		H35924	Chrome	426.20
		H35924STN	Satin Nickel	584.25
		H35924MB	Matte Black	596.70
		36" Length		
		H35936	Chrome	434.65
		H35936STN	Satin Nickel	595.95
		H35936MB	Matte Black	608.45
	WS P			
	• Shower Arm and Flange • Standard on Duro and Verity collections • Metal square flange • 8" length	300SQ	Chrome	75.40
		300SQ-STN	Satin Nickel	98.05
		300SQ-MB	Matte Black	106.20
	P			
	• Verity Tub Spout • 5-1/2" length • Metal construction • Slip-on installation	493TS	Chrome	54.80
		493TSSTN	Satin Nickel	71.20
		493TSMB	Matte Black	76.75
	P			
	• Verity Diverter Tub Spout • 5-1/2" length • Pull-up diverter • Metal construction • Slip-on installation	493DTS	Chrome	84.10
		493DTSSTN	Satin Nickel	109.35
		493DTSMB	Matte Black	117.75
	P			

DESCRIPTION	MODEL	FINISH	PRICE
• Verity Diverter Valve Trim • 5" square • Metal handle • Screwless escutcheon • Dual or triple outlet	*Trim Only: 2DIV-BODY or 3DIV-BODY required (see page 158)*		
	49DIVTRM	Chrome	167.30
	49DIVSTNTRM	Satin Nickel	217.55
	49DIVMBTRM	Matte Black	234.25

Modifications for Verity Shower and Tub/Shower Accessories

SUFFIX	DESCRIPTION	CHROME	STN	MB
15	CG 1.5 gpm (5.7 L/min) flow restrictor	N/C	N/C	N/C

Verity® Bath Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• 18" or 24" Towel Bar • Coordinates with the Verity collection • Durable mounting system • Metal construction	*18" Length*		
		493TB18	Chrome	72.10
		493TB18STN	Satin Nickel	93.75
		493TB18MB	Matte Black	100.95
		24" Length		
		493TB24	Chrome	82.40
		493TB24STN	Satin Nickel	107.10
		493TB24MB	Matte Black	115.35
	• Robe Hook • Coordinates with the Verity collection • Durable mounting system • Metal construction	493RH	Chrome	19.00
		493RHSTN	Satin Nickel	24.70
		493RHMB	Matte Black	26.50
	• Towel Holder • Coordinates with the Verity collection • Durable mounting system • Metal construction	493TR	Chrome	34.00
		493TRSTN	Satin Nickel	44.20
		493TRMB	Matte Black	47.65
	• Toilet Paper Holder • Coordinates with the Verity collection • Durable mounting system • Metal construction	493TP	Chrome	37.75
		493TPSTN	Satin Nickel	49.10
		493TPMB	Matte Black	52.85

Tub/Shower Valve Bodies



Symmons pressure-balancing shower and tub/shower valves instantly react to disturbances in water pressure to maintain safe shower temperatures. All functioning valve parts are brass, bronze and stainless steel delivering maximum durability and reliable performance. Symmons pressure-balancing valves have been the trusted choice for customers for over 85 years.

Shower and Tub/Shower Valve Bodies

Temptrol® Tub/Shower Valves

	DESCRIPTION	MODEL	EASYSERVICE™ STOPS	PRICE
	• Temptrol Pressure-Balancing Tub/Shower Valve Body • Adjustable stop screw to limit handle turn • 1/2" Universal (1/2" NPT and direct sweat) inlets/outlet • Solid brass, bronze, and stainless steel construction	*Standard*		
		262BODY	Not Included	129.45
		262XBODY	Included	152.50
		Includes Reverse Seat for Back-to-Back Installation		
		262RVBODY	Not Included	129.45
		262XRVBODY	Included	152.50
		Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
		162BODY	Not Included	63.00
		162XBODY	Included	85.95
		Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
		162RVBODY	Not Included	63.00
		162XRVBODY	Included	85.95
	• Temptrol Pressure-Balancing Tub/Shower Valve Body • Adjustable stop screw to limit handle turn • 1/2" Universal (1/2" NPT and direct sweat) inlets/outlet • CPVC inlet fittings • Solid brass, bronze, and stainless steel construction	*Standard*		
		262CPBODY	Not Included	146.15
		262XCPBODY	Included	169.15
		Includes Reverse Seat for Back-to-Back Installation		
		262RVCPBODY	Not Included	146.15
		262XRVCPBODY	Included	169.15
		Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
		162CPBODY	Not Included	79.55
		162XCPBODY	Included	102.65
		Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
		162RVCPBODY	Not Included	79.55
		162XRVCPBODY	Included	102.65
	• Temptrol Pressure-Balancing Tub/Shower Valve Body • Adjustable stop screw to limit handle turn • 1/2" Universal (1/2" NPT and direct sweat) inlets/outlet • PEX crimp inlet fittings • Solid brass, bronze, and stainless steel construction	*Standard*		
		262P1BODY	Not Included	146.15
		262XP1BODY	Included	169.15
		Includes Reverse Seat for Back-to-Back Installation		
		262RVP1BODY	Not Included	146.15
		262XRVP1BODY	Included	169.15
		Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
		162P1BODY	Not Included	79.55
		162XP1BODY	Included	102.65
		Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
		162RVP1BODY	Not Included	79.55
		162XRVP1BODY	Included	102.65
	• Temptrol Pressure-Balancing Tub/Shower Valve Body • Adjustable stop screw to limit handle turn • 1/2" Universal (1/2" NPT and direct sweat) inlets/outlet • PEX cold expansion inlet fittings • Solid brass, bronze, and stainless steel construction	*Standard*		
		262P2BODY	Not Included	146.15
		262XP2BODY	Included	169.15
		Includes Reverse Seat for Back-to-Back Installation		
		262RVP2BODY	Not Included	146.15
		262XRVP2BODY	Included	169.15
		Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
		162P2BODY	Not Included	79.55
		162XP2BODY	Included	102.65
		Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
		162RVP2BODY	Not Included	79.55
		162XRVP2BODY	Included	102.65

Temptrol® Tub/Shower Valves

- Temptrol Pressure-Balancing Tub/Shower Valve Body
- Adjustable stop screw to limit handle turn
- 1/2" Universal (1/2" NPT and direct sweat) inlets/outlet
- ProPress® stub out inlet fittings
- Solid brass, bronze, and stainless steel construction

DESCRIPTION	MODEL	EASYSERVICE™ STOPS	PRICE
	Standard		
	262P3BODY	Not Included	176.00
	262XP3BODY	Included	199.05
	Includes Reverse Seat for Back-to-Back Installation		
	262RVP3BODY	Not Included	176.00
	262XRVP3BODY	Included	199.05
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
	162P3BODY	Not Included	109.55
	162XP3BODY	Included	132.55
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
	162RVP3BODY	Not Included	109.55
	162XRVP3BODY	Included	132.55

Temptrol® Rapid Install™ Tub/Shower Valves

	DESCRIPTION	MODEL	EASYSERVICE™ STOPS	PRICE
	• Temptrol Rapid Install Pressure-Balancing Tub/Shower Valve Body • Adjustable stop screw to limit handle turn • 1/2" Universal (1/2" NPT and direct sweat) inlets/outlet • Nylon Rapid Install bracket with 4 straps included • Solid brass, bronze, and stainless steel valve body construction	*Standard*		
		262BRBODY	Not Included	169.45
		262XBRBODY	Included	192.40
		Includes Reverse Seat for Back-to-Back Installation		
		262RVBRBODY	Not Included	169.45
		262XRVBRBODY	Included	192.40
		Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
		162BRBODY	Not Included	102.85
		162XBRBODY	Included	125.85
		Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
		162RVBRBODY	Not Included	102.85
		162XRVBRBODY	Included	125.85
	• Temptrol Rapid Install Pressure-Balancing Tub/Shower Valve Body • Adjustable stop screw to limit handle turn • 1/2" Universal (1/2" NPT and direct sweat) inlets/outlet • CPVC inlet fittings • Nylon Rapid Install bracket with 4 straps included • Solid brass, bronze, and stainless steel valve body construction	*Standard*		
		262CPBRBODY	Not Included	186.00
		262XCPBRBODY	Included	209.05
		Includes Reverse Seat for Back-to-Back Installation		
		262RVCPBRBODY	Not Included	186.00
		262XRVCPBRBODY	Included	209.05
		Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
		162CPBRBODY	Not Included	119.55
		162XCPBRBODY	Included	142.55
		Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
		162RVCPBRBODY	Not Included	119.55
		162XRVCPBRBODY	Included	142.55
	• Temptrol Rapid Install Pressure-Balancing Tub/Shower Valve Body • Adjustable stop screw to limit handle turn • 1/2" Universal (1/2" NPT and direct sweat) inlets/outlet • PEX crimp inlet fittings • Nylon Rapid Install bracket with 4 straps included • Solid brass, bronze, and stainless steel valve body construction	*Standard*		
		262P1BRBODY	Not Included	186.00
		262XP1BRBODY	Included	209.05
		Includes Reverse Seat for Back-to-Back Installation		
		262RVP1BRBODY	Not Included	186.00
		262XRVP1BRBODY	Included	209.05
		Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
		162P1BRBODY	Not Included	119.55
		162XP1BRBODY	Included	142.55
		Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
		162RVP1BRBODY	Not Included	119.55
		162XRVP1BRBODY	Included	142.55

Temptrol® Rapid Install™ Tub/Shower Valves

	DESCRIPTION	MODEL	EASYSERVICE™ STOPS	PRICE
	• Temptrol Rapid Install Pressure-Balancing Tub/Shower Valve Body • Adjustable stop screw to limit handle turn • 1/2" Universal (1/2" NPT and direct sweat) inlets/outlet • PEX cold expansion inlet fittings • Nylon Rapid Install bracket with 4 straps included • Solid brass, bronze, and stainless steel valve body construction	*Standard*		
		262P2BRBODY	Not Included	186.00
		262XP2BRBODY	Included	209.05
		Includes Reverse Seat for Back-to-Back Installation		
		262RVP2BRBODY	Not Included	186.00
		262XRVP2BRBODY	Included	209.05
		Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
		162P2BRBODY	Not Included	119.55
		162XP2BRBODY	Included	142.55
		Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
		162RVP2BRBODY	Not Included	119.55
		162XRVP2BRBODY	Included	142.55
	• Temptrol Rapid Install Pressure-Balancing Tub/Shower Valve Body • Adjustable stop screw to limit handle turn • 1/2" Universal (1/2" NPT and direct sweat) inlets/outlet • ProPress® stub out inlet fittings • Nylon Rapid Install bracket with 4 straps included • Solid brass, bronze, and stainless steel valve body construction	*Standard*		
		262P3BRBODY	Not Included	215.95
		262XP3BRBODY	Included	238.95
		Includes Reverse Seat for Back-to-Back Installation		
		262RVP3BRBODY	Not Included	215.95
		262XRVP3BRBODY	Included	238.95
		Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
		162P3BRBODY	Not Included	149.45
		162XP3BRBODY	Included	172.40
		Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
		162RVP3BRBODY	Not Included	149.45
		162XRVP3BRBODY	Included	172.40

Temptrol® Shower Valves

DESCRIPTION	MODEL	EASYSERVICE™ STOPS	PRICE
• Temptrol Pressure-Balancing Shower Valve Body • Adjustable stop screw to limit handle turn • 1/2" Universal (1/2" NPT and direct sweat) inlets/outlet • Built-in service stops • Solid brass, bronze, and stainless steel construction	*Standard*		
	261XBODY	Included	152.50
	Includes Reverse Seat for Back-to-Back Installation		
	261XRVBODY	Included	152.50
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
	161XBODY	Included	85.95
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
	161XRVBODY	Included	85.95
• Temptrol Pressure-Balancing Shower Valve Body • Adjustable stop screw to limit handle turn • 1/2" Universal (1/2" NPT and direct sweat) inlets/outlet • Built-in service stops • CPVC inlet fittings • Solid brass, bronze, and stainless steel construction	*Standard*		
	261XCPBODY	Included	169.15
	Includes Reverse Seat for Back-to-Back Installation		
	261XRVCPBODY	Included	169.15
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
	161XCPBODY	Included	102.65
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
	161XRVCPBODY	Included	102.65
• Temptrol Pressure-Balancing Shower Valve Body • Adjustable stop screw to limit handle turn • 1/2" Universal (1/2" NPT and direct sweat) inlets/outlet • Built-in service stops • PEX crimp inlet fittings • Solid brass, bronze, and stainless steel construction	*Standard*		
	261XP1BODY	Included	169.15
	Includes Reverse Seat for Back-to-Back Installation		
	261XRVP1BODY	Included	169.15
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
	161XP1BODY	Included	102.65
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
	161XRVP1BODY	Included	102.65
• Temptrol Pressure-Balancing Shower Valve Body • Adjustable stop screw to limit handle turn • 1/2" Universal (1/2" NPT and direct sweat) inlets/outlet • Built-in service stops • PEX cold expansion inlet fittings • Solid brass, bronze, and stainless steel construction	*Standard*		
	261XP2BODY	Included	169.15
	Includes Reverse Seat for Back-to-Back Installation		
	261XRVP2BODY	Included	169.15
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
	161XP2BODY	Included	102.65
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
	161XRVP2BODY	Included	102.65

Temptrol® Shower Valves

- Temptrol Pressure-Balancing Shower Valve Body
- Adjustable stop screw to limit handle turn
- 1/2" Universal (1/2" NPT and direct sweat) inlets/outlet
- Built-in service stops
- ProPress® stub out inlet fittings
- Solid brass, bronze, and stainless steel construction

DESCRIPTION	MODEL	EASYSERVICE™ STOPS	PRICE
	Standard		
	261XP3BODY	Included	199.05
	Includes Reverse Seat for Back-to-Back Installation		
	261XRVP3BODY	Included	199.05
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
	161XP3BODY	Included	132.55
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
	161XRVP3BODY	Included	132.55

Temptrol® Rapid Install™ Shower Valves

DESCRIPTION	MODEL	EASYSERVICE™ STOPS	PRICE
 • Temptrol Rapid Install Pressure-Balancing Shower Valve Body • Adjustable stop screw to limit handle turn • 1/2" Universal (1/2" NPT and direct sweat) inlets/outlet • Built-in service stops • Nylon Rapid Install bracket with 4 straps included • Solid brass, bronze, and stainless steel valve body construction	*Standard*		
	261XBRBODY	Included	192.40
	Includes Reverse Seat for Back-to-Back Installation		
	261XRVBRBODY	Included	192.40
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
	161XBRBODY	Included	125.85
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
	161XRVBRBODY	Included	125.85
• Temptrol Rapid Install Pressure-Balancing Shower Valve Body • Adjustable stop screw to limit handle turn • 1/2" Universal (1/2" NPT and direct sweat) inlets/outlet • Built-in service stops • CPVC inlet fittings • Nylon Rapid Install bracket with 4 straps included • Solid brass, bronze, and stainless steel valve body construction	*Standard*		
	261XCPBRBODY	Included	209.05
	Includes Reverse Seat for Back-to-Back Installation		
	261XRVCPBRBODY	Included	209.05
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
	161XCPBRBODY	Included	142.55
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
	161XRVCPBRBODY	Included	142.55
 • Temptrol Rapid Install Pressure-Balancing Shower Valve Body • Adjustable stop screw to limit handle turn • 1/2" Universal (1/2" NPT and direct sweat) inlets/outlet • Built-in service stops • PEX crimp inlet fittings • Nylon Rapid Install bracket with 4 straps included • Solid brass, bronze, and stainless steel valve body construction	*Standard*		
	261XP1BRBODY	Included	209.05
	Includes Reverse Seat for Back-to-Back Installation		
	261XRVP1BRBODY	Included	209.05
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
	161XP1BRBODY	Included	142.55
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
	161XRVP1BRBODY	Included	142.55

Temptrol® Rapid Install™ Shower Valves

	DESCRIPTION	MODEL	EASYSERVICE™ STOPS	PRICE
	• Temptrol Rapid Install Pressure-Balancing Shower Valve Body • Adjustable stop screw to limit handle turn • 1/2" Universal (1/2" NPT and direct sweat) inlets/outlet • Built-in service stops • PEX cold expansion inlet fittings • Nylon Rapid Install bracket with 4 straps included • Solid brass, bronze, and stainless steel valve body construction	*Standard*		
		261XP2BRBODY	Included	209.05
		Includes Reverse Seat for Back-to-Back Installation		
		261XRVP2BRBODY	Included	209.05
		Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
		161XP2BRBODY	Included	142.55
		Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
		161XRVP2BRBODY	Included	142.55
	• Temptrol Rapid Install Pressure-Balancing Shower Valve Body • Adjustable stop screw to limit handle turn • 1/2" Universal (1/2" NPT and direct sweat) inlets/outlet • Built-in service stops • ProPress® stub out inlet fittings • Nylon Rapid Install bracket with 4 straps included • Solid brass, bronze, and stainless steel valve body construction	*Standard*		
		261XP3BRBODY	Included	238.95
		Includes Reverse Seat for Back-to-Back Installation		
		261XRVP3BRBODY	Included	238.95
		Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
		161XP3BRBODY	Included	172.40
		Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
		161XRVP3BRBODY	Included	172.40

Temptrol® Tub/Shower Valves with VersaFlex™ Integral Diverter

DESCRIPTION	MODEL	EASYSERVICE™ STOPS	PRICE
 • Temptrol Pressure-Balancing Tub/Shower Valve Body with VersaFlex Integral Diverter • Adjustable stop screw to limit handle turn • Male 1/2" NPT or direct sweat inlets and shower port • Female 1/2" NPT tub port • Stringer mounts in casting • Solid brass, bronze, and stainless steel construction	*Standard*		
	S262BODY	Not Included	141.00
	S262XBODY	Included	164.00
	Includes Reverse Seat for Back-to-Back Installation		
	S262RVBODY	Not Included	141.00
	S262XRVBODY	Included	164.00
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
	S162BODY	Not Included	74.50
	S162XBODY	Included	97.55
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
	S162RVBODY	Not Included	74.50
	S162XRVBODY	Included	97.55
 • Temptrol Pressure-Balancing Tub/Shower Valve Body with VersaFlex Integral Diverter • Adjustable stop screw to limit handle turn • Male 1/2" NPT or direct sweat inlets and shower port • Female 1/2" NPT tub port • Stringer mounts in casting • CPVC inlet fittings • Solid brass, bronze, and stainless steel construction	*Standard*		
	S262CPBODY	Not Included	157.65
	S262XCPBODY	Included	180.60
	Includes Reverse Seat for Back-to-Back Installation		
	S262RVCPBODY	Not Included	157.65
	S262XRVCPBODY	Included	180.60
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
	S162CPBODY	Not Included	91.10
	S162XCPBODY	Included	114.05
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
	S162RVCPBODY	Not Included	91.10
	S162XRVCPBODY	Included	114.05
 • Temptrol Pressure-Balancing Tub/Shower Valve Body with VersaFlex Integral Diverter • Adjustable stop screw to limit handle turn • Male 1/2" NPT or direct sweat inlets and shower port • Female 1/2" NPT tub port • Stringer mounts in casting • PEX crimp inlet fittings • Solid brass, bronze, and stainless steel construction	*Standard*		
	S262P1BODY	Not Included	157.65
	S262XP1BODY	Included	180.60
	Includes Reverse Seat for Back-to-Back Installation		
	S262RVP1BODY	Not Included	157.65
	S262XRVP1BODY	Included	180.60
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
	S162P1BODY	Not Included	91.10
	S162XP1BODY	Included	114.05
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
	S162RVP1BODY	Not Included	91.10
	S162XRVP1BODY	Included	114.05

Temptrol® Tub/Shower Valves with VersaFlex™ Integral Diverter

DESCRIPTION	MODEL	EASYSERVICE™ STOPS	PRICE
• Temptrol Pressure-Balancing Tub/Shower Valve Body with VersaFlex Integral Diverter • Adjustable stop screw to limit handle turn • Male 1/2" NPT or direct sweat inlets and shower port • Female 1/2" NPT tub port • Stringer mounts in casting • PEX cold expansion inlet fittings • Solid brass, bronze, and stainless steel construction	*Standard*		
	S262P2BODY	Not Included	157.65
	S262XP2BODY	Included	180.60
	Includes Reverse Seat for Back-to-Back Installation		
	S262RVP2BODY	Not Included	157.65
	S262XRVP2BODY	Included	180.60
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
	S162P2BODY	Not Included	91.10
	S162XP2BODY	Included	114.05
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
	S162RVP2BODY	Not Included	91.10
	S162XRVP2BODY	Included	114.05
• Temptrol Pressure-Balancing Tub/Shower Valve Body with VersaFlex Integral Diverter • Adjustable stop screw to limit handle turn • Male 1/2" NPT or direct sweat inlets and shower port • Female 1/2" NPT tub port • Stringer mounts in casting • ProPress® stub out inlet fittings • Solid brass, bronze, and stainless steel construction	*Standard*		
	S262P3BODY	Not Included	187.55
	S262XP3BODY	Included	210.60
	Includes Reverse Seat for Back-to-Back Installation		
	S262RVP3BODY	Not Included	187.55
	S262XRVP3BODY	Included	210.60
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
	S162P3BODY	Not Included	121.05
	S162XP3BODY	Included	144.10
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
	S162RVP3BODY	Not Included	121.05
	S162XRVP3BODY	Included	144.10

Temptrol® Rapid Install™ Tub/Shower Valves with VersaFlex™ Integral Diverter

DESCRIPTION	MODEL	EASYSERVICE™ STOPS	PRICE
• Temptrol Rapid Install Pressure-Balancing Tub/Shower Valve Body with VersaFlex Integral Diverter • Adjustable stop screw to limit handle turn • Male 1/2" NPT or direct sweat inlets and shower port • Female 1/2" NPT tub port • Stringer mounts in casting • Nylon Rapid Install bracket with 4 straps included • Solid brass, bronze, and stainless steel valve body construction	*Standard*		
	S262BRBODY	Not Included	180.90
	S262XBRBODY	Included	203.90
	Includes Reverse Seat for Back-to-Back Installation		
	S262RVBRBODY	Not Included	180.90
	S262XRVBRBODY	Included	203.90
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
	S162BRBODY	Not Included	114.40
	S162XBRBODY	Included	137.45
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
	S162RVBRBODY	Not Included	114.40
	S162XRVBRBODY	Included	137.45
• Temptrol Rapid Install Pressure-Balancing Tub/Shower Valve Body with VersaFlex Integral Diverter • Adjustable stop screw to limit handle turn • Male 1/2" NPT or direct sweat inlets and shower port • Female 1/2" NPT tub port • Stringer mounts in casting • CPVC inlet fittings • Nylon Rapid Install bracket with 4 straps included • Solid brass, bronze, and stainless steel valve body construction	*Standard*		
	S262CPBRBODY	Not Included	197.55
	S262XCPBRBODY	Included	220.55
	Includes Reverse Seat for Back-to-Back Installation		
	S262RVCPBRBODY	Not Included	197.55
	S262XRVCPBRBODY	Included	220.55
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
	S162CPBRBODY	Not Included	131.00
	S162XCPBRBODY	Included	154.00
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
	S162RVCPBRBODY	Not Included	131.00
	S162XRVCPBRBODY	Included	154.00
• Temptrol Rapid Install Pressure-Balancing Tub/Shower Valve Body with VersaFlex Integral Diverter • Adjustable stop screw to limit handle turn • Male 1/2" NPT or direct sweat inlets and shower port • Female 1/2" NPT tub port • Stringer mounts in casting • PEX crimp inlet fittings • Nylon Rapid Install bracket with 4 straps included • Solid brass, bronze, and stainless steel valve body construction	*Standard*		
	S262P1BRBODY	Not Included	197.55
	S262XP1BRBODY	Included	220.55
	Includes Reverse Seat for Back-to-Back Installation		
	S262RVP1BRBODY	Not Included	197.55
	S262XRVP1BRBODY	Included	220.55
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
	S162P1BRBODY	Not Included	131.00
	S162XP1BRBODY	Included	154.00
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
	S162RVP1BRBODY	Not Included	131.00
	S162XRVP1BRBODY	Included	154.00

Temptrol® Rapid Install™ Tub/Shower Valves with VersaFlex™ Integral Diverter

- Temptrol Rapid Install Pressure-Balancing Tub/Shower Valve Body with VersaFlex Integral Diverter
- Adjustable stop screw to limit handle turn
- Male 1/2" NPT or direct sweat inlets and shower port
- Female 1/2" NPT tub port
- Stringer mounts in casting
- PEX cold expansion inlet fittings
- Nylon Rapid Install bracket with 4 straps included
- Solid brass, bronze, and stainless steel valve body construction

MODEL	EASYSERVICE™ STOPS	PRICE
Standard		
S262P2BRBODY	Not Included	197.55
S262XP2BRBODY	Included	220.55
Includes Reverse Seat for Back-to-Back Installation		
S262RVP2BRBODY	Not Included	197.55
S262XRVP2BRBODY	Included	220.55
Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
S162P2BRBODY	Not Included	131.00
S162XP2BRBODY	Included	154.00
Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
S162RVP2BRBODY	Not Included	131.00
S162XRVP2BRBODY	Included	154.00

- Temptrol Rapid Install Pressure-Balancing Tub/Shower Valve Body with VersaFlex Integral Diverter
- Adjustable stop screw to limit handle turn
- Male 1/2" NPT or direct sweat inlets and shower port
- Female 1/2" NPT tub port
- Stringer mounts in casting
- ProPress® stub out inlet fittings
- Nylon Rapid Install bracket with 4 straps included
- Solid brass, bronze, and stainless steel valve body construction

MODEL	EASYSERVICE™ STOPS	PRICE
Standard		
S262P3BRBODY	Not Included	227.50
S262XP3BRBODY	Included	250.45
Includes Reverse Seat for Back-to-Back Installation		
S262RVP3BRBODY	Not Included	227.50
S262XRVP3BRBODY	Included	250.45
Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
S162P3BRBODY	Not Included	160.95
S162XP3BRBODY	Included	183.95
Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
S162RVP3BRBODY	Not Included	160.95
S162XRVP3BRBODY	Included	183.95

Temptrol® Shower Valves with Integral Volume Control

	DESCRIPTION	MODEL	EASYSERVICE™ STOPS	PRICE
	• Temptrol Pressure-Balancing Shower Valve Body with VersaFlex Integral Volume Control • Adjustable stop screw to limit handle turn • Male 1/2" NPT or direct sweat inputs and shower port • Female 1/2" NPT tub port • Stringer mounts in casting • Solid brass, bronze, and stainless steel construction	*Standard*		
		S261BODY	Not Included	141.00
		S261XBODY	Included	164.00
		Includes Reverse Seat for Back-to-Back Installation		
		S261RVBODY	Not Included	141.00
		S261XRVBODY	Included	164.00
		Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
		S161BODY	Not Included	74.50
		S161XBODY	Included	97.55
		Includes Tes Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
		S161RVBODY	Not Included	74.50
		S161XRVBODY	Included	97.55
	• Temptrol Pressure-Balancing Shower Valve Body with VersaFlex Integral Volume Control • Adjustable stop screw to limit handle turn • Male 1/2" NPT or direct sweat inputs and shower port • Female 1/2" NPT tub port • Stringer mounts in casting • CPVC inlet fittings • Solid brass, bronze, and stainless steel construction	*Standard*		
		S261CPBODY	Not Included	157.65
		S261XCPBODY	Included	180.60
		Includes Reverse Seat for Back-to-Back Installation		
		S261RVCPBODY	Not Included	157.65
		S261XRVCPBODY	Included	180.60
		Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
		S161CPBODY	Not Included	91.10
		S161XCPBODY	Included	114.05
		Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
		S161RVCPBODY	Not Included	91.10
		S161XRVCPBODY	Included	114.05
	• Temptrol Pressure-Balancing Shower Valve Body with VersaFlex Integral Volume Control • Adjustable stop screw to limit handle turn • Male 1/2" NPT or direct sweat inputs and shower port • Female 1/2" NPT tub port • Stringer mounts in casting • PEX crimp inlet fittings • Solid brass, bronze, and stainless steel construction	*Standard*		
		S261P1BODY	Not Included	157.65
		S261XP1BODY	Included	180.60
		Includes Reverse Seat for Back-to-Back Installation		
		S261RVP1BODY	Not Included	157.65
		S261XRVP1BODY	Included	180.60
		Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
		S161P1BODY	Not Included	91.10
		S161XP1BODY	Included	114.05
		Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
		S161RVP1BODY	Not Included	91.10
		S161XRVP1BODY	Included	114.05

Temptrol® Shower Valves with Integral Volume Control

	DESCRIPTION	MODEL	EASYSERVICE™ STOPS	PRICE
	• Temptrol Pressure-Balancing Shower Valve Body with VersaFlex Integral Volume Control • Adjustable stop screw to limit handle turn • Male 1/2" NPT or direct sweat inputs and shower port • Female 1/2" NPT tub port • Stringer mounts in casting • PEX cold expansion inlet fittings • Solid brass, bronze, and stainless steel construction	*Standard*		
		S261P2BODY	Not Included	157.65
		S261XP2BODY	Included	180.60
		Includes Reverse Seat for Back-to-Back Installation		
		S261RVP2BODY	Not Included	157.65
		S261XRVP2BODY	Included	180.60
		Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
		S161P2BODY	Not Included	91.10
		S161XP2BODY	Included	114.05
		Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
		S161RVP2BODY	Not Included	91.10
		S161XRVP2BODY	Included	114.05
	• Temptrol Pressure-Balancing Shower Valve Body with VersaFlex Integral Volume Control • Adjustable stop screw to limit handle turn • Male 1/2" NPT or direct sweat inputs and shower port • Female 1/2" NPT tub port • Stringer mounts in casting • ProPress® stub out inlet fittings • Solid brass, bronze, and stainless steel construction	*Standard*		
		S261P3BODY	Not Included	187.55
		S261XP3BODY	Included	210.60
		Includes Reverse Seat for Back-to-Back Installation		
		S261RVP3BODY	Not Included	187.55
		S261XRVP3BODY	Included	210.60
		Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
		S161P3BODY	Not Included	121.05
		S161XP3BODY	Included	144.10
		Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
		S161RVP3BODY	Not Included	121.05
		S161XRVP3BODY	Included	144.10

Temptrol® Rapid Install™ Shower Valves with Integral Diverter

DESCRIPTION	MODEL	EASYSERVICE™ STOPS	PRICE
• Temptrol Rapid Install Pressure-Balancing Shower Valve Body with VersaFlex Integral Volume Control • Adjustable stop screw to limit handle turn • Male 1/2" NPT or direct sweat inputs and shower port • Female 1/2" NPT tub port • Stringer mounts in casting • Nylon Rapid Install bracket with 4 straps included • Solid brass, bronze, and stainless steel valve body construction	*Standard*		
	S261BRBODY	Not Included	180.90
	S261XBRBODY	Included	203.90
	Includes Reverse Seat for Back-to-Back Installation		
	S261RVBRBODY	Not Included	180.90
	S261XRVBRBODY	Included	203.90
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
	S161BRBODY	Not Included	114.40
	S161XBRBODY	Included	137.45
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
	S161RVBRBODY	Not Included	114.40
	S161XRVBRBODY	Included	137.45
• Temptrol Rapid Install Pressure-Balancing Shower Valve Body with VersaFlex Integral Volume Control • Adjustable stop screw to limit handle turn • Male 1/2" NPT or direct sweat inputs and shower port • Female 1/2" NPT tub port • Stringer mounts in casting • CPVC inlet fittings • Nylon Rapid Install bracket with 4 straps included • Solid brass, bronze, and stainless steel valve body construction	*Standard*		
	S261CPBRBODY	Not Included	197.55
	S261XCPBRBODY	Included	220.55
	Includes Reverse Seat for Back-to-Back Installation		
	S261RVCPBRBODY	Not Included	197.55
	S261XRVCPBRBODY	Included	220.55
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
	S161CPBRBODY	Not Included	131.00
	S161XCPBRBODY	Included	154.00
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
	S161RVCPBRBODY	Not Included	131.00
	S161XRVCPBRBODY	Included	154.00
• Temptrol Rapid Install Pressure-Balancing Shower Valve Body with VersaFlex Integral Volume Control • Adjustable stop screw to limit handle turn • Male 1/2" NPT or direct sweat inputs and shower port • Female 1/2" NPT tub port • Stringer mounts in casting • PEX crimp inlet fittings • Nylon Rapid Install bracket with 4 straps included • Solid brass, bronze, and stainless steel valve body construction	*Standard*		
	S261P1BRBODY	Not Included	197.55
	S261XP1BRBODY	Included	220.55
	Includes Reverse Seat for Back-to-Back Installation		
	S261RVP1BRBODY	Not Included	197.55
	S261XRVP1BRBODY	Included	220.55
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
	S161P1BRBODY	Not Included	131.00
	S161XP1BRBODY	Included	154.00
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
	S161RVP1BRBODY	Not Included	131.00
	S161XRVP1BRBODY	Included	154.00

Temptrol® Rapid Install™ Shower Valves with Integral Diverter

DESCRIPTION	MODEL	EASYSERVICE™ STOPS	PRICE
• Temptrol Rapid Install Pressure-Balancing Shower Valve Body with VersaFlex Integral Volume Control • Adjustable stop screw to limit handle turn • Male 1/2" NPT or direct sweat inputs and shower port • Female 1/2" NPT tub port • Stringer mounts in casting • PEX cold expansion inlet fittings • Nylon Rapid Install bracket with 4 straps included • Solid brass, bronze, and stainless steel valve body construction	*Standard*		
	S261P2BRBODY	Not Included	197.55
	S261XP2BRBODY	Included	220.55
	Includes Reverse Seat for Back-to-Back Installation		
	S261RVP2BRBODY	Not Included	197.55
	S261XRVP2BRBODY	Included	220.55
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
	S161P2BRBODY	Not Included	131.00
	S161XP2BRBODY	Included	154.00
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
	S161RVP2BRBODY	Not Included	131.00
	S161XRVP2BRBODY	Included	154.00
• Temptrol Rapid Install Pressure-Balancing Shower Valve Body with VersaFlex Integral Volume Control • Adjustable stop screw to limit handle turn • Male 1/2" NPT or direct sweat inputs and shower port • Female 1/2" NPT tub port • Stringer mounts in casting • ProPress® stub out inlet fittings • Nylon Rapid Install bracket with 4 straps included • Solid brass, bronze, and stainless steel valve body construction	*Standard*		
	S261P3BRBODY	Not Included	227.50
	S261XP3BRBODY	Included	250.45
	Includes Reverse Seat for Back-to-Back Installation		
	S261RVP3BRBODY	Not Included	227.50
	S261XRVP3BRBODY	Included	250.45
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut		
	S161P3BRBODY	Not Included	160.95
	S161XP3BRBODY	Included	183.95
	Includes ProSafe™ Test Cap in place of flow control spindle and cap nut; Includes Reverse Seat for Back-to-Back Installation		
	S161RVP3BRBODY	Not Included	160.95
	S161XRVP3BRBODY	Included	183.95

Modifications for Temptrol Shower and Tub/Shower Valves

SUFFIX	DESCRIPTION	PRICE
CHKS	Integral check stops - for use in installations where a positive shut-off device is used downstream of mixing valve	73.15

Temptrol® Rapid Install™ Bracket

	DESCRIPTION	MODEL	PRICE
	• Rapid Install Bracket • Heat-resistant nylon • For use with 26 and 16 Series Temptrol valves • Includes bracket and 4 straps • Reduces valve installation time by up to 67%	RTS-076	39.90
	• Set of 4 replacement straps • Metal construction • For use with Rapid Install bracket	RTS-077	13.75

VisuTemp® Shower and Tub/Shower Valves

	DESCRIPTION	MODEL	SERVICE STOPS	PRICE
	• VisuTemp Pressure-Balancing Mixing Valve with Integral Thermometer • Adjustable stop screw to limit handle turn • Female IPS	4-500VT-BODY	Not Included	465.85
	• VisuTemp Pressure-Balancing Mixing Valve with Integral Thermometer • Adjustable stop screw to limit handle turn • Female IPS • Built-in service stops	4-500VT-X-BODY	Included	572.15

Modifications for VisuTemp Shower and Tub/Shower Valves

SUFFIX	DESCRIPTION	PRICE
X-3/4"	3/4" valve to increase flow approximately 20%	161.99
X-CHKS	Integral check stops - for use in installations where a positive shut-off device is used downstream of mixing valve	116.00

SafetyMix® Shower and Tub/Shower Valves

	DESCRIPTION	MODEL	SERVICE STOPS	PRICE
	• SafetyMix Heavy-Duty Pressure-Balancing Shower Valve • Adjustable stop screw to limit handle turn • Female IPS with sweat inlet/outlet connections	4-500-BODY	Not Included	428.70
	• SafetyMix Heavy-Duty Pressure-Balancing Shower Valve • Adjustable stop screw to limit handle turn • Female IPS with sweat inlet/outlet connnections • Built-in service stops	4-500-X-BODY	Included	535.05

Modifications for SafetyMix Shower and Tub/Shower Valves

SUFFIX	DESCRIPTION	PRICE
X-CHKS	Integral check stops - for use in installations where a positive shut-off device is used downstream of mixing valve	116.00
X-REV	Reverse coring, hot on right, cold on left, for back to back installations with integral stops only	89.70

Symmons Shower and Tub/Shower Diverter Valves

	DESCRIPTION	MODEL	SERVICE STOPS	PRICE
	• Dual-Outlet Diverter Valve • Shared functionality between two outputs with defined detents • 2 distinct positions and 2 shared positions • Male IPS and sweat inlet/outlet connections • Common plane	*For use with S-46 Series Temptrol® valves*		
		2DIV-BODY	NA	172.70
		For use with 26 and 16 Series Temptrol® valves		
		2DIVBODYSRT	NA	172.70
	• Dual-Outlet Diverter Valve • 2 distinct positions, no shared functionality • Defined detents • Male IPS and sweat inlet/outlet connections • Common plane	*For use with S-46 Series Temptrol® valves*		
		2DIV-BODY-NS	NA	172.70
		For use with 26 and 16 Series Temptrol® valves		
		2DIVBODYNSSRT	NA	172.70
	• Triple-Outlet Diverter Valve • Shared functionality in two positions with defined detents • 3 distinct positions and 3 shared positions • Male IPS and sweat inlet/outlet connections • Common plane	*For use with S-46 Series Temptrol® valves*		
		3DIV-BODY	NA	215.80
		For use with 26 and 16 Series Temptrol® valves		
		3DIVBODYSRT	NA	215.80
	• Triple-Outlet Diverter Valve • 3 distinct positions, no shared functionality • Defined detents • Male IPS and sweat inlet/outlet connections • Common plane	*For use with S-46 Series Temptrol® valves*		
		3DIV-BODY-NS	NA	215.80
		For use with 26 and 16 Series Temptrol® valves		
		3DIVBODYNSSRT	NA	215.80

Temptrol® Commercial Tub/Shower

Temptrol Commercial tub/shower trims are constructed of high quality heavy duty metal components. Partnered with the dependability of the Symmons Temptrol valve, Commercial Temptrol can endure the day to day wear and tear found in applications such as education, healthcare and correctional facilities.

Available in:

Polished Chrome

Tub/Shower Systems

Temptrol® Commercial Shower and Tub/Shower

DESCRIPTION	MODEL	FINISH	PRICE
• Temptrol Shower Trim • Metal lever handle • 2-1/4" single-function showerhead • 2.0 gpm (7.6 L/min) flow rate • Tub spout not included	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	C-96-1-TRM	Chrome	279.25
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	C961TRMTC	Chrome	345.70
• Temptrol Tub and Shower Trim • Metal lever handle • 5-1/2" diverter tub spout • 2-1/4" single-function showerhead • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	C-96-2-TRM	Chrome	339.85
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	C962TRMTC	Chrome	406.45
• Temptrol Hand Shower Trim • Metal lever handle • 30" slide bar for hand shower • 60" flexible metal hose • 3" single-function hand shower wand • 2.0 gpm (7.6 L/min) flow rate • Tub spout and showerhead not included	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	C-96-300-B30-V-TRM	Chrome	770.45
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	C96300B30VTRMTC	Chrome	837.00
• Temptrol Tub and Hand Shower Trim • Metal lever handle • 30" slide bar for hand shower • 5-1/2" diverter tub spout • 60" flexible metal hose • 3" single-function hand shower wand • 2.0 gpm (7.6 L/min) flow rate • Showerhead not included	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	C-96-400-B30-V-TRM	Chrome	787.50
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	C96400B30VTRMTC	Chrome	854.00
• Temptrol Shower and Hand Shower Trim • Metal lever handle • 30" slide bar for hand shower • Separate dual outlet diverter trim • 60" flexible metal hose • 3" single-function hand shower wand • 2-1/4" single-function showerhead • 2.0 gpm (7.6 L/min) flow rate • Tub spout not included	*Trim Only: 26 Series Temptrol® and 2DIV Series valves required (see pages 139 and 158)*		
	C-96-500-B30-V-TRM	Chrome	1072.10
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® and 2DIV Series valves required (see pages 139 and 158)		
	C96500B30VTRMTC	Chrome	1138.55

Temptrol® Commercial Shower and Tub/Shower

DESCRIPTION	MODEL	FINISH	PRICE
• Temptrol Shower System Trim • Metal lever handle • 30" slide bar for hand shower • Separate triple outlet diverter trim • 5-1/4" non-diverter tub spout • 60" flexible metal hose • 3" single-function hand shower wand • 2-1/4" single-function showerhead • 2.0 gpm (7.6 L/min) flow rate	*Trim Only: 26 Series Temptrol® and 3DIV Series valves required (see pages 139 and 158)*		
	C-96-600-B30-V-TRM	Chrome	1091.40
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® and 3DIV Series valves required (see pages 139 and 158)		
	C96600B30VTRMTC	Chrome	1158.00

DESCRIPTION	MODEL	FINISH	PRICE
• Temptrol Shower Valve Trim • Metal lever handle • Tub spout and showerhead not included	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
	C-86-2-TRM	Chrome	239.15
	Trim Only with flow control spindle and cap nut: 16 Series Temptrol® valve required (see page 139)		
	C862TRMTC	Chrome	305.60

Modifications for Temptrol Commercial Valves and Systems

SUFFIX	DESCRIPTION	PRICE
Delete Suffix B30	2 wall hooks in place of 30" bar	-73.40
L1	Less showerhead	-37.50
L2	Less hand shower	-17.15
L3	Less showerhead and hand shower	-54.65
L4	Less showerhead, arm and flange	-46.95
L5	Less hand shower system	-165.45
L6	Less tub spout (for non diverter tub spout, deduct this line)	-9.95
L6.	Less tub spout (for diverter tub spout, deduct this line)	-22.30
L7	Less handle	-27.15

SafetyMix® Tub/Shower



The original Symmons pressure balancing valve, SafetyMix is designed to last the life of the building. Quality, durability and safety all come standard with every SafetyMix tub/shower valve and trim. SafetyMix tub/shower systems are ideal for high use commercial and institutional applications where safety and quality cannot be compromised.

Available in:

Polished Chrome

Tub/Shower Systems

SafetyMix® Shower and Tub/Shower

DESCRIPTION	MODEL	FINISH	PRICE
• SafetyMix Shower • SafetyMix Pressure Balancing valve • Metal lever handle • Adjustable stop screw to limit handle turn • 3-1/4" showerhead with 2 modes • Red and blue indicators on escutcheon • 2.0 gpm (7.6 L/min) flow rate • Tub spout not included	*Valve & Trim: 4-500-BODY included (see page 157)*		
	1-100	Chrome	964.00
	Trim Only: 4-500-BODY or 4-500-X-BODY required (see page 157)		
	1-100-TRM	Chrome	535.30
• SafetyMix Tub and Shower • SafetyMix Pressure Balancing valve • Metal lever handle • Adjustable stop screw to limit handle turn • Separate dual outlet push-button diverter • 5-1/4" non-diverter tub spout • 3-1/4" showerhead with 2 modes • Red and blue indicators on escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Valve & Trim: 4-500-BODY included (see page 157)*		
	1-210	Chrome	1234.15
	Trim Only: 4-500-BODY or 4-500-X-BODY required (see page 157) and 4-451-BODY		
	1-210-TRM	Chrome	805.45
• SafetyMix Tub and Shower with Integral Stops • SafetyMix Pressure Balancing valve • Metal lever handle • Adjustable stop screw to limit handle turn • 5-1/2" diverter tub spout • 3-1/4" showerhead with 2 modes • Red and blue indicators on escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Valve & Trim: 4-500-X-BODY included (see page 157)*		
	1-215-X	Chrome	1267.70
	Trim Only: 4-500-BODY or 4-500-X-BODY required (see page 157)		
	1-215-TRM	Chrome	732.75
• SafetyMix Hand Shower • SafetyMix Pressure Balancing valve • Metal lever handle • Adjustable stop screw to limit handle turn • 30" slide bar for hand shower • 60" flexible metal hose • 3" single-function hand shower wand • Red and blue indicators on escutcheon • 2.0 gpm (7.6 L/min) flow rate • Tub spout and showerhead not included	*Valve & Trim: 4-500-BODY included (see page 157)*		
	1-25-FSB	Chrome	1306.30
	Trim Only: 4-500-BODY or 4-500-X-BODY required (see page 157)		
	1-25-FSB-TRM	Chrome	877.45

DESCRIPTION	MODEL	FINISH	PRICE
• SafetyMix Tub and Hand Shower Valve and Trim • SafetyMix Pressure Balancing valve • Metal lever handle • Adjustable stop screw to limit handle turn • 30" slide bar for hand shower • Separate dual outlet diverter • 5-1/4" non-diverter tub spout • 60" flexible metal hose • 3" single-function hand shower wand • Red and blue indicators on escutcheon • 2.0 gpm (7.6 L/min) flow rate • Showerhead not included	*Valve & Trim: 4-500-BODY and 2DIV-BODY included (see pages 157 and 158)*		
	1-50-FSB	Chrome	1581.05
• SafetyMix Shower and Hand Shower • SafetyMix Pressure Balancing valve • Metal lever handle • Adjustable stop screw to limit handle turn • Cradle for hand shower • Separate dual outlet diverter • 60" flexible metal hose • 3" single-function hand shower wand • 3-1/4" showerhead with 2 modes • Red and blue indicators on escutcheon • 2.0 gpm (7.6 L/min) flow rate • Tub spout not included	*Valve & Trim: 4-500-BODY and 2DIV-BODY included (see page 157 and 158)*		
	1-117-FS	Chrome	1617.60
	Trim Only: 4-500-BODY or 4-500-X-BODY and 2DIV-BODY required (see page 157 and 158)		
	1-117-FS-TRM	Chrome	1016.25
• SafetyMix Shower System Valve and Trim • SafetyMix Pressure Balancing valve • Metal lever handle • Adjustable stop screw to limit handle turn • Cradle for hand shower • Separate triple outlet diverter • 5-1/4" non-diverter tub spout • 60" flexible metal hose • 3" single-function hand shower wand • 3-1/4" showerhead with 2 modes • Red and blue indicators on escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Valve & Trim: 4-500-BODY and 3DIV-BODY included (see page 157 and 158)*		
	1-217-FS	Chrome	1719.05

SafetyMix® Shower and Tub/Shower

DESCRIPTION

- SafetyMix Valve and Trim
- SafetyMix Pressure Balancing valve
- Metal lever handle
- Adjustable stop screw to limit handle turn
- Red and blue indicators on escutcheon
- Diverter tub spout and showerhead not included

MODEL	FINISH	PRICE
Valve & Trim: 4-500-BODY included (see page 157)		
4-500	Chrome	725.90
Trim Only: 4-500-BODY or 4-500-X-BODY required (see page 157)		
4-500-TRM	Chrome	297.15

Modifications for SafetyMix Shower and Tub/Shower Systems

SUFFIX	DESCRIPTION	PRICE
1.5	CG 1.5 gpm (5.7 L/min) flow restrictor	N/C
L1	Less showerhead	-47.50
L2	Less hand shower	-16.55
L3	Less showerhead and hand shower	-64.00
L4	Less showerhead, arm and flange	-71.80
L5	Less hand shower system (FSB)	-184.95
L5.	Less hand shower system (FS)	-129.85
L6	Less tub spout (for non diverter tub spout, deduct this line)	-9.60
L6.	Less tub spout (for diverter tub spout, deduct this line)	-21.50
NS	CG Non-shared diverter valve for 1-117-FS, 1-217-FS and 1-50-FSB series	N/C
X	Integral service stops - allows water shut off at valve for service. Recommended for use on all multiple commercial installations	89.70
X-CHKS	Integral check stops - for use in installations where a positive shut-off device is used downstream of mixing valve	116.00

SafetyMix® Exposed Shower Systems

	DESCRIPTION	MODEL	FINISH	PRICE
	• SafetyMix Heavy Duty Exposed Shower System • Exposed SafetyMix pressure-balancing valve • Metal lever handle • 20" head riser • 32" supply risers • Single-function showerhead • 2.0 gpm (7.6 L/min) flow rate	1-400	Chrome	2150.75
	• SafetyMix Heavy Duty Exposed Shower System • Exposed SafetyMix pressure-balancing valve • Metal lever handle • 20" head riser • #40 street ells with escutcheons • Single-function showerhead • 2.0 gpm (7.6 L/min) flow rate	1-410	Chrome	1825.50
	• SafetyMix Heavy Duty Exposed Shower System • Exposed SafetyMix pressure-balancing valve • Metal lever handle • 20" head riser • #40 street ells with escutcheons • Heavy duty wall flange • Single-function showerhead • 2.0 gpm (7.6 L/min) flow rate	1-510	Chrome	2113.00

Modifications for SafetyMix Exposed Shower Systems

SUFFIX	DESCRIPTION	PRICE
A	Anchor plate for valve and head (1-510 only)	79.15
E	External volume control on showerhead (1-400 and 1-410)	43.60
X	Integral service stops - allows water shutoff at valve for service. Recommended for use on all multiple commercial installations	40.30

SafetyMix® Exposed Shower Valve

	DESCRIPTION	MODEL	FINISH	PRICE
	• SafetyMix Exposed Shower Valve • Exposed SafetyMix pressure-balancing valve • Metal lever handle • Adjustable stop screw to limit handle turn • Tub spout and showerhead not included	4-521	Chrome	1157.35

Modifications for SafetyMix® Exposed Shower Valve

SUFFIX	DESCRIPTION	PRICE
CX	Integral check stops	98.95
W	Heavy duty wall flange	86.45
WA	Heavy duty wall flange with anchor plate	142.90
X	Integral service stops	40.30

VisuTemp®



VisuTemp ClearVue™ is an ideal choice for specialized care applications. The easy to read display and built-in thermometer allows you to precisely set output temperature using a single handle. SafetyMix® pressure-balancing valve behind the wall shuts down water flow in the event of failure in hot or cold water.

Available in these finishes:



Polished Chrome

Satin Nickel Radiance® PVD (STN)

VisuTemp® Shower and Tub/Shower

DESCRIPTION	MODEL	FINISH	PRICE
• VisuTemp Shower • VisuTemp pressure-balancing valve • Metal lever handle • Adjustable stop screw to limit handle turn • 3-1/2" single-function showerhead • Red and blue indicators with thermometer display on escutcheon • 2.0 gpm (7.6 L/min) flow rate • Tub spout not included	*Valve & Trim: 4-500VT-BODY included (see page 156)*		
	1-1000VT	Chrome	950.45
	1-1000VT-STN	Satin Nickel	1333.05
	Trim Only: 4-500VT-BODY or 4-500VT-X-BODY required (see page 156)		
	1-1000VT-TRM	Chrome	484.60
	1-1000VT-STN-TRM	Satin Nickel	867.15
• VisuTemp Shower • VisuTemp pressure-balancing valve • Metal lever handle • Adjustable stop screw to limit handle turn • 3-1/4" showerhead with 2 modes • Red and blue indicators with thermometer display on escutcheon • 2.0 gpm (7.6 L/min) flow rate • Tub spout not included	*Valve & Trim: 4-500VT-BODY included (see page 156)*		
	1-100VT	Chrome	936.60
	Trim Only: 4-500VT-BODY or 4-500VT-X-BODY required (see page 156)		
	1-100VT-TRM	Chrome	470.75
• VisuTemp Tub and Shower • VisuTemp pressure-balancing valve • Metal lever handle • Adjustable stop screw to limit handle turn • Separate dual outlet diverter • 5-1/4" non-diverter tub spout • 3-1/2" single-function showerhead • Red and blue indicators with thermometer display on escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Valve & Trim: 4-500VT-BODY and 2DIV-BODY included (see pages 156 and 158)*		
	1-2100VT	Chrome	1203.85
	1-2100VT-STN	Satin Nickel	1692.30
	Trim Only: 4-500VT-BODY or 4-500VT-X-BODY and 2DIV-BODY required (see pages 156 and 158)		
	1-2100VT-TRM	Chrome	565.35
	1-2100VT-STN-TRM	Satin Nickel	1053.65
• VisuTemp Tub and Shower Valve and Trim • VisuTemp pressure-balancing valve • Metal lever handle • Adjustable stop screw to limit handle turn • Separate dual outlet push-button diverter • 5-1/4" non-diverter tub spout • 3-1/4" showerhead with 2 modes • Red and blue indicators with thermometer display on escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Valve & Trim: 4-500VT-BODY included (see page 156)*		
	1-210VT	Chrome	1116.45

VisuTemp® Shower and Tub/Shower

DESCRIPTION	MODEL	FINISH	PRICE
• VisuTemp Hand Shower • VisuTemp pressure-balancing valve • Metal lever handle • Adjustable stop screw to limit handle turn • Cradle for hand shower • 60" flexible metal hose • 3-3/4" single-function hand shower wand • Red and blue indicators with thermometer display on escutcheon • 2.0 gpm (7.6 L/min) flow rate • Tub spout and showerhead not included	*Valve & Trim: 4-500VT-BODY included (see page 156)*		
	1-250VT-H401-V	Chrome	1068.15
	Trim Only: 4-500VT-BODY or 4-500VT-X-BODY required (see page 156)		
	1-250VT-H401-V-TRM	Chrome	602.25
• VisuTemp Hand Shower • VisuTemp pressure-balancing valve • Metal lever handle • Adjustable stop screw to limit handle turn • Cradle for hand shower • 60" flexible metal hose • 3" white single-function hand shower wand • 2.0 gpm (7.6 L/min) flow rate • Tub spout and showerhead not included	*Valve & Trim: 4-500VT-BODY included (see page 156)*		
	1-25VT-FS	Chrome	1030.90
	Trim Only: 4-500VT-BODY or 4-500VT-X-BODY required (see page 156)		
	1-25VT-FS-TRM	Chrome	565.00
• VisuTemp Shower and Hand Shower • VisuTemp pressure-balancing valve • Metal lever handle • Adjustable stop screw to limit handle turn • Cradle for hand shower • Separate dual outlet diverter • 60" flexible metal hose • 3-3/4" single-function hand shower wand • 4" single-function showerhead • Red and blue indicators with thermometer display on escutcheon • 2.0 gpm (7.6 L/min) flow rate • Tub spout not included	*Valve & Trim: 4-500VT-BODY and 2DIV-BODY included (see pages 156 and 158)*		
	1-1170VT-H401-V	Chrome	1500.65
	Trim Only: 4-500VT-BODY or 4-500VT-X-BODY and 2DIV-BODY required (see pages 156 and 158)		
	1-1170VT-H401-V-TRM	Chrome	862.10

VisuTemp® Shower and Tub/Shower

DESCRIPTION	MODEL	FINISH	PRICE
• VisuTemp Shower and Hand Shower • VisuTemp pressure-balancing valve • Metal lever handle • Adjustable stop screw to limit handle turn • Cradle for hand shower • Separate dual outlet diverter • 60" flexible metal hose • 3" white single-function hand shower wand • 3-1/4" showerhead with 2 modes • Red and blue indicators with thermometer display on escutcheon • 2.0 gpm (7.6 L/min) flow rate • Tub spout not included	*Valve & Trim: 4-500VT-BODY and 2DIV-BODY included (see pages 156 and 158)*		
	1-117VT-FS	Chrome	1404.85
	Trim Only: 4-500VT-BODY or 4-500VT-X-BODY and 2DIV-BODY required (see pages 156 and 158)		
	1-117VT-FS-TRM	Chrome	766.35

• VisuTemp Tub and Hand Shower • VisuTemp pressure-balancing valve • Metal lever handle • Adjustable stop screw to limit handle turn • Cradle for hand shower • Separate dual outlet diverter • 5-1/4" non-diverter tub spout • 60" flexible metal hose • 3-3/4" single-function hand shower wand • Red and blue indicators with thermometer display on escutcheon • 2.0 gpm (7.6 L/min) flow rate • Showerhead not included	*Valve & Trim: 4-500VT-BODY and 2DIV-BODY included (see page 156 and 158)*		
	1-500VT-H401-V	Chrome	1321.75
	Trim Only: 4-500VT-BODY or 4-500VT-X-BODY and 2DIV-BODY required (see page 156 and 158)		
	1-500VT-H401-V-TRM	Chrome	683.25

• VisuTemp Tub and Hand Shower • VisuTemp pressure-balancing valve • Metal lever handle • Adjustable stop screw to limit handle turn • Cradle for hand shower • Separate dual outlet diverter • 5-1/4" non-diverter tub spout • 60" flexible metal hose • 3" white single-function hand shower wand • Red and blue indicators with thermometer display on escutcheon • 2.0 gpm (7.6 L/min) flow rate • Showerhead not included	*Valve & Trim: 4-500VT-BODY and 2DIV-BODY included (see pages 156 and 158)*		
	1-50VT-FS	Chrome	1253.75
	Trim Only: 4-500VT-BODY or 4-500VT-X-BODY and 2DIV-BODY required (see page 156 and 158)		
	1-50VT-FS-TRM	Chrome	615.30

VisuTemp® Shower and Tub/Shower

DESCRIPTION	MODEL	FINISH	PRICE
• VisuTemp Shower System • VisuTemp pressure-balancing valve • Metal lever handle • Adjustable stop screw to limit handle turn • Cradle for hand shower • Separate triple outet diverter • 5-1/4" non-diverter tub spout • 60" flexible metal hose • 3-3/4" single-function hand shower wand • 4" single-function showerhead • Red and blue indicators with thermometer display on escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Valve & Trim: 4-500VT-BODY and 3DIV-BODY included (see pages 156 and 158)*		
	1-3170VT-H401-V	Chrome	1586.15
	Trim Only: 4-500VT-BODY or 4-500VT-X-BODY and 3DIV-BODY required (see pages 156 and 158)		
	1-3170VT-H401-V-TRM	Chrome	904.10
• VisuTemp Shower System • VisuTemp pressure-balancing valve • Metal lever handle • Adjustable stop screw to limit handle turn • Cradle for hand shower • Separate triple outlet diverter • 5-1/4" non-diverter tub spout • 60" flexible metal hose • 3" white single-function hand shower wand • 3-1/4" showerhead with 2 modes • Red and blue indicators with thermometer display on escutcheon • 2.0 gpm (7.6 L/min) flow rate	*Valve & Trim: 4-500VT-BODY and 3DIV-BODY included (see pages 156 and 158)*		
	1-317VT-FS	Chrome	1480.35
• VisuTemp Valve and Trim • VisuTemp pressure-balancing valve • Metal lever handle • Adjustable stop screw to limit handle turn • Red and blue indicators with thermometer display on escutcheon • Showerhead not included	*Valve & Trim: 4-500VT-BODY included (see page 156)*		
	4-5000VT	Chrome	734.60
	4-5000VT-STN	Satin Nickel	1138.35
	Trim Only: 4-500VT-BODY or 4-500VT-X-BODY required (see page 156)		
	4-5000VT-TRM	Chrome	268.75
	4-5000VT-STN-TRM	Satin Nickel	672.45

Modifications for VisuTemp Shower and Tub/Shower Systems

SUFFIX	DESCRIPTION	CHROME	STN
1.5	CG 1.5 gpm (5.7 L/min) flow restrictor	N/C	N/A
X	Integral service stops - allows water shutoff at valve for service. Recommended for use on all multiple or commercial installations	89.70	89.70
X-3/4"	3/4" valve to increase flow approximately 20%	161.99	161.90
X-CHKS	Integral check stops - for use in installations where a positive shut-off device is used downstream of mixing valve	116.00	116.00

LigRes® Shower Trim

The LigRes shower and diverter trim was developed to meet behavioral health professional needs for minimizing ligature points and enhance patient safety. The LigRes shower and diverter trims utilize the Temptrol® valve to provide consistent and reliable performance for behavioral health shower applications.

Available in:

Polished Chrome

Shower and Diverter Valve Trim

LigRes® Ligature-Resistant Shower and Diverter Valve Trim

	DESCRIPTION	MODEL	FINISH	PRICE
	• LigRes Shower Valve Trim • Fits any Temptrol shower valve • Ligature-resistant handle and escutcheon • Tub spout and showerhead not included	*Trim Only: 26 Series Temptrol® valve required (see page 139)*		
		5700-TRM	Chrome	589.15
	• LigRes Shower Valve Trim Kit • Fits any Temptrol shower valve • Ligature-resistant handle and escutcheon • TA-10 flow control spindle included • TA-4 hot/cold valve seats included • Tub spout and showerhead not included	5700-REB-TRM	Chrome	612.75
	• LigRes Diverter Valve Trim • Ligature-resistant handle and escutcheon	*Trim Only: 2DIV Series valve required (see page 158)*		
		57-2DIV-TRM	Chrome	516.90

LigRes®

HydaPipe® Shower

The reliability of Symmons pressure-balancing valves combined with the durability of 18 gauge stainless steel, make Symmons HydaPipe the trusted choice for educational, institutional and industrial installations. Order standard HydaPipe configurations from our catalog or custom build your unit to meet the needs of any construction project.

Surface Mounted Shower Systems

HydaPipe® 900 Series Shower

	DESCRIPTION	MODEL	FINISH	PRICE
	• HydaPipe Surface-Mounted Shower System • Temptrol pressure-balancing valve • Adjustable stop screw to limit handle turn • Built-in screwdriver supply stops • Left or right mounted soap dish included • Single-function showerhead • 2.0 gpm (7.6 L/min) flow rate	H901S	Chrome	1170.85
	• HydaPipe Surface-Mounted Shower System • Temptrol pressure-balancing valve • Adjustable stop screw to limit handle turn • Built-in screwdriver supply stops • ADA 36" slide/grab bar for hand shower • 60" flexible metal hose • 3-3/8" ADA single-function hand shower wand with non-positive shutoff • Dual outlet built-in diverter • Left or right mounted soap dish included • Single-function showerhead • 2.0 gpm (7.6 L/min) flow rate	H902S	Chrome	2211.70
	• HydaPipe Surface-Mounted Shower System with Supply Covers • Temptrol pressure-balancing valve • Adjustable stop screw to limit handle turn • Built-in screwdriver supply stops • Custom length extension cover cut to order • Left or right mounted soap dish included • Single-function showerhead • 2.0 gpm (7.6 L/min) flow rate	H903S	Chrome	POA

HydaPipe® 900 Series Shower

	DESCRIPTION	MODEL	FINISH	PRICE
	• HydaPipe Surface-Mounted Shower System with Horizontal Supply Covers • Temptrol pressure-balancing valve • Adjustable stop screw to limit handle turn • Built-in screwdriver supply stops • Custom length horizontal extension cover cut to order • Left or right mounted soap dish included • Single-function showerhead • 2.0 gpm (7.6 L/min) flow rate	H905S	Chrome	POA
	• HydaPipe Surface-Mounted Corner Shower System • Temptrol pressure-balancing valve • Adjustable stop screw to limit handle turn • Built-in screwdriver supply stops • Single-function showerhead • 2.0 gpm (7.6 L/min) flow rate	H907	Chrome	1427.00
	• HydaPipe Flat Wall Shower System • Temptrol pressure-balancing valve • Adjustable stop screw to limit handle turn • Built-in screwdriver supply stops • Built-in soap dish • Single-function showerhead • 2.0 gpm (7.6 L/min) flow rate	H911RS	Chrome	1886.80

Modifications for HydaPipe 900 Series Exposed Shower and Tub/Shower Systems

SUFFIX	DESCRIPTION	PRICE
21	HydaPipe shower unit with single control on-off valve	46.35
22	Single supply, manual shutoff, lever handle	94.55
56	HydaPipe shower unit with combination SafetyMix and ShowerOff valve	683.25
60	HydaPipe shower unit with ShowerOff valve	64.40
L1	Less showerhead	-47.15
L2	Less hand shower	-34.20
L3	Less showerhead and hand shower	-81.35
L5	Less hand shower system	-152.30
L6	Less tub spout	-31.40
L7	Less handle	-28.40
CWM	Wall-mounted cake soap dish	131.15
Delete Suffix S	Less soap dish	-34.20
WD	Winter drain	N/C

HydaPipe® 800 Series Shower

	DESCRIPTION	MODEL	FINISH	PRICE
	• HydaPipe Surface-Mounted Shower System • SafetyMix pressure-balancing valve • Adjustable stop screw to limit handle turn • Built-in screwdriver supply stops • Left or right mounted soap dish included • Single-function showerhead • 2.0 gpm (7.6 L/min) flow rate	H801S	Chrome	1501.40
	• HydaPipe Surface-Mounted Shower System with Supply Covers • SafetyMix pressure-balancing valve • Adjustable stop screw to limit handle turn • Built-in screwdriver supply stops • Custom length extension cover cut to order • Left or right mounted soap dish included • Single-function showerhead • 2.0 gpm (7.6 L/min) flow rate	H803S	Chrome	POA
	• HydaPipe Surface-Mounted Shower System with Horizontal Supply Covers • SafetyMix pressure-balancing valve • Adjustable stop screw to limit handle turn • Built-in screwdriver supply stops • Custom length horizontal extension cover cut to order • Left or right mounted soap dish included • Single-function showerhead • 2.0 gpm (7.6 L/min) flow rate	H805S	Chrome	POA
	• HydaPipe Surface-Mounted Corner Shower System • SafetyMix pressure-balancing valve • Adjustable stop screw to limit handle turn • Built-in screwdriver supply stops • Soap dish included • Single-function showerhead • 2.0 gpm (7.6 L/min) flow rate	H807S	Chrome	1829.25

Modifications for HydaPipe 800 Series Systems

SUFFIX	DESCRIPTION	PRICE
21	HydaPipe shower unit with single control on-off valve	64.40
56	HydaPipe shower unit with combination SafetyMix and ShowerOff valve	683.25
60	HydaPipe shower unit with ShowerOff valve	64.40
REV	Reverse coring, hot on right, cold on left, for back-to-back installations	N/C
RS	Recessed soap dish in place of standard soap dish	253.35
L1	Less showerhead	-47.15
L2	Less hand shower	-34.20
L3	Less showerhead and hand shower	-81.35
L5	Less hand shower system	-152.30
L7	Less handle	-28.40
Delete Suffix S	Less soap dish	-34.20
WD	Winter drain	N/C

ShowerOff® Metering Shower

ShowerOff is a durable, piston-actuated metering shower valve that provides a full shower flow for approximately 45 seconds to minimize water consumption and reduce energy costs. This solution is ideal for public showers, correctional facilities or applications where positive control of shower water usage is wanted.

Available in:

Polished Chrome

ShowerOff® Metering Shower Systems

DESCRIPTION	MODEL	FINISH	PRICE
• ShowerOff Metering Shower System • 4-427 valve • Integral service stop • Adjustable run time • 4-295-B single-function institutional showerhead • Vandal resistant • 2.0 gpm (7.6 L/min) flow rate	3-310	Chrome	1055.40
• ShowerOff Metering Shower System • 4-427R valve • Integral service stop • Adjustable run time • Rear mounting escutcheon • 4-295-B single-function institutional showerhead • Vandal resistant • 2.0 gpm (7.6 L/min) flow rate	3-310-R	Chrome	1097.90
• ShowerOff Metering Shower System • 4-428 valve • Integral service stop • Adjustable run time • 4-295 single-function institutional showerhead • Vandal resistant • 2.0 gpm (7.6 L/min) flow rate	3-320	Chrome	1022.55
• ShowerOff Metering Shower System • 4-428-R valve • Integral service stop • Adjustable run time • Rear mounting escutcheon • 4-295 single-function institutional showerhead • Vandal resistant • 2.0 gpm (7.6 L/min) flow rate	3-320-R	Chrome	1097.90

ShowerOff® Metering Shower Systems

DESCRIPTION	MODEL	FINISH	PRICE
 • ShowerOff Metering Shower System • 4-420 valve • Integral service stop • Adjustable run time • 4-295 single-function institutional showerhead • Vandal resistant • 2.0 gpm (7.6 L/min) flow rate	3-325	Chrome	934.75
 • ShowerOff Metering Shower Valve and Trim • Integral service stop • Adjustable run time • Vandal resistant • 1/2" sweat connections	*Valve & Trim: 4-420-BODY included*		
	4-420	Chrome	646.55
	Trim Only: 4-420-BODY required		
	4-420-TRM	Chrome	166.35
 • ShowerOff Metering Shower Valve and Trim • Integral service stop • Adjustable run time • Vandal resistant • 1/2" rear IPS connections	*Valve & Trim: 4-427-BODY included*		
	4-427	Chrome	711.10
	Trim Only: 4-427-BODY required		
	4-427-TRM	Chrome	183.10
 • ShowerOff Metering Shower Valve and Trim • Integral service stop • Adjustable run time • Rear mounting escutcheon • Vandal resistant • 1/2" rear IPS connections	*Valve & Trim: 4-427-BODY included*		
	4-427R	Chrome	753.80
	Trim Only: 4-427-BODY required		
	4-427R-TRM	Chrome	225.70
 • ShowerOff Metering Shower Valve and Trim • Integral service stop for steel wall installations • Adjustable run time • Vandal resistant • 1/2" IPS connections	*Valve & Trim: 4-428-BODY included*		
	4-428	Chrome	753.45
	Trim Only: 4-428-BODY required		
	4-428-TRM	Chrome	225.70

ShowerOff® Metering Shower Systems

DESCRIPTION	MODEL	FINISH	PRICE
• ShowerOff Metering Shower Valve and Trim • Integral service stop • Adjustable run time • Rear mounting escutcheon • Vandal resistant • 1/2" IPS connections	*Valve & Trim: 4-428-BODY included*		
	4-428-R	Chrome	774.55
	Trim Only: 4-428-BODY required		
	4-428-R-TRM	Chrome	246.60

ShowerOff® Exposed Metering Shower System

	DESCRIPTION	MODEL	FINISH	PRICE
	• ShowerOff Exposed Metering Shower System • 4-425 valve • Integral service stop • Adjustable run time • 20" head riser • 1/2" wall union • 4-285 single-function showerhead • Vandal resistant • 2.0 gpm (7.6 L/min) flow rate	3-330	Chrome	1609.00
	• ShowerOff Exposed Metering Shower Valve and Trim • Integral service stop • Adjustable run time • Wall flange • Vandal resistant • 1/2" IPS connections	4-425	Chrome	853.45

Modifications for ShowerOff Metering Shower Systems

SUFFIX	DESCRIPTION	PRICE
1.5	CG 1.5 gpm (5.7 L/min) flow restrictor	N/C
A	Anchor plates for showerhead for use with ceramic tile	84.45
B	Back plates and bolts for showerhead	182.80

Heavy Duty Faucets

Symmons offers a complete line of Heavy Duty faucets for use in your next educational, healthcare or public use applications. Metal exterior components coupled with Symmons reliability behind the wall and under the deck; Heavy Duty products withstand rigors of any high traffic areas.

Available in these finishes:

Various finishes by product

Heavy Duty Faucets

	DESCRIPTION	MODEL	FINISH	PRICE
	• Symmetrix Single Handle Centerset Lavatory Faucet • 3-hole installation with 4" center • Red and blue handle indicators • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	S202PP S202STNPP	Chrome Satin Nickel	192.05 263.15
	• Symmetrix Single Handle Centerset Lavatory Faucet • 3-hole installation with 4" center • Red and blue handle indicators • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal grid drain assembly included • 1.0 gpm (3.8 L/min) flow rate	S202G S202STNG	Chrome Satin Nickel	192.05 248.90
	• Symmetrix Two Handle Centerset Lavatory Faucet • 3-hole installation with 4" center • Red and blue handle indicators • 1/2" IPS connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	S2402PP	Chrome	179.95
	• Symmetrix Two Handle Centerset Lavatory Faucet • 3-hole installation with 4" center • Red and blue handle indicators • 1/2" IPS connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	S2402LAMPP	Chrome	201.60

Heavy Duty Faucets

	DESCRIPTION	MODEL	FINISH	PRICE
	• Symmetrix Two Handle Centerset Lavatory Faucet • 3-hole installation with 4" center • Red and blue handle indicators • 1/2" IPS connections • Ceramic cartridges • Metal construction • Metal grid drain included • 1.0 gpm (3.8 L/min) flow rate	S2402LAMG	Chrome	201.60
	• Symmetrix Two Handle Centerset Lavatory Faucet • 3-hole installation with 4" center • Red and blue handle indicators • 1/2" IPS connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	S2402LWGPP	Chrome	201.60
	• Symmetrix Two Handle Centerset Lavatory Faucet • 3-hole installation with 4" center • Red and blue handle indicators • 1/2" IPS connections • Ceramic cartridges • Metal construction • Metal grid drain included • 1.0 gpm (3.8 L/min) flow rate	S2402LWGG	Chrome	201.60
	• Symmetrix Two Handle Centerset Lavatory Faucet • 3-hole installation with 4" center • Red and blue handle indicators • 1/2" IPS connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	S2502PP	Chrome	242.15

Heavy Duty Faucets

	DESCRIPTION	MODEL	FINISH	PRICE
	• Symmetrix Two Handle Centerset Lavatory Faucet • 3-hole installation with 4" center • Red and blue handle indicators • 1/2" IPS connections • Ceramic cartridges • Metal construction • Metal grid drain included • 1.0 gpm (3.8 L/min) flow rate	S2502G	Chrome	242.15
	• Symmetrix Two Handle Centerset Lavatory Faucet • 3-hole installation with 4" center • Red and blue handle indicators • 1/2" IPS connections • Ceramic cartridges • Metal construction • Metal grid drain included • 1.0 gpm (3.8 L/min) flow rate	S2502G	Chrome	242.15
	• Symmetrix Two Handle Centerset Lavatory Faucet • 3-hole installation with 4" center • Red and blue handle indicators • 1/2" IPS connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	S2502PPLWG	Chrome	242.15
	• Symmetrix Two Handle Centerset Lavatory Faucet • 3-hole installation with 4" center • Red and blue handle indicators • 1/2" IPS connections • Ceramic cartridges • Metal construction • Metal grid drain included • 1.0 gpm (3.8 L/min) flow rate	S2502GLWG	Chrome	242.15

Heavy Duty Faucets

	DESCRIPTION	MODEL	FINISH	PRICE
	• Symmetrix Two Handle Bar Sink Faucet • 4" mount • 5-1/2" x 12-3/16" rigid/swivel spout • Ceramic cartridges • 1/2" IPS inlet connections • 1.5 gpm (5.7 L/min) standard	S-245-5-LAM-1.5 S-245-5-STN-LAM-1.5	Chrome Satin Nickel	262.30 337.00
	• Symmetrix Two Handle Laundry Faucet • 3-hole installation with 4" center • Red and blue handle indicators • 7-5/8" x 7" inch swivel spout • 1/2" IPS connections • Hose thread connection on spout • Ceramic cartridges • Metal construction • 1.5 gpm (5.7 L/min) flow rate	S-249	Chrome	160.80
	• Symmetrix Two Handle Service Sink Faucet • Wall mount • Ceramic cartridges • 1/2" IPS inlet connections • Vandal resistant • Mop bucket hook on spout	S-2490	Rough Chrome	211.20
	• Symmetrix Two Handle Service Sink Faucet • Wall mount • Integral check valves • Ceramic cartridges • 1/2" IPS inlet connections • Vandal resistant • Mop bucket hook on spout	S-2490-CHKS	Rough Chrome	234.70

Modifications for Lavatory and Bar Sink Faucets

SUFFIX	DESCRIPTION	PRICE
05	CG 0.5 gpm (1.9 L/min) vandal resistant flow restrictor	N/C
DP4	4" deck plate for single hole mount faucets	33.15

ActivSense® Collection

Sensor-activated lavatory faucets can be expensive, ineffective, and difficult to install. That's why we created our line of ActivSense® faucets and soap dispensers. Their ultra-responsive sensors put an end to the frustrating hand-waving. Installation is a snap with multiple power and deck plate options.

Available in these finishes



Polished Chrome | Satin Nickel Radiance® PVD (STN) | Matte Black (MB) | Stainless Steel Radiance® PVD (STS)

Sensor Faucets & Soap Dispensers

ActivSense® Battery Powered Sensor Faucets

	DESCRIPTION	MODEL	FINISH	PRICE
	• ActivSense Origins Sensor Faucet • Single supply for cold or tempered water • Includes optional 4" deck plate • Battery operated, 6 AA batteries included • Press fit, waterproof electrical connectors • Programmable security time with optional remote control RC6960 (not included) • Hygiene flush function activated with optional remote control RC6960 (not included) • 0.5 gpm (1.89 L/min) standard	S6960B S6960BSTS	Chrome Stainless Steel	549.15 713.90
	• ActivSense Dia Sensor Faucet • Single supply for cold or tempered water • Battery operated, 6 AA batteries included • Press fit, waterproof electrical connectors • Programmable security time with optional remote control RC6960 (not included) • Hygiene flush function activated with optional remote control RC6960 (not included) • 0.5 gpm (1.89 L/min) standard • Includes 0.35 gpm (1.35 L/min) and 1.0 gpm (3.79 L/min) aerators in the box	S6350B S6350BSTN S6350BMB	Chrome Satin Nickel Matte Black	805.45 1047.10 1127.60
	• ActivSense Duro Sensor Faucet • Single supply for cold or tempered water • Battery operated, 6 AA batteries included • Press fit, waterproof electrical connectors • Programmable security time with optional remote control RC6960 (not included) • Hygiene flush function activated with optional remote control RC6960 (not included) • 0.5 gpm (1.89 L/min) standard • Includes 0.35 gpm (1.35 L/min) and 1.0 gpm (3.79 L/min) aerators in the box	S6360B S6360BSTN S6360BMB	Chrome Satin Nickel Matte Black	805.45 1047.10 1127.60

ActivSense® Battery Powered Sensor Faucets

DESCRIPTION	MODEL	FINISH	PRICE
• ActivSense Sereno Sensor Faucet • Single supply for cold or tempered water • Includes optional 4" deck plate • Battery operated, 6 AA batteries included • Press fit, waterproof electrical connectors • Programmable security time with optional remote control RC6960 (not included) • Hygiene flush function activated with optional remote control RC6960 (not included) • 0.5 gpm (1.89 L/min) flow rate	S6430B	Chrome	805.45
	S6430BSTS	Stainless Steel	1047.10

ActivSense® AC Powered Sensor Faucets

	DESCRIPTION	MODEL	FINISH	PRICE
	• ActivSense Origins Sensor Faucet • Single supply for cold or tempered water • Includes optional 4" deck plate • Plug-in power supply 9V • Press fit, waterproof electrical connectors • Programmable security time with optional remote control RC6960 (not included) • Hygiene flush function activated with optional remote control RC6960 (not included) • 0.5 gpm (1.89 L/min) standard	S6960E S6969ESTS	Chrome Stainless Steel	585.30 750.05
	• ActivSense Dia Sensor Faucet • Single supply for cold or tempered water • Plug-in power supply 9V • Press fit, waterproof electrical connectors • Programmable security time with optional remote control RC6960 (not included) • Hygiene flush function activated with optional remote control RC6960 (not included) • 0.5 gpm (1.89 L/min) standard • Includes 0.35 gpm (1.35 L/min) and 1.0 gpm (3.79 L/min) aerators in the box	S6350E S6350ESTN S6350EMB	Chrome Satin Nickel Matte Black	841.60 1083.20 1163.75
	• ActivSense Duro Sensor Faucet • Single supply for cold or tempered water • Plug-in power supply 9V • Press fit, waterproof electrical connectors • Programmable security time with optional remote control RC6960 (not included) • Hygiene flush function activated with optional remote control RC6960 (not included) • 0.5 gpm (1.89 L/min) standard • Includes 0.35 gpm (1.35 L/min) and 1.0 gpm (3.79 L/min) aerators in the box	S6360E S6360ESTN S6360EMB	Chrome Satin Nickel Matte Black	841.60 1083.20 1163.00

ActivSense® AC Powered Sensor Faucets

DESCRIPTION	MODEL	FINISH	PRICE
• ActivSense Sereno Sensor Faucet • Single supply for cold or tempered water • Includes optional 4" deck plate • Plug-in power supply 9V • Press fit, waterproof electrical connectors • Programmable security time with optional remote control RC6960 (not included) • Hygiene flush function activated with optional remote control RC6960 (not included) • 0.5 gpm (1.89 L/min) flow rate	S6430E	Chrome	841.60
	S6430ESTS	Stainless Steel	1083.20

ActivSense® Battery Powered Soap Dispensers

	DESCRIPTION	MODEL	FINISH	PRICE
	• ActivSense Origins Soap Dispenser • Liquid soap • Battery operated, 6D batteries included • Press fit, waterproof electrical connectors • Peristaltic pump for drip-free close • Programmable sensor range with optional remote control RC6960SDL (not included) • Programmable soap amount with optional remote control RC6960SDL (not included) • Viscosity range 100-3800 Cps	SD6960BL SD6960BLSTS	Chrome Stainless Steel	613.85 798.00
	• ActivSense Dia Soap Dispenser • Liquid soap • Battery operated, 6D batteries included • Press fit, waterproof electrical connectors • Peristaltic pump for drip-free close • Programmable sensor range with optional remote control RC6960SDL (not included) • Programmable soap amount with optional remote control RC6960SDL (not included) • Viscosity range 100-3800 Cps	SD6350BL SD6350BLSTN SD6350BLMB	Chrome Satin Nickel Matte Black	640.65 832.90 897.00
	• ActivSense Duro Soap Dispenser • Liquid soap • Battery operated, 6D batteries included • Press fit, waterproof electrical connectors • Peristaltic pump for drip-free close • Programmable sensor range with optional remote control RC6960SDL (not included) • Programmable soap amount with optional remote control RC6960SDL (not included) • Viscosity range 100-3800 Cps	SD6360BL SD6360BLSTN SD6360BLMB	Chrome Satin Nickel Matte Black	677.35 880.55 948.20

ActivSense® Battery Powered Soap Dispensers

DESCRIPTION	MODEL	FINISH	PRICE
• ActivSense Sereno Soap Dispenser • Liquid soap • Battery operated, 6D batteries included • Press fit, waterproof electrical connectors • Peristaltic pump for drip-free close • Programmable sensor range with optional remote control RC6960SDL (not included) • Programmable soap amount with optional remote control RC6960SDL (not included) • Viscosity range 100-3800 Cps	SD6430BL SD6430BLSTS	Chrome Stainless Steel	640.65 832.85

ActivSense® AC Powered Soap Dispenser

	DESCRIPTION	MODEL	FINISH	PRICE
	• ActivSense Origins Soap Dispenser • Liquid soap • Plug-in power supply 12V • Press fit, waterproof electrical connectors • Peristaltic pump for drip-free close • Programmable sensor range with optional remote control RC6960SDL (not included) • Programmable soap amount with optional remote control RC6960SDL (not included) • Viscosity range 100-3800 Cps	SD6960EL SD6960ELSTS	Chrome Stainless Steel	648.80 843.45
	• ActivSense Dia Soap Dispenser • Liquid soap • Plug-in power supply 12V • Press fit, waterproof electrical connectors • Peristaltic pump for drip-free close • Programmable sensor range with optional remote control RC6960SDL (not included) • Programmable soap amount with optional remote control RC6960SDL (not included) • Viscosity range 100-3800 Cps	SD6350EL SD6350ELSTN SD6350ELMB	Chrome Satin Nickel Matte Black	675.65 867.85 933.15
	• ActivSense Duro Soap Dispenser • Liquid soap • Plug-in power supply 12V • Press fit, waterproof electrical connectors • Peristaltic pump for drip-free close • Programmable sensor range with optional remote control RC6960SDL (not included) • Programmable soap amount with optional remote control RC6960SDL (not included) • Viscosity range 100-3800 Cps	SD6360EL SD6360ELSTN SD6360ELMB	Chrome Satin Nickel Matte Black	713.50 916.65 984.35

ActivSense® AC Powered Soap Dispenser

DESCRIPTION	MODEL	FINISH	PRICE
• ActivSense Sereno Soap Dispenser • Liquid soap • Plug-in power supply 12V • Press fit, waterproof electrical connectors • Peristaltic pump for drip-free close • Programmable sensor range with optional remote control RC6960SDL (not included) • Programmable soap amount with optional remote control RC6960SDL (not included) • Viscosity range 100-3800 Cps	SD6430EL	Chrome	673.65
	SD6430ELSTS	Stainless Steel	866.90

ActivSense® Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• ActivSense Faucet Remote • Controls all ActivSense sensor faucets • Adjusts sensor detection range • Adjusts security time • Temporary off function allows for cleaning and servicing • Self-Adjustment mode automatically sets ideal sensor range for each location • Reset returns faucet to factory settings • 24-hour hygiene flush	RC6960	N/A	147.65
	• ActivSense Soap Dispenser Remote • Controls all ActivSense liquid soap dispensers • Adjusts soap dispensing quantity • Temporary off function allows for cleaning and servicing • Fill button primes dispenser for use • Adjustment button (Adj.) returns soap dispenser to factory settings	RC6960SDL	N/A	83.55
	• 12V Plug-In Adaptor • Convert faucet or soap dispenser to AC power • Connects to same waterproof connector as battery box • Powers one device only	SD010	N/A	33.00
	• Junction Box with Transformer • Power up to 10 faucets or 10 soap dispensers • 120V: 10ea 12V outputs • 4.5 foot cable • Hardwired 15 Amp circuit	SF278	N/A	306.45

SCOT®/Metering Faucets

Heavy duty, cast brass body and stainless steel parts are standard with all Symmons SCOT/Metering Faucets. The self-cleaning brass cartridge provides a reliable flow with user-adjustable water temperature or tempered water options available to improve water efficiency and energy costs. Ideal for healthcare, institutional and public use applications.

Available in this finish:

Polished Chrome

SCOT®/Metering Faucets (with Temperature Selection)

	DESCRIPTION	MODEL	FINISH	PRICE
	• Brass Metering Faucet with Lever Handle • 4" centerset mount • 3/8" copper hot and cold supply lines • Temperature limit stop • Adjustable flow time • Metal grid drain assembly included • Vandal resistant 0.5 gpm (1.9 L/min) aerator limits water flow to a maximum of 0.25 gpc (0.95 L/cyl)	SLC-6000-G	Chrome	434.60
	• Brass Metering Faucet with Lever Handle • 4" centerset mount • 3/8" copper hot and cold supply lines • Temperature limit stop • Adjustable flow time • Drain assembly not included • Vandal resistant 0.5 gpm (1.9 L/min) aerator limits water flow to a maximum of 0.25 gpc (0.95 L/cyl)	SLC-6000	Chrome	420.75
	• Brass Metering Faucet with Lever Handle • 8" centerset mount • 3/8" copper hot and cold supply lines • Temperature limit stop • Adjustable flow time • Drain assembly not included • Vandal resistant 0.5 gpm (1.9 L/min) aerator limits water flow to a maximum of 0.25 gpc (0.95 L/cyl)	SLC-6000-DP	Chrome	527.60

Modifications for SCOT Metering Faucets (SLC-6000 Series)

SUFFIX	DESCRIPTION	PRICE
0.35	CG 0.35 gpm (1.3 L/min) vandal resistant flow restrictor	N/C
DP	Adaptor plate to convert to 8" centerset	90.10
G	Grid drain	11.70
ML	MaxLine® thermostatic mixing valve for temperature selection	67.25
OFG	Offset grid strainer in place of standard grid strainer (SLC-6000-G only)	32.70
QC	Quick close cartridge	N/C
STE	Supply tube extensions, 8" with compression couplings	17.10

Metering Faucets (without Temperature Selection)

	DESCRIPTION	MODEL	FINISH	PRICE
	• Brass Metering Faucet • Single-hole mount • 1/2" IPS male supply connections for cold or tempered water • Adjustable flow time • Drain assembly not included • Vandal resistant 0.5 gpm (1.9 L/min) aerator limits water flow to a maximum of 0.25 gpc (0.95 L/cyl)	SLS-7000	Chrome	177.90
	• Brass Metering Faucet • Single-hole mount • 1/2" IPS male supply connections for cold or tempered water • Adjustable flow time • Metal grid drain assembly included • Vandal resistant 0.5 gpm (1.9 L/min) aerator limits water flow to a maximum of 0.25 gpc (0.95 L/cyl)	SLS-7000-G	Chrome	191.65
	• Brass Metering Faucet • 4" mount • 1/2" IPS male supply connections for cold or tempered water • Adjustable flow time • Drain assembly not included • Vandal resistant 0.5 gpm (1.9 L/min) aerator limits water flow to a maximum of 0.25 gpc (0.95 L/cyl)	SLS-7000-DP4	Chrome	231.25
	• Brass Metering Faucet • 4" mount • 1/2" IPS male supply connections for cold or tempered water • Adjustable flow time • Metal grid drain assembly included • Vandal resistant 0.5 gpm (1.9 L/min) aerator limits water flow to a maximum of 0.25 gpc (0.95 L/cyl)	SLS-7000-DP4-G	Chrome	245.05

Modifications for Metering Faucets (SLS-7000 Series)

SUFFIX	DESCRIPTION	PRICE
0.35	CG 0.35 gpm (1.3 L/min) vandal resistant flow restrictor	N/C
C	Cold marking on cap in place of standard cap	N/C
DP	Adaptor plate to convert to 8" centerset	74.35
DP4	Adaptor plate to convert to 4" centerset	45.00
G	Grid drain	11.70
H	Hot marking on cap in place of standard cap	N/C
ML	MaxLine® thermostatic mixing valve for temperature selection	69.25
OFG	Offset grid strainer in place of standard grid strainer (SLS-7000-G, SLS-7000-DP4-G, SLS-7000-MV-G only)	32.10
QC	Quick close cartridge	N/C

MaxLine®

Symmons recognizes that safety and reliability are important factors when selecting a Thermostatic Mixing Valve. MaxLine's durable design and trusted engineering provides our customers with industry leading scald protection and quality that is synonymous with the Symmons brand.

Thermostatic Water Temperature Limiting Devices

Flow Rates and Sizing

FLOW RATE - gpm (L/min)								
Valve Model	Size Connection	Min Flow Rate	PRESSURE DIFFERENTIAL - psi (kPA)					
			5 psi (34 kPA)	10 psi (69 kPA)	20 psi (138 kPA)	25 psi (172 kPA)	30 psi (207 kPA)	45 psi (310 kPA)
8210CK	3/8" compression (10mm)	0.25 gpm (0.95L/min)	1 gpm (3.8 L/min)	2 gpm (7.6 L/min)	3 gpm (11.4 L/min)	3.5 gpm (13.2 L/min)	4 gpm (15.1 L/min)	5 gpm (18.9 L/min)
7-225-CK-MS	1/2" male NPT 1/2" female sweat (13mm)	0.5 gpm (1.9 L/min)	4.5 gpm (17 L/min)	7 gpm (26.5 L/min)	9.5 gpm (36 L/min)	10.5 gpm (39.8 L/min)	12 gpm (45.4 L/min)	14 gpm (53 L/min)
7-225-CK-F	1/2" female NPT (13mm)	0.5 gpm (1.9 L/min)	4.5 gpm (17 L/min)	7 gpm (26.5 L/min)	9.5 gpm (36 L/min)	10.5 gpm (39.8 L/min)	12 gpm (45.4 L/min)	14 gpm (53 L/min)
7-225-CK-PEX	1/2" PEX (13mm)	0.5 gpm (1.9 L/min)	3.5 gpm (13.2 L/min)	5.5 gpm (20.8 L/min)	8 gpm (30.3 L/min)	8.5 gpm (32.2 L/min)	9.5 gpm (36 L/min)	12 gpm (45.4 L/min)
7-230-CK-M	3/4" male NPT (19mm)	0.5 gpm (1.9 L/min)	5 gpm (19 L/min)	7 gpm (26.5 L/min)	10 gpm (37.9 L/min)	11 gpm (41.6 L/min)	12 gpm (45.4 L/min)	14 gpm (53 L/min)
7-230-CK-FS	3/4" female sweat (19mm)	0.5 gpm (1.9 L/min)	5 gpm (19 L/min)	7 gpm (26.5 L/min)	10 gpm (37.9 L/min)	11 gpm (41.6 L/min)	12 gpm (45.4 L/min)	14 gpm (53 L/min)

Proper Sizing

Thermostatic water controllers should be sized according to the flow capacity required from the valve, NOT the pipe size supplied to the valve. The pressure differential shown above represents the actual pressure drop across the valve to produce a given flow rate. The frictional loss associated with the valve is incorporated into the flow rate figures. For assistance and technical support in sizing and selection of the proper MaxLine Thermostatic Water Temperature Limiting Device, consult your local representative or Symmons Customer Service Department at

1-800-SYMMONS.

MaxLine® Thermostatic Water Temperature Limiting Valves

	DESCRIPTION	MODEL	FINISH	PRICE
	• MaxLine Thermostatic Mixing Valve • 3/8" compression connection • ASSE 1070/1017, CSA B125.3 certified • Brass construction • Vandal resistant temperature adjustment cap • Temp. control range 70F - 130F • Min. flow rate 0.25 gpm	8210CK	Chrome	121.25
	• MaxLine Thermostatic Mixing Valve • 1/2" male sweat connection • ASSE 1017/1070, CSA B125.3 certified • Lead-free brass construction • Thermal cartridge • Vandal resistant • Temp. control range 60-140 F • Min. flow rate 0.5 gpm	7-225-CK-MS	Chrome	244.10
	• MaxLine Thermostatic Mixing Valve • 1/2" female NPT connection • ASSE 1017/1070, CSA B125.3 certified • Lead-free brass construction • Thermal cartridge • Vandal resistant • Temp. control range 60-140 F • Min. flow rate 0.5 gpm	7-225-CK-F	Chrome	244.10
	• MaxLine Thermostatic Mixing Valve • 1/2" PEX connection • ASSE 1017/1070, CSA B125.3 certified • Lead-free brass construction • Thermal cartridge • Vandal resistant • Temp. control range 60-140 F • Min. flow rate 0.5 gpm	7-225-CK-PEX	Chrome	244.10

MaxLine® Thermostatic Water Temperature Limiting Valves

	DESCRIPTION	MODEL	FINISH	PRICE
	• MaxLine Thermostatic Mixing Valve • 3/4" male NPT connection • ASSE 1017/1070, CSA B125.3 certified • Lead-free brass construction • Thermal cartridge • Vandal resistant • Temp. control range 60-140 F • Min. flow rate 0.5 gpm	7-230-CK-M	Chrome	276.60
	• MaxLine Thermostatic Mixing Valve • 3/4" female sweat connection • ASSE 1017/1070, CSA B125.3 certified • Lead-free brass construction • Thermal cartridge • Vandal resistant • Temp. control range 60-140 F • Min. flow rate 0.5 gpm	7-230-CK-FS	Chrome	276.60
	• MaxLine Thermostatic Mixing Valve with Cabinet • 3/8" compression connection • ASSE 1070/1017, CSA B125.3 certified • Brass construction • Vandal resistant temperature adjustment cap • Full recessed steel cabinet with white enamel finish • Temp. control range 70F - 130F • Min. flow rate 0.25 gpm	8210BCK	Chrome	772.30
	• MaxLine Thermostatic Mixing Valve with Cabinet • 1/2" copper sweat connection • ASSE 1017/1070, CSA B125.3 certified • Lead-free brass construction • Thermal cartridge • Vandal resistant temperature adjustment handle • Fully recessed steel cabinet with white enamel finish • Temp. control range 60-140 F • Min. flow rate 0.5 gpm	7-225B-CK-MS	Chrome	875.75

MaxLine® Thermostatic Water Temperature Limiting Valves

	DESCRIPTION	MODEL	FINISH	PRICE
	• MaxLine Thermostatic Mixing Valve with Cabinet • 1/2" female NPT connection • ASSE 1017/1070, CSA B125.3 certified • Lead-free brass construction • Thermal cartridge • Vandal resistant temperature adjustment handle • Fully recessed steel cabinet with white enamel finish • Temp. control range 60-140 F • Min. flow rate 0.5 gpm	7-225B-CK-F	Chrome	875.75
	• MaxLine Thermostatic Mixing Valve with Cabinet • 1/2" PEX connection • ASSE 1017/1070, CSA B125.3 certified • Lead-free brass construction • Thermal cartridge • Vandal resistant temperature adjustment handle • Fully recessed steel cabinet with white enamel finish • Temp. control range 60-140 F • Min. flow rate 0.5 gpm	7-225B-CK-PEX	Chrome	875.75
	• MaxLine Thermostatic Mixing Valve with Cabinet • 3/4" male NPT connection • ASSE 1017/1070, CSA B125.3 certified • Lead-free brass construction • Thermal cartridge • Vandal resistant temperature adjustment handle • Fully recessed steel cabinet with white enamel finish • Temp. control range 60-140 F • Min. flow rate 0.5 gpm	7-230B-CK-M	Chrome	908.30

MaxLine® Thermostatic Water Temperature Limiting Valves

	DESCRIPTION	MODEL	FINISH	PRICE
	• MaxLine Thermostatic Mixing Valve with Cabinet • 3/4" female sweat connection • ASSE 1017/1070, CSA B125.3 certified • Lead-free brass construction • Thermal cartridge • Vandal resistant temperature adjustment handle • Fully recessed steel cabinet with white enamel finish • Temp. control range 60-140 F • Min. flow rate 0.5 gpm	7-230B-CK-FS	Chrome	908.30

Modifications for all MaxLine Thermostatic Water Temperature Limiting Valves

SUFFIX	DESCRIPTION	PRICE
D	3/8" compression tee fitting to allow water bypass for hot and cold supply faucet (8210CK only)	11.45
NI	Rough nickel finish	31.25
T	Stainless steel cabinet in place of standard white cabinet	206.70
X	Separate stops (7-225-CK-MS only)	23.45

TempControl®



The brass, bronze and stainless steel components of the 7 Series TempControl Lead Free* valves allow for precise temperature control. The tamper-resistant hex bolt combined with the optional cabinets help prevent unwanted temperature adjustments. Several "factory assembled and tested" options available.

*According to US Senate bill S.3874, the term "lead free" is defined as follows: "not more than a weighted average of 0.25 percent lead when used with respect to the wetted surfaces of pipes, pipefittings, plumbing fittings, and fixtures".

TempControl®

Flow Rates and Sizing

FLOW RATE - gpm (L/min)								
Valve Model	Min Flow Rate*	Min Flow Rate (per ASSE 1017)	PRESSURE DIFFERENTIAL - psi (kPA)					
			5 psi (34 kPA)	10 psi (69 kPA)	20 psi (138 kPA)	25 psi (172 kPA)	30 psi (207 kPA)	45 psi (310 kPA)
7-102	0.5 gpm (1.9 L/min)	0.5 gpm (1.9 L/min)	1 gpm (3.8 L/min)	3 gpm (11.4 L/min)	6 gpm (22.7 L/min)	7 gpm (26.5 L/min)	8 gpm (30.3 L/min)	11 gpm (41.6 L/min)
7-200	0.5 gpm (1.9 L/min)	5 gpm (18.9 L/min)	7 gpm (26.5 L/min)	12 gpm (45.4 L/min)	18 gpm (64.4 L/min)	21 gpm (75.7 L/min)	23 gpm (83.3 L/min)	27 gpm (102.2 L/min)
7-400	0.5 gpm (1.9 L/min)	9 gpm (34.1 L/min)	18 gpm (64.4 L/min)	27 gpm (102.2 L/min)	37 gpm (140.1 L/min)	41 gpm (155.2 L/min)	44 gpm (166.6 L/min)	53 gpm (200.6 L/min)
7-500	0.5 gpm (1.9 L/min)	13 gpm (49.2 L/min)	22 gpm (83.3 L/min)	38 gpm (143.8 L/min)	50 gpm (189.3 L/min)	55 gpm (208.2 L/min)	59 gpm (223.3 L/min)	70 gpm (265 L/min)
7-700	0.5 gpm (1.9 L/min)	13 gpm (49.2 L/min)	25 gpm (94.6 L/min)	43 gpm (162.8 L/min)	57 gpm (215.8 L/min)	62 gpm (234.7 L/min)	66 gpm (249.8 L/min)	77 gpm (291.5 L/min)
7-900	0.5 gpm (1.9 L/min)	13 gpm (49.2 L/min)	30 gpm (113.6 L/min)	55 gpm (208.2 L/min)	76 gpm (287.7 L/min)	84 gpm (318 L/min)	89 gpm (336.9 L/min)	104 gpm (393.7 L/min)
7-1000	0.5 gpm (1.9 L/min)	13 gpm (49.2 L/min)	38 gpm (143.8 L/min)	67 gpm (253.6 L/min)	100 gpm (378.5 L/min)	111 gpm (420.2 L/min)	120 gpm (454.2 L/min)	140 gpm (529.9 L/min)

*Minimum flow rate when valve is installed at or near the hot water source with recirculated tempered water and continuously operating circulating pump.

Note: The U.S. Department of Labor, Occupational Safety and Health Administration (OSHA) Technical Manual, Section II, Chapter 7, Legionnaire's Disease, recommends that due to concerns about the potential for growth of Legionella bacteria in stagnant pipe runs, "Domestic hot water recirculation pumps should run continuously. They should be excluded from energy conservation measures."

Proper Sizing

Thermostatic water controllers should be sized according to the flow capacity required from the valve, NOT the pipe size supplied to the valve. The pressure differential shown above represents the actual pressure drop across the valve to produce a given flow rate. The frictional loss associated with the valve is incorporated into the flow rate figures. For assistance and technical support in sizing and selection of the proper TempControl Thermostatic Water Controller, consult your local representative or Symmons Customer Service Department at 1-800-SYMMONS.

TEMPCONTROL Valves, Piping Assemblies and Cabinet Assemblies

ALL TEMPCONTROL VALVES QUALIFY FOR BUY AMERICAN

Tempcontrol valve sizes are as follows:

BASIC MODEL	IPS INLETS	IPS OUTLET
7-102	1/2"	1/2"
7-200	3/4"	3/4"
7-400	3/4"	1"
7-500	1"	1 1/4"
7-700	1 1/4"	1 1/2"
7-900	1 1/2"	1 1/2"
7-1000	1 1/2"	2"

Explanation of modification suffixes:

Suffix P	Polished Chrome highlight finish
Suffix W	Wall mounting bracket
Suffix V	Vacuum breaker
Suffix M	Surface mounted cabinet
Suffix S	Semi recessed cabinet
Suffix T	Stainless steel cabinet
Suffix TOP	Top supplies
Suffix NI	Rough nickel finish
Suffix STN	Satin spray finish
Suffix STN/POL	Satin spray with Polished Chrome highlight finish
Suffix ASB	Factory assembled and tested

For modifications other than those listed, contact factory for pricing. When purchasing a TempControl Valve, it is recommended to purchase a spare cartridge for non-interrupted service. Standard cabinet is fully recessed steel with white finish. Standard valve and piping finish is rough bronze, brass or copper. Factory assembled and tested units are available in rough bronze, satin spray and satin spray with polished highlight finish with type L copper tubing.

Valve Only



MODIFICATIONS — Add to list price where applicable.

MODEL NO.	LIST PRICE	SUFFIX P	SUFFIX NI	SUFFIX W
7-102	1,217.05	224.45	INCLUDED	INCLUDED
7-200	1,246.55	240.20	58.85	89.30
7-400	1,643.55	240.20	58.85	89.30
7-500	1,931.65	265.55	87.00	89.30
7-700	1,966.55	265.55	87.00	89.30
7-900	2,247.45	301.55	109.60	127.95
7-1000	2,799.15	301.55	109.60	127.95

"A" Series, Valve and Piping Assembly



MODIFICATIONS — Add to list price where applicable.

*Unavailable in additional finishes with ASB suffix.

MODEL NO.	LIST PRICE	ASB	SUFFIX P*	SUFFIX NI*	SUFFIX W	SUFFIX V
7-102A	1,652.50	284.80	268.40	INCLUDED	INCLUDED	112.40
7-200A	2,188.75	284.80	319.50	158.40	89.30	112.40
7-400A	2,673.15	317.80	369.90	214.65	89.30	234.40
7-500A	3,285.50	317.80	471.75	258.15	89.30	263.15
7-700A	3,322.45	317.80	498.20	268.40	89.30	318.70
7-900A	3,773.20	317.80	575.00	340.20	127.95	318.70
7-1000A	4,521.35	337.10	638.80	357.75	127.95	541.75

"B" Series, Valve and Piping in Cabinet



MODIFICATIONS — Add to list price where applicable.

*When Suffix V or Suffix TOP are used in conjunction with Suffix P, add 30% to price of Suffix V or Suffix TOP.
*Suffix TOP cannot be used in conjunction with Suffix V.

MODEL NO.	LIST PRICE	SUFFIX P	SUFFIX M,S	SUFFIX NI	SUFFIX T	*SUFFIX TOP	*SUFFIX V
7-102B	3,208.45	268.40	N/C	158.45	645.05	145.90	112.40
7-200B	3,272.55	319.50	N/C	214.65	753.10	145.90	112.40
7-400B	3,786.45	365.80	N/C	258.15	753.10	145.90	234.40
7-500B	4,287.20	458.05	N/C	267.25	988.60	197.00	263.15
7-700B	4,287.20	498.30	N/C	340.20	988.60	265.65	318.70
7-900B	5,000.30	575.00	N/C	357.75	1,147.85	424.25	318.70
7-1000B	5,686.60	638.85	N/C	638.80	1,147.85	424.255	592.75

TEMPCONTROL Valves, Piping Assemblies and Cabinet Assemblies

ALL TEMPCONTROL VALVES QUALIFY FOR BUY AMERICAN

Tempcontrol valve sizes are as follows:

BASIC MODEL	IPS INLETS	IPS OUTLET
7-102	1/2"	1/2"
7-200	3/4"	3/4"
7-400	3/4"	1"
7-500	1"	1 1/4"
7-700	1 1/4"	1 1/2"
7-900	1 1/2"	1 1/2"
7-1000	1 1/2"	2"

Explanation of modification suffixes:

Suffix P	Polished Chrome highlight finish
Suffix W	Wall mounting bracket
Suffix V	Vacuum breaker
Suffix M	Surface mounted cabinet
Suffix S	Semi recessed cabinet
Suffix T	Stainless steel cabinet
Suffix TOP	Top supplies
Suffix NI	Rough nickel finish
Suffix STN	Satin spray finish
Suffix STN/POL	Satin spray with Polished Chrome highlight finish
Suffix ASB	Factory assembled and tested

For modifications other than those listed, contact factory for pricing. When purchasing a TempControl Valve, it is recommended to purchase a spare cartridge for non-interrupted service. Standard cabinet is fully recessed steel with white finish. Standard valve and piping finish is rough bronze, brass or copper. Factory assembled and tested units are available in rough bronze, satin spray and satin spray with polished highlight finish with type L copper tubing.

Valve Only



MODIFICATIONS — Add to list price where applicable.

MODEL NO.	LIST PRICE	SUFFIX P	SUFFIX NI	SUFFIX W
7-102	1,217.05	224.45	INCLUDED	INCLUDED
7-200	1,246.55	240.20	58.85	89.30
7-400	1,643.55	240.20	58.85	89.30
7-500	1,931.65	265.55	87.00	89.30
7-700	1,966.55	265.55	87.00	89.30
7-900	2,247.45	301.55	109.60	127.95
7-1000	2,799.15	301.55	109.60	127.95

"A" Series, Valve and Piping Assembly



MODIFICATIONS — Add to list price where applicable.

*Unavailable in additional finishes with ASB suffix.

MODEL NO.	LIST PRICE	ASB	SUFFIX P*	SUFFIX NI*	SUFFIX W	SUFFIX V
7-102A	1,652.50	284.80	268.40	INCLUDED	INCLUDED	112.40
7-200A	2,188.75	284.80	319.50	158.40	89.30	112.40
7-400A	2,673.15	317.80	369.90	214.65	89.30	234.40
7-500A	3,285.50	317.80	471.75	258.15	89.30	263.15
7-700A	3,322.45	317.80	498.20	268.40	89.30	318.70
7-900A	3,773.20	317.80	575.00	340.20	127.95	318.70
7-1000A	4,521.35	337.10	638.80	357.75	127.95	541.75

"B" Series, Valve and Piping in Cabinet



MODIFICATIONS — Add to list price where applicable.

*When Suffix V or Suffix TOP are used in conjunction with Suffix P, add 30% to price of Suffix V or Suffix TOP.
*Suffix TOP cannot be used in conjunction with Suffix V.

MODEL NO.	LIST PRICE	SUFFIX P	SUFFIX M,S	SUFFIX NI	SUFFIX T	*SUFFIX TOP	*SUFFIX V
7-102B	3,208.45	268.40	N/C	158.45	645.05	145.90	112.40
7-200B	3,272.55	319.50	N/C	214.65	753.10	145.90	112.40
7-400B	3,786.45	365.80	N/C	258.15	753.10	145.90	234.40
7-500B	4,287.20	458.05	N/C	267.25	988.60	197.00	263.15
7-700B	4,287.20	498.30	N/C	340.20	988.60	265.65	318.70
7-900B	5,000.30	575.00	N/C	357.75	1,147.85	424.25	318.70
7-1000B	5,686.60	638.85	N/C	638.80	1,147.85	424.255	592.75

TEMPCONTROL Unit



MODIFICATIONS — Add to list price and weight where applicable.

MODEL NO.	LIST PRICE
7-100	2,449.45
7-101	1,841.85
7-101P	2,306.95
7-102	1,217.05
7-102P	1,441.50

TEMPCONTROL Cartridges Only



When purchasing a TempControl valve it is recommended to purchase a spare cartridge for non-interrupted service. When ordering cartridge, designate on order all numbers on original cartridge.

MODEL NO.	LIST PRICE
7-102NW	1,163.85
7-102P-NW	1,403.45
7-200NW	1,113.70
7-400NW	1,177.30
7-500NW	1,261.15
7-700NW	1,261.15
7-900NW	1,715.35
7-1000NW	1,715.35

TEMPCONTROL Accessories



Bimetal dial thermometer, 3" face, range 20°-240°F, horizontal 4" bulb. Complete with fittings for mounting in TempControl outlet line.

MODEL NO.	LIST PRICE
T-425-200	384.15
T-425-400	425.30
T-425-500	463.70
T-425-700	486.60
T-425-900	486.60
T-425-1000	570.15



Bimetal dial thermometer only.

MODEL NO.	LIST PRICE
T-425-4 (4" bulb)	244.45



Volume control shut-off valves.

MODEL NO.	LIST PRICE
BV-200	199.65
BV-400	262.70
BV-500	354.65
BV-700/900	451.65
BV-1000	703.55

LaundryMate® Washing Machine Valves

	DESCRIPTION	MODEL	FINISH	PRICE
	• Washing Machine Valve • ON/OFF settings • Brass valve body • 1/2" sweat union ell connections	W-400	Brass	85.70
	• LaundryMate Box • Hot and cold washing machine valves • Separate, color-coded handles for hot and cold shutoff • Dual-box installation system • Interlocking tab design for easy alignment • Box accommodates top or bottom supply	LM600	N/A	56.25
	• LaundryMate Box • Hot and cold washing machine valves • Water hammer arrestors • Separate, color-coded handles for hot and cold shutoff • Dual-box installation system • Interlocking tab design for easy alignment • Box accommodates top or bottom supply	LM600A	N/A	94.00
	• LaundryMate Box • Hot and cold washing machine valves • Separate, color-coded handles for hot and cold shutoff • Dual-box installation system • Interlocking tab design for easy alignment • Box accommodates top or bottom supply • Funnel included for condensate line	LM600F	N/A	65.85

LaundryMate® Washing Machine Valves

	DESCRIPTION	MODEL	FINISH	PRICE
	• LaundryMate Box • Hot and cold washing machine valves • Water hammer arrestors • Separate, color-coded handles for hot and cold shutoff • Dual-box installation system • Interlocking tab design for easy alignment • Box accommodates top or bottom supply • Funnel included for condensate line	LM600FA	N/A	103.60
	• IceMate Box • Cold valve with shutoff handle • Mounting box included • Side tab design allows for mounting on either side of stud bay • Box accommodates top or bottom supply	IM600	N/A	40.70
	• IceMate Box • Cold valve with shutoff handle • Water hammer arrestor • Mounting box included • Side tab design allows for mounting on either side of stud bay • Box accommodates top or bottom supply	IM600A	N/A	55.10

Modifications for LaundryMate Washing Machine Valves

SUFFIX	DESCRIPTION	PRICE
IPSC	Combination 1/2" MIPS or 1/2" sweat connections (W-400 and W-500 only)	N/C
IPSF	1/2" FIPS connections (W-400 and W-500 only)	11.80
P1	PEX Crimp Fitting (for LaundryMate LM600F and LM600FA only)	16.00
P2	PEX Cold Expansion Fitting (for LaundryMate LM600F and LM600FA only)	16.00
P1.	PEX Crimp Fitting (for IceMate)	8.05
P2.	PEX Cold Expansion Fitting (for IceMate)	8.05

Lavatory Faucets

From rugged heavy duty commercial grade to the widespread premium style faucets utilized in the finest hotels around the globe; Symmons lavatory faucets come in multiple configurations and styles to meet the needs of your next bathroom project or remodel.

Available in these finishes:

Various finishes by product

Lavatory Faucets

Lavatory Faucets (Single Handle)

	DESCRIPTION	MODEL	FINISH	PRICE
	• Birch Single Handle Lavatory Faucet • Single-hole installation • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLS5912PP SLS5912STNPP	Chrome Satin Nickel	222.10 288.75
	• Braston Single Handle Lavatory Faucet • Single-hole installation • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate • Matte Black finish is Special Order	SLS5812PP SLS5812STNPP SLS5812MBPP SLS5812BBZPP	Chrome Satin Nickel Matte Black Brushed Bronze	290.65 377.85 406.95 406.95
	• Dia Single Handle Lavatory Faucet • Single-hole installation • 7-1/8" height • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLS3512PP SLS3512STNPP SLS3512MBPP SLS3512BBZPP	Chrome Satin Nickel Matte Black Brushed Bronze	290.45 392.15 421.20 421.20
	• Dia Single Handle Lavatory Faucet • Single-hole installation • 5" height • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLS3522PP SLS3522STNPP SLS3522MBPP SLS3522BBZPP	Chrome Satin Nickel Matte Black Brushed Bronze	290.45 392.15 421.20 421.20

Lavatory Faucets (Single Handle)

	DESCRIPTION	MODEL	FINISH	PRICE
	• Duro Single Handle Lavatory Faucet • Single-hole installation • 6-7/8" height • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLS3612PP SLS3612STNPP SLS3612MBPP SLS3612BBZPP	Chrome Satin Nickel Matte Black Brushed Bronze	339.80 441.70 492.80 492.80
	• Duro Single Handle Lavatory Faucet • Single-hole installation • 4-1/2" height • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLS3622PP SLS3622STNPP SLS3622MBPP SLS3622BBZPP	Chrome Satin Nickel Matte Black Brushed Bronze	339.80 441.70 492.80 492.80
	• Elm Single Handle Lavatory Faucet • Single-hole installation • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLS5512PP SLS5512STNPP SLS5512MBPP SLS5512BBZPP	Chrome Satin Nickel Matte Black Brushed Bronze	322.10 420.70 450.90 450.90
	• Identity Single Handle Lavatory Faucet • Single-hole installation • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLS6712PP SLS6712STNPP SLS6712MBPP SLS6712BBZPP	Chrome Satin Nickel Matte Black Brushed Bronze	222.10 310.95 310.95 310.95

Lavatory Faucets (Single Handle)

	DESCRIPTION	MODEL	FINISH	PRICE
	• Oak Single Handle Lavatory Faucet • Single-hole installation • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLS5612PP SLS5612STNPP SLS5612MBPP SLS5612BBZPP	Chrome Satin Nickel Matte Black Brushed Bronze	290.65 377.85 406.95 406.95
	• Origins Single Handle Centerset Lavatory Faucet • 3-hole installation with 4" center • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	S9612PP S9612STNPP	Chrome Satin Nickel	95.00 126.30
	• Single Handle Lavatory Faucet • Single-hole installation • Ceramic cartridge • Braided hose connections • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) standard	SLS0488PP SLS0488STNPP	Chrome Satin Nickel	318.15 413.60
	• Symmetrix Single Handle Centerset Lavatory Faucet • 3-hole installation with 4" center • Red and blue handle indicators • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	S202PP S202STNPP	Chrome Satin Nickel	192.05 263.15

Lavatory Faucets (Single Handle)

	DESCRIPTION	MODEL	FINISH	PRICE
	• Symmetrix Single Handle Centerset Lavatory Faucet • 3-hole installation with 4" center • Red and blue handle indicators • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal grid drain assembly included • 1.0 gpm (3.8 L/min) flow rate	S202G S202STNG	Chrome Satin Nickel	192.05 241.65
	• Solarity Single Handle Lavatory Faucet • Single-hole installation • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate • Available Q1 2025	SLS3312PP SLS3312STNPP SLS3312MBPP	Chrome Satin Nickel Matte Black	222.10 288.75 310.95
	• Verity Single Handle Lavatory Faucet • Single-hole installation • 6-3/16" height • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLS4912PP SLS4912STNPP SLS4912MBPP	Chrome Satin Nickel Matte Black	222.10 288.75 310.95

Modifications for Single Handle Lavatory Faucets

SUFFIX	DESCRIPTION	PRICE
035	CG 0.35 gpm (1.3 L/min) vandal resistant flow restrictor (available only for S20 series)	N/C
05	CG 0.5 gpm (1.9 L/min) vandal resistant flow restrictor	N/C
OFG	Offset grid strainer (S202 only)	38.80
W	6" lever handle (S20 series in chrome only)	16.20

Lavatory Faucets (Two Handle Centerset)

	DESCRIPTION	MODEL	FINISH	PRICE
	• Allura Centerset Lavatory Faucet • 3-hole installation with 4" center • 1/2" IPS connections • Ceramic cartridges • Solid brass construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLC4712PP SLC4712STNPP	Chrome Satin Nickel	232.25 297.40
	• Birch Centerset Lavatory Faucet • 3-hole installation with 4" center • 1/2" IPS connections • Ceramic cartridges • Solid brass construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLC5912PP SLC5912STNPP	Chrome Satin Nickel	192.65 250.45
	• Dia Centerset Lavatory Faucet • 3-hole installation with 4" center • 1/2" IPS connections • Ceramic cartridges • Solid brass construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLC3512PP SLC3512STNPP	Chrome Satin Nickel	272.40 357.80
	• Duro Centerset Lavatory Faucet • 3-hole installation with 4" center • 1/2" IPS connections • Ceramic cartridges • Solid brass construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLC3612PP SLC3612STNPP	Chrome Satin Nickel	334.70 435.75
	• Elm Centerset Lavatory Faucet • 3-hole installation with 4" center • 1/2" IPS connections • Ceramic cartridges • Solid brass construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLC5512PP SLC5512STNPP SLC5512MBPP SLC5512BBZPP	Chrome Satin Nickel Matte Black Brushed Bronze	234.65 307.55 328.45 328.45

Lavatory Faucets (Two Handle Centerset)

	DESCRIPTION	MODEL	FINISH	PRICE
	• Identity Centerset Lavatory Faucet • 3-hole installation with 4" center • 1/2" IPS connections • Ceramic cartridges • Solid brass construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLC6712PP SLC6712STNPP	Chrome Satin Nickel	192.65 269.65
	• Origins Centerset Lavatory Faucet • 3-hole installation with 4" center • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLC9612PP SLC9612STNPP	Chrome Satin Nickel	106.40 141.55

Lavatory Faucets (Two Handle Centerset)

	DESCRIPTION	MODEL	FINISH	PRICE
	• Symmetrix Two Handle Centerset Lavatory Faucet • 3-hole installation with 4" center • Red and blue handle indicators • 1/2" IPS connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	S2402PP	Chrome	179.95
	• Symmetrix Two Handle Centerset Lavatory Faucet • 3-hole installation with 4" center • Red and blue handle indicators • 1/2" IPS connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	S2402LAMPP	Chrome	201.60
	• Symmetrix Two Handle Centerset Lavatory Faucet • 3-hole installation with 4" center • Red and blue handle indicators • 1/2" IPS connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	S2402LWGPP	Chrome	201.60
	• Symmetrix Two Handle Centerset Lavatory Faucet • 3-hole installation with 4" center • Red and blue handle indicators • 1/2" IPS connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	S2502PP	Chrome	242.15

Lavatory Faucets (Two Handle Centerset)

	DESCRIPTION	MODEL	FINISH	PRICE
	• Symmetrix Two Handle Centerset Lavatory Faucet • 3-hole installation with 4" center • Red and blue handle indicators • 1/2" IPS connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	S2502PPLWG	Chrome	242.15

Modifications for Symmons Symmetrix S-240 Series Lavatory Faucets

SUFFIX	DESCRIPTION	PRICE
05	CG 0.5 gpm (1.9 L/min) vandal resistant flow restrictor	N/C
G	Grid drain in lieu of pop-up (S-240-2, SLC-9612 only)	N/C

Lavatory Faucets (Two Handle Widespread)

	DESCRIPTION	MODEL	FINISH	PRICE
	• Allura Widespread Lavatory Faucet • 3-hole installation with 8-16" center • Threadless valve-to-spout connections • 3/8" braided hose connections • Ceramic cartridges • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLW4712PP SLW4712STNPP	Chrome Satin Nickel	479.15 685.75
	• Birch Widespread Lavatory Faucet • 3-hole installation with 8-16" center • Threadless valve-to-spout connections • 3/8" braided hose connections • Ceramic cartridges • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLW5912PP SLW5912STNPP	Chrome Satin Nickel	279.50 363.35
	• Braston Widespread Lavatory Faucet • 3-hole installation with 8-16" center • Threadless valve-to-spout connections • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLW5812PP SLW5812STNPP SLW5812MBPP SLW5812BBZPP	Chrome Satin Nickel Matte Black Brushed Bronze	441.90 574.50 618.65 618.65
	• Dia Widespread Lavatory Faucet • 3-hole installation with 8-16" center • 7-1/4" spout height • Threadless valve-to-spout connections • 3/8" braided hose connections • Ceramic cartridges • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLW3512PP SLW3512STNPP SLW3512MBPP SLW3512BBZPP	Chrome Satin Nickel Matte Black Brushed Bronze	441.90 574.60 622.25 622.25

Lavatory Faucets (Two Handle Widespread)

	DESCRIPTION	MODEL	FINISH	PRICE
	• Dia Widespread Lavatory Faucet • 3-hole installation with 8-16" center • 5-3/4" spout height • Threadless valve-to-spout connections • 3/8" braided hose connections • Ceramic cartridges • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLW3522PP SLW3522STNPP SLW3522MBPP SLW3522BBZPP	Chrome Satin Nickel Matte Black Brushed Bronze	441.90 574.60 618.65 618.65
	• Duro Widespread Lavatory Faucet • 3-hole installation with 8-16" center • 6-11/16" spout height • Threadless valve-to-spout connections • 3/8" braided hose connections • Ceramic cartridges • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLW3612PP SLW3612STNPP SLW3612MBPP SLW3612BBZPP	Chrome Satin Nickel Matte Black Brushed Bronze	552.95 718.85 778.30 778.30
	• Duro Widespread Lavatory Faucet • 3-hole installation with 8-16" center • 4-1/16" spout height • Threadless valve-to-spout connections • 3/8" braided hose connections • Ceramic cartridges • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLW3622PP SLW3622STNPP	Chrome Satin Nickel	566.65 697.90
	• Elm Widespread Lavatory Faucet • 3-hole installation with 8-16" center • Threadless valve-to-spout connections • 3/8" braided hose connections • Ceramic cartridges • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLW5512PP SLW5512STNPP SLW5512MBPP SLW5512BBZPP	Chrome Satin Nickel Matte Black Brushed Bronze	404.70 530.70 566.55 566.55

Lavatory Faucets (Two Handle Widespread)

	DESCRIPTION	MODEL	FINISH	PRICE
	• Identity Widespread Lavatory Faucet • 3-hole installation with 8-16" center • Threadless valve-to-spout connections • 3/8" braided hose connections • Ceramic cartridges • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLW6712PP SLW6712STNPP SLW6712MBPP SLW6712BBZPP	Chrome Satin Nickel Matte Black Brushed Bronze	279.50 391.20 391.20 391.25
	• Oak Widespread Lavatory Faucet • 3-hole installation with 8-16" center • Threadless valve-to-spout connections • 3/8" braided hose connections • Ceramic cartridges • Metal construction • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLW5612PP SLW5612STNPP SLW5612MBPP SLW5612BBZPP	Chrome Satin Nickel Matte Black Brushed Bronze	441.90 574.55 618.70 618.70
	• Solarity Widespread Lavatory Faucet • 3-hole installation with 8-16" center • Threadless valve-to-spout connections • 3/8" braided hose connections • Ceramic cartridges • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate • Available Q1 2025	SLW3312PP SLW3312STNPP SLW3312MBPP	Chrome Satin Nickel Matte Black	279.50 363.35 391.30
	• Verity Widespread Lavatory Faucet • 3-hole installation with 8-16" center • 5-7/16" spout height • Threadless valve-to-spout connections • 3/8" braided hose connections • Ceramic cartridges • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	SLW4912PP SLW4912STNPP SLW4912MBPP	Chrome Satin Nickel Matte Black	279.50 363.35 391.20

Lavatory Faucets (Two Handle Widespread)

	DESCRIPTION	MODEL	FINISH	PRICE
	• Origins Widespread Lavatory Faucet • 3-hole installation with 8-16" center • Threadless valve-to-spout connections • 3/8" braided hose connections • Ceramic cartridges • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	S2442LAMPP S2442STNLAMPP	Chrome Satin Nickel	315.20 458.95
	• Origins Widespread Lavatory Faucet • 3-hole installation with 8-16" center • Threadless valve-to-spout connections • 3/8" braided hose connections • Ceramic cartridges • Metal push-pop drain assembly included • 1.0 gpm (3.8 L/min) flow rate	S2442LWGPP S2442STNLWGPP	Chrome Satin Nickel	315.20 458.95
	• Origins Widespread Lavatory Faucet • 3-hole installation with 8-16" center • Threadless valve-to-spout connections • 3/8" braided hose connections • Ceramic cartridges • Drain assembly not included • 1.0 gpm (3.8 L/min) flow rate	S2440LAM S2440STNLAM	Chrome Satin Nickel	294.15 400.65
	• Origins Widespread Lavatory Faucet • 3-hole installation with 8-16" center • Threadless valve-to-spout connections • 3/8" braided hose connections • Ceramic cartridges • Drain assembly not included • 1.0 gpm (3.8 L/min) flow rate	S2440LWG S2440STNLWG	Chrome Satin Nickel	294.15 400.65
	• Origins Widespread Lavatory Faucet • 3-hole installation with 8-16" center • 11-11/16" rigid/swivel spout • Drain assembly not included • 1.0 gpm (3.8 L/min) flow rate	S254LWG	Chrome	389.05

Modifications for Origins Widespread Lavatory Faucets

SUFFIX	DESCRIPTION	PRICE
G	Grid drain in place of pop-up drain (S-244-2 only)	N/C

Lavatory Faucets (Wall-Mounted)

	DESCRIPTION	MODEL	FINISH	PRICE
	• Two Handle Wall-Mounted Lavatory Faucet • 1.0 gpm (3.8 L/min) flow rate WS P LF	SWM4310 SWM4310STN	Chrome Satin Nickel	953.50 1260.00
	• Single Handle Wall-Mounted Lavatory Faucet • Ceramic cartridge • 0.5 gpm (1.9 L/min) standard CG LF	SWM0153270005	Chrome	394.10

Modifications for Wall Mount Lavatory Faucets

SUFFIX	DESCRIPTION	CHROME	STN	BBZ	MB
05	CG 0.5 gpm (1.9 L/min) flow restrictor	N/C	N/C	N/C	N/C

Tub Faucets

DESCRIPTION	MODEL	FINISH	PRICE
• Braston Freestanding Tub Filler • Floor-mounted tub filler with single-handle temperature control • 4" HydroMersion hand shower wand with 7 modes • EverFlow rubber spray nozzles • 60" flexible metal hose • Metal lever handle • 2.0 gpm (7.6 L/min) flow rate hand shower • 5.3 gpm (20.1 L/min) at 45 psi tub filler • Matte Black finish is Special Order	*If tempering valve is required, use MaxLine® 7-230 Series (page 208)*		
	FSTF5872	Chrome	1525.45
	FSTF5872STN	Satin Nickel	1983.05
	FSTF5872MB	Matte Black	2135.60
	FSTF5872BBZ	Brushed Bronze	2135.60
• Dia Freestanding Tub Filler • Floor-mounted tub filler with single-handle temperature control • Single-function hand shower wand • 60" flexible metal hose • Metal lever handle • 2.0 gpm (7.6 L/min) flow rate hand shower • 5.3 gpm (20.1 L/min) at 45 psi tub filler	*If tempering valve is required, use MaxLine® 7-230 Series (page 208)*		
	FSTF357220	Chrome	1525.45
	FSTF357220STN	Satin Nickel	1983.10
	FSTF357220MB	Matte Black	2135.65
	FSTF357220BBZ	Brushed Bronze	2135.65
• Duro Freestanding Tub Filler • Floor-mounted tub filler with single-handle temperature control • Single-function hand shower wand • 60" flexible metal hose • Metal lever handle • 2.0 gpm (7.6 L/min) flow rate hand shower • 5.3 gpm (20.1 L/min) at 45 psi tub filler	*If tempering valve is required, use MaxLine® 7-230 Series (page 208)*		
	FSTF367220	Chrome	1677.95
	FSTF367220STN	Satin Nickel	2180.80
	FSTF367220MB	Matte Black	2349.15
	FSTF367220BBZ	Brushed Bronze	2349.15
• Elm Two Handle Roman Tub Faucet • Ceramic cartridges • 1/2" rigid copper connections • Cast brass spout • Hand spray not included	SRT-5570	Chrome	590.65
	SRT-5570-STN	Satin Nickel	768.70

Tub Faucets

DESCRIPTION	MODEL	FINISH	PRICE
• Oak Freestanding Tub Filler • Floor-mounted tub filler with single-handle temperature control • 4" HydroMersion hand shower wand with Total spray and push-button Pause mode • EverFlow rubber spray nozzles • 60" flexible metal hose • Metal lever handle • 2.0 gpm (7.6 L/min) flow rate hand shower • 5.3 gpm (20.1 L/min) at 45 psi tub filler	*If tempering valve is required, use MaxLine® 7-230 Series (page 208)*		
	FSTF5672	Chrome	1525.45
	FSTF5672STN	Satin Nickel	1983.05
	FSTF5672MB	Matte Black	2135.60
	FSTF5672BBZ	Brushed Bronze	2135.60

Modifications for Tub Fillers

SUFFIX	DESCRIPTION	CHROME	STN	BBZ	MB
15	CG 1.5 gpm (5.7 L/min) flow restrictor	N/C	N/C	N/C	N/C

Kitchen Faucets

Symmons Kitchen Faucets bring together superior functionality and durability with a variety of style options. From traditional to contemporary, our faucets complement any décor and coordinate with our bathroom products for a cohesive look throughout your property.

Available in these finishes:

Various finishes by product

Kitchen Faucets with Pull-Out Spray

	DESCRIPTION	MODEL	FINISH	PRICE
	• Dia Pull-Down Spring Kitchen Faucet • Pull-down spray wand • Single-hole mount • Ceramic cartridge • Braided hose connections • 1.5 gpm (5.7 L/min) standard	SPR3510PD SPR3510PDSTS SPR3510PDMB	Chrome Stainless Steel Matte Black	631.55 861.70 884.15
	• Dia Pull-Down Kitchen Faucet • Single-hole mount • Pull-down wand with two-mode spray-to-stream control • Braided hose connections • 1.5 gpm (5.7 L/min) flow rate	SK3510PD SK3510STSPD SK3510MBPD SK3510BBZPD	Chrome Stainless Steel Matte Black Brushed Bronze	407.05 508.85 590.30 590.30
	• Identity Single Handle Kitchen Faucet • Single-hole mount • Ceramic cartridge • Braided hose connections • Pull-down wand with 2-mode spray-to-stream control • Push-button spray selection • 360° swivel spout • 1.5 gpm (5.7 L/min) standard	SK6710PD SK6710PDSTS	Chrome Stainless Steel	303.05 394.00
	• Single Handle Pull-Down Kitchen Faucet • Single-hole mount • Ceramic cartridge • Braided hose connections • 2-function pull-down spout • Rotating spray selection • 360° swivel spout • 1.5 gpm (5.7 L/min) standard	SK2302PD SK2302STSPD SK2302MBPD SK2302BBZPD	Chrome Stainless Steel Matte Black Brushed Bronze	407.05 508.85 590.30 590.30
	• Duro Pull-Out Kitchen Faucet • Single-hole mount • Ceramic cartridge • Braided hose connections • Pull-out spray spout • 1.5 gpm (5.7 L/min) standard	SK3610PO SK3610STSPO SK3610MBPO SK3610BBZPO	Chrome Stainless Steel Matte Black Brushed Bronze	391.00 547.40 547.40 547.40

Kitchen Faucets with Pull-Out Spray

DESCRIPTION	MODEL	FINISH	PRICE
• Unity Single Handle Kitchen Faucet • 8" mount • Ceramic cartridge • Stainless steel braided hoses with 3/8" compression connections • Pull-out spray spout • Spray to stream touch control • 90° swivel spout • 1.5 gpm (5.7 L/min) standard	SK6600PO	Chrome	234.50
	SK6600STSPO	Stainless Steel	311.90

Kitchen Faucets (Single Handle)

	DESCRIPTION	MODEL	FINISH	PRICE
	• Dia Single Handle Kitchen Faucet • Single-hole mount configuration • 8-3/8" swivel spout • Braided hose connections • 1.5 gpm (5.7 L/min) flow rate	SK2660	Chrome	397.10
	• Origins Single Handle Kitchen Faucet • 8-5/8" swivel spout • Separate hand spray mounted within deck plate • Braided hose connections • 8" deck plate included • 1.5 gpm (5.7 L/min) flow rate	SK233	Chrome	209.75
	• Origins Single Handle Kitchen Faucet • 8-5/8" swivel spout • Separate hand spray • Braided hose connections • 8" deck plate included • 1.5 gpm (5.7 L/min) flow rate	SK232 SK232STN	Chrome Satin Nickel	209.75 287.80
	• Origins Single Handle Kitchen Faucet • 8-5/8" swivel spout • Ceramic cartridge • Braided hose supply lines • 360° swivel spout head • 8" deck plate included • 1.5 gpm (5.7 L/min) flow rate	SK231	Chrome	192.70
	• Origins Single Handle Kitchen Faucet • 8-5/8" swivel spout • Braided hose connections • 8" deck plate included • 1.5 gpm (5.7 L/min) flow rate	SK23 SK23STN	Chrome Satin Nickel	176.90 230.00

Kitchen Faucets (Two Handle)

	DESCRIPTION	MODEL	FINISH	PRICE
	• Origins Kitchen Faucet • 8-5/8" swivel spout • Braided hose connections • 8" deck plate included • 1.5 gpm (5.7 L/min) flow rate	SK248	Chrome	190.45
	• Origins Kitchen Faucet • 8-5/8" swivel spout • Braided hose connections • 8" deck plate included • 1.5 gpm (5.7 L/min) flow rate	SK248LAM	Chrome	212.60
	• Origins Kitchen Faucet • 8-5/8" swivel spout • Braided hose connections • 8" deck plate included • 1.5 gpm (5.7 L/min) flow rate	SK248LWG	Chrome	212.60

Bar Sink Faucets

	DESCRIPTION	MODEL	FINISH	PRICE
	• Dia Single Handle Bar Faucet • Single-hole mount • Ceramic cartridge • Braided hose connections • Standard swivel spout with option of rigid • 1.5 gpm (5.7 L/min) standard	SPB3510 SPB3510STN SPB3510MB SPB3510BBZ	Chrome Satin Nickel Matte Black Brushed Bronze	338.05 439.50 387.85 387.80
	• Symmetrix Two Handle Bar Sink Faucet • 4" mount • 3-1/2" x 9-1/8" rigid/swivel spout • Ceramic cartridges • 1/2" IPS inlet connections • 1.5 gpm (5.7 L/min) standard	S-245-LAM-1.5 S-245-STN-LAM-1.5	Chrome Satin Nickel	235.85 302.15
	• Symmetrix Two Handle Bar Sink Faucet • 4" mount • 5-1/2" x 12-3/16" rigid/swivel spout • Ceramic cartridges • 1/2" IPS inlet connections • 1.5 gpm (5.7 L/min) standard	S-245-5-LAM-1.5 S-245-5-STN-LAM-1.5	Chrome Satin Nickel	262.30 337.00

Modifications for Bar Sink Faucets

SUFFIX	DESCRIPTION	PRICE
05	CG (1.9 L/min) flow restrictor (S-245 series only)	N/C
10	CG 1.0 gpm (3.8 L/min) flow restrictor (S-245 series only)	N/C

Service Sink Faucets

	DESCRIPTION	MODEL	FINISH	PRICE
	• Symmetrix Two Handle Service Sink Faucet • Wall mount • Ceramic cartridges • 1/2" IPS inlet connections • Vandal resistant • Mop bucket hook on spout	S-2490	Rough Chrome	211.20
	• Symmetrix Two Handle Service Sink Faucet • Wall mount • Integral check valves • Ceramic cartridges • 1/2" IPS inlet connections • Vandal resistant • Mop bucket hook on spout	S-2490-CHKS	Rough Chrome	234.70
	• Symmetrix Two Handle Laundry Faucet • 3-hole installation with 4" center • Red and blue handle indicators • 7-5/8" x 7" inch swivel spout • 1/2" IPS connections • Hose thread connection on spout • Ceramic cartridges • Metal construction • 1.5 gpm (5.7 L/min) flow rate	S-249	Chrome	160.80

Modifications for Service Sink Faucets

SUFFIX	DESCRIPTION	PRICE
0.5	CG 0.5 gpm (1.9 L/min) flow restrictor	N/C
1.0	CG 1.0 gpm (3.8 L/min) flow restrictor	N/C

Accessories



Symmons offers a full selection of accessories including showerheads, hand showers, diverters, towel bars and more. Symmons accessories are available for a wide variety of residential, commercial and institutional applications.

Available in these finishes:

Various finishes by product

Bath Accessories Towel Bars

	DESCRIPTION	MODEL	FINISH	PRICE
	• 18" or 24" Towel Bar • Coordinates with Allura and Braston collections • Durable mounting system • Metal construction	*18" Length*		
		583TB18	Chrome	67.50
		583TB18STN	Satin Nickel	87.75
		583TB18MB	Matte Black	94.50
		583TB18BBZ	Brushed Bronze	94.50
		24" Length		
		583TB24	Chrome	74.05
		583TB24STN	Satin NIckel	96.25
		583TB24MB	Matte Black	103.65
		583TB24BBZ	Brushed Bronze	103.65
	• 18" or 24" Towel Bar • Coordinates with Dia and Identity collections • Metal construction • Durable mounting system	*18" Length*		
		353TB-18	Chrome	67.50
		353TB-18-STN	Satin Nickel	87.90
		353TB-18-MB	Matte Black	95.15
		353TB-18-BBZ	Brushed Bronze	95.15
		24" Length		
		353TB-24	Chrome	74.05
		353TB-24-STN	Satin Nickel	96.45
		353TB-24-MB	Matte Black	104.40
		353TB-24-BBZ	Brushed Bronze	104.40
	• 18" or 24" Double Towel Bar • Coordinates with Dia and Identity collections • Metal construction • Durable mounting system	*18" Length*		
		353DTB-18	Chrome	119.55
		353DTB-18-STN	Satin Nickel	155.20
		353DTB-18-MB	Matte Black	168.20
		353DTB-18-BBZ	Brushed Bronze	168.20
		24" Length		
		353DTB-24	Chrome	126.80
		353DTB-24-STN	Satin Nickel	164.75
		353DTB-24-MB	Matte Black	178.40
		353DTB-24-BBZ	Brushed Bronze	178.40
	• 18" or 24" Towel Bar with Assist Bar • Coordinates with Dia and Identity collections • Stainless-steel construction • Durable mounting system • ADA compliant	*18" Length*		
		353GBTB-18	Chrome	126.80
		353GBTB-18-STN	Satin Nickel	177.50
		24" Length		
		353GBTB-24	Chrome	140.85
		353GBTB-24-STN	Satin Nickel	197.20
	• 22" Towel Shelf with Bar • Coordinates with Dia and Identity collections • Metal construction • Durable mounting system	353TS-22	Chrome	243.60
		353TS-22-STN	Satin Nickel	316.45

Accessories

Bath Accessories Towel Bars

	DESCRIPTION	MODEL	FINISH	PRICE
	• 18" or 24" Towel Bar • Coordinates with the Duro collection • Durable mounting system • Metal construction	*18" Length*		
		363TB-18	Chrome	93.70
		363TB-18-STN	Satin Nickel	121.75
		363TB-18-MB	Matte Black	131.80
		363TB-18-BBZ	Brushed Bronze	131.80
		24" Length		
		363TB-24	Chrome	108.50
		363TB-24-STN	Satin Nickel	140.60
		363TB-24-MB	Matte Black	152.70
		363TB-24-BBZ	Brushed Bronze	152.70
	• 18" or 24" Double Towel Bar • Coordinates with the Duro collection • Durable mounting system • Metal construction	*18" Length*		
		363DTB-18	Chrome	124.20
		363DTB-18-STN	Satin Nickel	161.30
		24" Length		
		363DTB-24	Chrome	145.40
		363DTB-24-STN	Satin Nickel	188.90
	• 18" or 24" Towel Bar with Assist Bar • Coordinates with the Duro collection • Durable mounting system • Metal construction • Screwless flanges • ADA compliant	*18" Length*		
		363GBTB-18	Chrome	126.80
		363GBTB-18-STN	Satin Nickel	177.50
		24" Length		
		363GBTB-24	Chrome	140.85
		363GBTB-24-STN	Satin Nickel	197.20
	• 22" towel shelf with bar • Coordinates with the Duro collection • Durable mounting system • Metal construction	363TS-22	Chrome	306.35
		363TS-22-STN	Satin Nickel	398.15
	• 18" or 24" Towel Bar • Coordinates with Birch and Elm collections • Durable mounting system • Metal construction	*18" Length*		
		553TB-18	Chrome	66.85
		553TB-18-STN	Satin Nickel	96.80
		553TB18MB	Matte Black	100.00
		553TB18BBZ	Brushed Bronze	100.00
		24" Length		
		553TB-24	Chrome	73.40
		553TB-24-STN	Satin Nickel	106.35
		553TB24MB	Matte Black	102.70
		553TB24BBZ	Brushed Bronze	102.75

Bath Accessories Towel Bars

	DESCRIPTION	MODEL	FINISH	PRICE
	• 18" or 24" Towel Bar • Coordinates with the Identity collection • Durable mounting system • Metal construction	*18" Length*		
		673TB-18	Chrome	34.00
		673TB-STN-18	Satin Nickel	47.65
		24" Length		
		673TB-24	Chrome	40.10
		673TB-STN-24	Satin Nickel	56.10
	P			
	• 18" or 24" Towel Bar • Coordinates with Oak collection • Durable mounting system • Metal construction	*18" Length*		
		563TB18	Chrome	67.50
		563TB18STN	Satin Nickel	87.75
		563TB18MB	Matte Black	94.50
		563TB18BBZ	Brushed Brozne	94.50
		24" Length		
		563TB24	Chrome	74.05
		563TB24STN	Satin Nickel	96.25
		563TB24MB	Matte Black	103.65
	P	563TB24BBZ	Brushed Bronze	103.65
	• 18" or 24" Towel Bar • Coordinates with the Verity collection • Durable mounting system • Metal construction	*18" Length*		
		493TB18	Chrome	72.10
		493TB18STN	Satin Nickel	93.75
		493TB18MB	Matte Black	100.95
		24" Length		
		493TB24	Chrome	82.40
		493TB24STN	Satin Nickel	107.10
	P	493TB24MB	Matte Black	115.35

Bath Accessories Towel Rings

	DESCRIPTION	MODEL	FINISH	PRICE
	• Towel Ring • Coordinates with Allura and Braston collections • Durable mounting system • Metal construction	583TR 583TRSTN 583TRMB 583TRBBZ	Chrome Satin Nickel Matte Black Brushed Bronze	43.00 55.95 60.20 60.20
	• Towel Ring • Coordinates with Dia and Identity collections • Durable mounting system • Metal construction	353TR 353TR-STN 353TR-MB 353TR-BBZ	Chrome Satin Nickel Matte Black Brushed Bronze	43.00 62.35 62.85 62.85
	• Towel Holder • Coordinates with the Duro collection • Durable mounting system • Metal construction	363TR 363TR-STN 363TR-MB 363TR-BBZ	Chrome Satin Nickel Matte Black Brushed Bronze	94.35 122.55 132.80 132.80
	• Towel Ring • Coordinates with Birch and Elm collections • Durable mounting system • Metal construction	553TR 553TR-STN 553TRMB 553TRBBZ	Chrome Satin Nickel Matte Black Brushed Bronze	44.80 64.85 62.80 62.80
	• Towel Ring • Coordinates with the Identity collection • Durable mounting system • Metal construction	673TR 673TR-STN	Chrome Satin Nickel	34.00 47.65
	• Towel Ring • Coordinates with Oak collection • Durable mounting system • Metal construction	563TR 563TRSTN 563TRMB 563TRBBZ	Chrome Satin Nickel Matte Black Brushed Bronze	43.00 55.95 60.20 60.20

Bath Accessories Towel Rings



DESCRIPTION	MODEL	FINISH	PRICE
• Towel Holder	493TR	Chrome	34.00
• Coordinates with the Verity collection	493TRSTN	Satin Nickel	44.20
• Durable mounting system	493TRMB	Matte Black	47.65
• Metal construction			

Bath Accessories Toilet Paper Holders

	DESCRIPTION	MODEL	FINISH	PRICE
	• Toilet Paper Holder • Coordinates with Allura and Braston collections • Durable mounting system • Metal construction	583TP 583TPSTN 583TPMB 583TPBBZ	Chrome Satin Nickel Matte Black Brushed Bronze	41.45 53.90 58.05 58.05
	• Toilet Paper Holder • Coordinates with Dia and Identity collections • Durable mounting system • Metal construction	353TP 353TP-STN 353TP-MB 353TP-BBZ	Chrome Satin Nickel Matte Black Brushed Bronze	41.45 53.95 60.05 60.05
	• Toilet Paper Holder with Cover • Coordinates with Dia and Identity collections • Durable mounting system • Metal construction	353TPC 353TPC-STN	Chrome Satin Nickel	65.20 84.70
	• Toilet Paper Holder • Coordinates with Dia and Identity collections • Durable mounting system • Metal construction • Mounts vertical or horizontal	0323-3TP	Chrome	148.80
	• Toilet Paper Holder with Assist Bar • Coordinates with Dia and Identity collections • Durable mounting system • Stainless-steel construction • ADA compliant	353GBTP 353GBTP-STN	Chrome Satin Nickel	128.05 179.25
	• Toilet Paper Holder • Coordinates with the Duro collection • Durable mounting system • Metal construction	363TP 363TP-STN 363TP-MB 363TP-BBZ	Chrome Satin Nickel Matte Black Brushed Bronze	53.40 69.45 75.25 75.25

Bath Accessories Toilet Paper Holders

	DESCRIPTION	MODEL	FINISH	PRICE
	• Toilet Paper Holder • Coordinates with the Duro collection • Durable mounting system • Metal construction	0113-TP	Chrome	79.20
	• Toilet Paper Holder with Assist Bar • Coordinates with the Duro collection • Durable mounting system • Metal construction • Screwless flanges • ADA compliant	363GBTP 363GBTP-STN	Chrome Satin Nickel	128.05 179.25
	• Toilet Paper Holder • Coordinates with Birch and Elm collections • Durable mounting system • Metal construction	553TP 553TP-STN 553TPMB 553TPBBZ	Chrome Satin Nickel Matte Black Brushed Bronze	73.40 114.35 102.75 102.75
	• Toilet Paper Holder • Coordinates with the Identity collection • Durable mounting system • Metal construction	673TP 673TP-STN	Chrome Satin Nickel	37.75 52.85
	• Toilet Paper Holder • Coordinates with Oak collection • Durable mounting system • Metal construction	563TP 563TPSTN 563TPMB 563TPBBZ	Chrome Satin Nickel Matte Black Brushed Bronze	41.45 53.90 58.05 58.05
	• Toilet Paper Holder • Coordinates with the Verity collection • Durable mounting system • Metal construction	493TP 493TPSTN 493TPMB	Chrome Matte Black Brushed Bronze	37.75 49.10 52.85

Bath Accessories Toilet Paper Holders

DESCRIPTION	MODEL	FINISH	PRICE
• Toilet Paper Holder • Metal construction • Durable mounting system	229-TP	Chrome	49.85
	229-TP-MB	Matte Black	76.75

Bath Accessories Robe Hooks

	DESCRIPTION	MODEL	FINISH	PRICE
	• Robe Hook • Coordinates with Allura and Braston collections • Durable mounting system • Metal construction	583RH 583RHSTN 583RHMB 583RHBBZ	Chrome Satin Nickel Matte Black Brushed Bronze	21.85 28.40 30.60 30.60
	• Double Robe Hook • Coordinates with Allura and Braston collections • Durable mounting system • Metal construction • Matte Black finish is Special Order	583DRH 583DRHSTN 583DRHMB 583DRHBBZ	Chrome Satin Nickel Matte Black Brushed Bronze	56.65 73.65 79.30 79.30
	• Robe Hook • Coordinates with Dia and Identity collections • Metal construction • Glass mount installation only	0142-353GMRH	Chrome	95.00
	• Robe Hook • Coordinates with Dia and Identity collections • Durable mounting system • Metal construction	353RH 353RH-STN 353RH-MB 353RH-BBZ	Chrome Satin Nickel Matte Black Brushed Bronze	21.85 28.25 31.60 31.60
	• Double Robe Hook • Coordinates with Dia and Identity collections • Durable mounting system • Metal construction	353DRH 353DRH-STN 353DRH-MB 353DRH-BBZ	Chrome Satin Nickel Matte Black Brushed Bronze	23.95 31.05 33.75 33.75
	• Robe Hook • Coordinates with the Duro collection • Durable mounting system • Metal construction	363RH 363RH-STN 363RH-MB 363RH-BBZ	Chrome Satin Nickel Matte Black Brushed Bronze	28.25 36.70 39.90 39.90

Bath Accessories Robe Hooks

	DESCRIPTION	MODEL	FINISH	PRICE
	• Double Robe Hook • Coordinates with Birch and Elm collections • Durable mounting system • Metal construction	553RH 553RH-STN 553RHMB 553RHBBZ	Chrome Satin Nickel Matte Black Brushed Bronze	35.75 51.85 50.00 50.00
	• Robe Hook • Coordinates with the Identity collection • Durable mounting system • Metal construction	673RH 673RH-STN	Chrome Satin Nickel	19.00 26.50
	• Robe Hook • Coordinates with the Oak collection • Durable mounting system • Metal construction	563RH 563RHSTN 563RHMB 563RHBBZ	Chrome Satin Nickel Matte Black Brushed Bronze	21.85 28.40 30.60 30.60
	• Robe Hook • Coordinates with the Verity collection • Durable mounting system • Metal construction	493RH 493RHSTN 493RHMB	Chrome Satin Nickel Matte Black	19.00 24.70 26.50

Bath Accessories Miscellaneous

	DESCRIPTION	MODEL	FINISH	PRICE
	• Soap Dish • Metal construction	353SD 353SD-STN	Chrome Satin Nickel	69.80 90.90
	• Curved Shower Rod • Contemporary/Modern style • Metal construction	353SR-5 353SR-5-STN 353SR-6 353SR-6-STN	5' Chrome 5' Satin Nickel 6' Chrome 6' Satin Nickel	93.45 136.00 108.85 158.75
	• 14" Glass Shelf • Metal and tempered glass construction	1003-GSH-14	Chrome	100.05
	• Corner Soap Basket • Metal construction	1003-SB	Chrome	88.30
	• Corner Soap Basket • Durable mounting system • Metal construction	363-SD2	Chrome	134.60
	• Soap Dish • Attaches to hand shower unit • Metal construction • For use with 0368-2HSB-LHS only	0368-3SD	Chrome	122.45

Bath Accessories Miscellaneous

	DESCRIPTION	MODEL	FINISH	PRICE
	• Hair Dryer Holder • Metal construction	0368-3HDH	Chrome	160.85

Showerheads (Ball Joint Type)

	DESCRIPTION	MODEL	FINISH	PRICE
	• Single-Function Showerhead • Standard on the Identity collection • 4" diameter • HydroMersion technology for increased force • Total spray for complete coverage • EverFlow rubber spray nozzles • Solid brass ball joint • Contemporary/Modern style	*2.0 gpm (7.6 L/min) standard*		
		482SH	Chrome	53.35
		482SHSTN	Satin Nickel	69.35
		482SHMB	Matte Black	74.65
		482SHBBZ	Brushed Bronze	74.65
		1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
		482SH15	Chrome	53.35
		482SHSTN15	Satin NIckel	69.35
		482SHMB15	Matte Black	74.65
		482SHBBZ15	Brushed Bronze	74.65
	WS P			
	• Multifunction Showerhead • Standard on the Dia collection • 4" diameter • 7 modes • HydroMersion technology for increased force • EverFlow rubber spray nozzles • Easy-shift thumb lever • Solid brass ball joint • Contemporary/Modern style	*2.0 gpm (7.6 L/min) standard*		
		482SH7	Chrome	78.60
		482SH7STN	Satin Nickel	102.25
		482SH7MB	Matte Black	110.70
		482SH7BBZ	Brushed Bronze	110.70
		1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
		482SH715	Chrome	78.60
		482SH7STN15	Satin Nickel	102.25
		482SH7MB15	Matte Black	110.70
		482SH7BBZ15	Brushed Bronze	110.70
	WS P			
	• Single-Function Showerhead • 6" diameter • HydroMersion technology for increased force • Total spray for complete coverage • EverFlow rubber spray nozzles • Solid brass ball joint • Contemporary/Modern style	*2.0 gpm (7.6 L/min) standard*		
		682SH	Chrome	113.30
		682SHSTN	Satin Nickel	147.30
		682SHMB	Matte Black	158.60
		682SHBBZ	Brushed Bronze	158.60
		1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
		682SH15	Chrome	113.30
		682SHSTN15	Satin Nickel	147.30
		682SHMB15	Matte Black	158.60
		682SHBBZ15	Brushed Bronze	158.60
	WS P			
	• Multifunction Showerhead • 6" diameter • 7 modes • HydroMersion technology for increased force • EverFlow rubber spray nozzles • Solid brass ball joint • Contemporary/Modern style	*2.0 gpm (7.6 L/min) standard*		
		682SH7	Chrome	169.15
		682SH7STN	Satin Nickel	219.85
		682SH7MB	Matte Black	236.80
		682SH7BBZ	Brushed Bronze	236.80
		1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
		682SH715	Chrome	169.15
		682SH7STN15	Satin Nickel	219.85
		682SH7MB15	Matte Black	236.80
		682SH7BBZ15	Brushed Bronze	236.80
	WS P			

Showerheads (Ball Joint Type)

	DESCRIPTION	MODEL	FINISH	PRICE
	• Single-Function Showerhead • Standard on the Duro collection • 5" square • HydroMersion technology for increased force • EverFlow rubber spray nozzles • Total spray for complete coverage • Solid brass ball joint • Contemporary/Modern style WS P	*2.0 gpm (7.6 L/min) standard*		
		482SHSQ	Chrome	70.85
		482SHSQSTN	Satin Nickel	91.80
		482SHSQMB	Matte Black	99.65
		482SHSQBBZ	Brushed Bronze	99.65
		1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
		482SHSQ15	Chrome	70.85
		482SHSQSTN15	Satin Nickel	91.80
		482SHSQMB15	Matte Black	99.65
		482SHSQBBZ15	Brushed Bronze	99.65
	• Single-Function Showerhead • 8" square • HydroMersion technology for increased force • EverFlow rubber spray nozzles • Total spray for complete coverage • Solid brass ball joint • Contemporary/Modern style WS P	*2.0 gpm (7.6 L/min) standard*		
		682SHSQ	Chrome	150.80
		682SHSQSTN	Satin Nickel	196.00
		682SHSQMB	Matte Black	211.10
		682SHSQBBZ	Brushed Bronze	211.10
		1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
		682SHSQ15	Chrome	150.80
		682SHSQSTN15	Satin Nickel	196.00
		682SHSQMB15	Matte Black	211.10
		682SHSQBBZ15	Brushed Bronze	211.10
	• Single-Function Showerhead • Standard on the Verity collection • 7" square • HydroMersion technology for increased force • EverFlow rubber spray nozzles • Total spray for complete coverage • Solid brass ball joint • Contemporary/Modern style WS P	*2.0 gpm (7.6 L/min) standard*		
		491SH	Chrome	53.35
		491SHSTN	Satin Nickel	69.35
		491SHMB	Matte Black	74.65
		1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
		491SH15	Chrome	53.35
		491SHSTN15	Satin Nickel	69.35
		491SHMB15	Matte Black	74.65
	• Single-Function Showerhead • 4" diameter • HydroMersion technology for increased force • Total spray for complete coverage • EverFlow rubber spray nozzles • Solid brass ball joint • Traditional style WS P	*2.0 gpm (7.6 L/min) standard*		
		582SH	Chrome	53.35
		582SHSTN	Satin Nickel	69.35
		582SHMB	Matte Black	74.65
		582SHBBZ	Brushed Bronze	74.65
		1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
		582SH15	Chrome	53.35
		582SHSTN15	Satin Nickel	69.35
		582SHMB15	Matte Black	74.65
		582SHBBZ15	Brushed Bronze	74.65

Showerheads (Ball Joint Type)

DESCRIPTION	MODEL	FINISH	PRICE
• Multifunction Showerhead • Standard on the Braston collection • 4" diameter • 7 modes • HydroMersion technology for increased force • EverFlow rubber spray nozzles • Easy-shift thumb lever • Solid brass ball joint • Traditional style	*2.0 gpm (7.6 L/min) standard*		
	582SH7	Chrome	78.60
	582SH7STN	Satin Nickel	102.20
	582SH7MB	Matte Black	110.70
	582SH7BBZ	Brushed Bronze	110.70
	1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
	582SH715	Chrome	78.60
	582SH7STN15	Satin Nickel	102.20
	582SH7MB15	Matte Black	110.70
	582SH7BBZ15	Brushed Bronze	110.70
WS P			
• Single-Function Showerhead • Standard on the Oak collection • 5" square • HydroMersion technology for increased force • EverFlow rubber spray nozzles • Total spray for complete coverage • Solid brass ball joint • Transitional style	*2.0 gpm (7.6 L/min) standard*		
	562SH	Chrome	78.60
	562SHSTN	Satin Nickel	102.20
	562SHMB	Matte Black	110.00
	562SHBBZ	Brushed Bronze	110.00
	1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
	562SH15	Chrome	78.60
	562SHSTN15	Satin Nickel	102.20
	562SHMB15	Matte Black	110.00
	562SHBBZ15	Brushed Bronze	110.00
WS P			
• Single-Function Showerhead • Standard on the Birch collection • 4" diameter • HydroMersion technology for increased force • Total spray for complete coverage • EverFlow rubber spray nozzles • Solid brass ball joint • Transitional style	*2.0 gpm (7.6 L/min) standard*		
	592SH	Chrome	53.35
	592SHSTN	Satin Nickel	69.35
	1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
	592SH15	Chrome	53.35
	592SHSTN15	Satin Nickel	69.35
WS P			
• Multifunction Showerhead • Standard on the Elm collection • 4" diameter • 7 modes • HydroMersion technology for increased force • EverFlow rubber spray nozzles • Easy-shift thumb lever • Solid brass ball joint • Transitional style	*2.0 gpm (7.6 L/min) standard*		
	592SH7	Chrome	78.60
	592SH7STN	Satin Nickel	102.25
	592SH7MB	Matte Black	110.75
	592SH7BBZ	Brushed Bronze	110.75
	1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
	592SH715	Chrome	78.60
	592SH7STN15	Satin Nickel	102.25
	592SH7MB15	Matte Black	110.75
	592SH7BBZ15	Brushed Bronze	110.75
WS P			

Showerheads (Ball Joint Type)

	DESCRIPTION	MODEL	FINISH	PRICE
	• Single-Function Showerhead • 5-3/4" diameter • Easy to clean rubber nozzles WS P	*2.0 gpm (7.6 L/min) standard*		
		532SH	Chrome	172.60
		532SH-STN	Satin Nickel	241.60
		532SHMB	Matte Black	241.60
		1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
		532SH-1.5	Chrome	172.60
		532SH-STN-1.5	Satin Nickel	241.60
		532SHMB15	Matte Black	241.60
	• Single-Function Showerhead • 7-1/2" diameter • Easy to clean rubber nozzles • Recommend A18 shower arm for 1.5 gpm WS P	*2.0 gpm (7.6 L/min) standard*		
		432SH	Chrome	245.55
		432SH-STN	Satin Nickel	343.95
		432SHMB	Matte Black	343.80
		1.5 gpm (5.7 L/min) CALGreen		
		432SH-1.5	Chrome	245.55
		432SH-STN-1.5	Satin Nickel	343.95
		432SH-MB-1.5	Matte Black	343.80
	• Multifunction Showerhead • 4-3/4" diameter • 5 modes • Easy to clean rubber spray nozzles • 2.0 gpm (7.6 L/min) flow rate WS P	10262SH520	Chrome	55.30
		10262SH5STN20	Satin Nickel	71.90
		10262SH5MB20	Matte Black	85.25
	• Single-Function Rain Showerhead • 12" diameter • 2.0 gpm (7.6 L/min) flow rate P	402SH1	Chrome	486.85
		402SH1-STN	Satin Nickel	681.40
	• Single-Function Showerhead • Female ball joint connection • 2-3/4" diameter • Easy to clean rubber nozzles • 2.0 gpm (7.6 L/min) flow rate CG WS	*2.0 gpm (7.6 L/min) standard*		
		4-141	Chrome	52.25
		4-141-STN	Satin Nickel	83.75
		1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
		4-141-1.5	Chrome	52.25
		4-141-STN-1.5	Satin Nickel	83.75
	• Multifunction Showerhead • Standard on the Allura collection • 3-3/4" diameter • 3 modes • Easy to clean rubber nozzles	4-143	Chrome	122.10
		4-143-STN	Satin Nickel	187.10

Showerheads (Ball Joint Type)

	DESCRIPTION	MODEL	FINISH	PRICE
	• Single-Function Showerhead • 3-1/2" diameter • Easy to clean rubber nozzles • 2.0 gpm (7.6 L/min) flow rate	4-241 4-241-STN	Chrome Satin Nickel	164.15 229.95
	• Single-Function Showerhead • 2-1/4" diameter • 2.0 gpm (7.6 L/min) flow rate	4-137	Chrome	101.75
	• 2-Function Showerhead • External volume control • 3-1/4" diameter • 2.0 gpm (7.6 L/min) flow rate	4-221 4-221-STN	Chrome Satin Nickel	190.95 267.05
	• 2-Function Showerhead • 3-1/4" diameter • 2.0 gpm (7.6 L/min) flow rate P	4-231 4-231-STN	Chrome Satin Nickel	133.95 201.05

Modifications for Showerheads (Ball Joint Type)

SUFFIX	DESCRIPTION	CHROME	STN	BBZ	MB
15	CG 1.5 gpm (5.7 L/min) flow restrictor	N/C	N/C	N/C	N/C

Showerheads (Institutional Type)

	DESCRIPTION	MODEL	FINISH	PRICE
	• Single-Function Showerhead • 1/2" sweat connection • 2.0 gpm (7.6 L/min) flow rate	*2.0 gpm (7.6 L/min) standard*		
		4-150	Chrome	229.30
		1.5 gpm (5.7 L/min) CALGreen		
		4-150-1.5	Chrome	229.30
	• Single-Function Showerhead • 15-degree spray angle • 1/2" sweat connection • 2.0 gpm (7.6 L/min) flow rate	*2.0 gpm (7.6 L/min) standard*		
		4-150-15	Chrome	229.30
		1.5 gpm (5.7 L/min) CALGreen		
		4-150-15-1.5	Chrome	229.30
	• Single-Function Showerhead • 1/2" sweat connection • 2.0 gpm (7.6 L/min) flow rate	*2.0 gpm (7.6 L/min) standard*		
		4-151	Chrome	449.95
	• Single-Function Showerhead • Vandal resistant • 2.0 gpm (7.6 L/min) flow rate	*2.0 gpm (7.6 L/min) standard*		
		4-282F	Chrome	122.60
		1.5 gpm (5.7 L/min) CALGreen		
		4-282F-1.5	Chrome	122.60
	• Single-Function Showerhead • Vandal resistant • 2.0 gpm (7.6 L/min) flow rate	*2.0 gpm (7.6 L/min) standard*		
		4-285F	Chrome	98.05
		1.5 gpm (5.7 L/min) CALGreen		
		4-285F-1.5	Chrome	98.05
	• Single-Function Showerhead • 1/2" sweat connection • 2.0 gpm (7.6 L/min) flow rate	*2.0 gpm (7.6 L/min) standard*		
		4-295	Chrome	287.35
		1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
		4-295-1.5	Chrome	287.35

Showerheads (Institutional Type)

	DESCRIPTION	MODEL	FINISH	PRICE
	• Single-Function Showerhead • 15-degree spray angle • 1/2" sweat connection • 2.0 gpm (7.6 L/min) flow rate	*2.0 gpm (7.6 L/min) standard*		
		4-295-15	Chrome	287.35
		1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
		4-295-15-1.5	Chrome	287.35
	• Single-Function Showerhead with Short Head Bracket • 1/2" female thread connection • 2.0 gpm (7.6 L/min) flow rate	*2.0 gpm (7.6 L/min) standard*		
		4-385	Chrome	192.30
		1.5 gpm (5.7 L/min) CALGreen		
		4-385-1.5	Chrome	192.30

Modifications for Showerheads (Institutional Type)

SUFFIX	DESCRIPTION	PRICE
1.5	CG 1.5 gpm (5.7 L/min) flow restrictor (not available for 4-385, 4-282, 4-270, 4-285, 4-151)	N/C
A	Anchor plate for use with ceramic tile	25.00
B	Back plate and bolts for extra thick wall	43.20

Shower Arms and Head Brackets

	DESCRIPTION	MODEL	FINISH	PRICE
	• Shower arm and flange • Standard on the Oak collection • 8" length	562SA 562SASTN 562SAMB 562SABBZ	Chrome Satin Nickel Matte Black Brushed Bronze	73.20 95.15 102.50 102.50
	• Shower Arm and Flange • Standard on the Braston collection • 8-1/4" length • Matte Black finish is Special Order	582SA 582SASTN 582SAMB 582SABBZ	Chrome Satin Nickel Matte Black Brushed Bronze	73.20 95.15 102.50 102.50
	• Shower arm with heavy flange • 8" length	300 300-STN 300-MB 300-BBZ	Chrome Satin Nickel Matte Black Brushed Bronze	68.65 89.10 89.10 89.10
	• Long shower arm and flange • Stamped flange • 8" length	300M 300M-STN	Chrome Satin Nickel	36.85 51.75
	• Short shower arm and flange • Stamped flange • 6" length	300S 300S-STN 300S-MB 300S-BBZ	Chrome Satin Nickel Matte Black Brushed Bronze	25.60 33.25 37.15 37.15
	• Shower Arm and Flange • Standard on Duro and Verity collections • Metal square flange • 8" length	300SQ 300SQ-STN 300SQ-MB 300SQ-BBZ	Chrome Satin Nickel Matte Black Brushed Bronze	75.40 98.05 106.20 106.20

Shower Arms and Head Brackets

	DESCRIPTION	MODEL	FINISH	PRICE
	• Head bracket • 4 1/4" length	301	Chrome	80.05
	• Shower arm • 6" length	304 304-STN	Chrome Satin Nickel	79.00 108.85
	• Extended head bracket • Concealed back inlet • 5" length	4-440	Chrome	228.40
	• Extended head bracket • Exposed bottom inlet • 5" length	4-445	Chrome	241.50
	• Shower arm • 7 3/8" length	522SA 522SA-STN	Chrome Satin Nickel	72.85 101.80
	• Wall mounted shower arm and flange • 18" length	A18 A18-STN A18MB	Chrome Satin Nickel Matte Black	113.35 158.60 163.20

Shower Arms and Head Brackets

	DESCRIPTION	MODEL	FINISH	PRICE
	• Overhead shower arm and flange • 8" length	CA-8	Chrome	81.40
		CA-8-STN	Satin Nickel	114.25
		CA-8-BBZ	Brushed Bronze	113.95
	• Overhead shower arm and flange • Square escutcheon • 8" length	CA-8-SQ	Chrome	90.25
		CA-8-SQ-STN	Satin Nickel	126.25

Hand Showers

DESCRIPTION	MODEL	FINISH	PRICE
• Single-Function Hand Shower Wand • Standard on the Identity collection • 4" diameter • HydroMersion technology for increased force • Total spray for complete coverage • Pause mode for non-positive shutoff • EverFlow rubber spray nozzles • Easy-shift thumb lever • Contemporary/Modern style	*2.0 gpm (7.6 L/Min) standard*		
	482W	Chrome	61.80
	482WSTN	Satin Nickel	80.35
	482WMB	Matte Black	86.50
	482WBBZ	Brushed Bronze	86.50
	1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
	482W	Chrome	61.80
	482WSTN15	Satin Nickel	80.35
	482WMB15	Matte Black	86.50
	482WBBZ15	Brushed Bronze	86.50
• Single-Function Hand Shower System • Standard on the Identity collection • 4" HydroMersion hand shower wand with Total spray Pause mode • EverFlow rubber spray nozzles • Wall cradle and elbow • 60" flexible metal hose • Contemporary/Modern style • 2.0 gpm (7.6 L/min) flow rate	HR501	Chrome	317.20
	HR501STN	Satin Nickel	412.35
	HR501MB	Matte Black	444.10
	HR501BBZ	Brushed Bronze	444.10
• Single-Function Hand Shower Slide Bar System • Coordinates with the Identity collection • 4" HydroMersion hand shower wand with Total spray and Pause mode • EverFlow rubber spray nozzles • 30" hand shower slide bar • 60" flexible metal hose • Contemporary/Modern style • 2.0 gpm (7.6 L/min) flow rate	HR521	Chrome	382.05
	HR521STN	Satin Nickel	496.60
	HR521MB	Matte Black	534.85
	HR521BBZ	Brushed Bronze	534.85
• Multifunction Hand Shower Wand • Standard on the Dia collection • 4" diameter • 7 modes • HydroMersion technology for increased force • EverFlow rubber spray nozzles • Easy-shift thumb lever • Pause mode for non-positive shutoff • Contemporary/Modern style	*2.0 gpm (7.6 L/Min) standard*		
	482W7	Chrome	81.35
	482W7STN	Satin Nickel	105.80
	482W7MB	Matte Black	113.90
	482W7BBZ	Brushed Bronze	113.90
	1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
	482W715	Chrome	81.35
	482W7STN15	Satin Nickel	105.80
	482W7MB15	Matte Black	113.90
	482W7BBZ15	Brushed Bronze	113.90

Hand Showers

DESCRIPTION	MODEL	FINISH	PRICE
• Multifunction Hand Shower System • Coordinates with the Dia collection • 4" HydroMersion hand shower wand with 7 modes • EverFlow rubber spray nozzles • Wall cradle and elbow • 60" flexible metal hose • Contemporary/Modern style • 2.0 gpm (7.6 L/min) flow rate	HR507	Chrome	336.75
	HR507STN	Satin Nickel	437.80
	HR507MB	Matte Black	471.50
	HR507BBZ	Brushed Bronze	471.50
• Multifunction Hand Shower Slide Bar System • Coordinates with the Dia collection • 4" HydroMersion hand shower wand with 7 modes • EverFlow rubber spray nozzles • 30" hand shower slide bar • 60" flexible metal hose • Contemporary/Modern style • 2.0 gpm (7.6 L/min) flow rate	HR527	Chrome	401.60
	HR527STN	Satin Nickel	522.05
	HR527MB	Matte Black	562.25
	HR527BBZ	Brushed Bronze	562.25
• Single-Function Hand Shower Wand • Standard on the Duro and Verity collections • 2-1/2" x 4-1/2" spray head • HydroMersion technology for increased force • EverFlow rubber spray nozzles • Total spray for complete coverage • Push-button Pause mode for non-positive shutoff • Contemporary/Modern style	*2.0 gpm (7.6 L/Min) standard*		
	482WSQ	Chrome	104.90
	482WSQSTN	Satin Nickel	136.35
	482WSQMB	Matte Black	146.90
	482WSQBBZ	Brushed Bronze	146.90
	1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
	482WSQ15	Chrome	104.90
	482WSQSTN15	Satin Nickel	136.35
	482WSQMB15	Matte Black	146.90
	482WSQBBZ15	Brushed Bronze	146.90

Hand Showers

	DESCRIPTION	MODEL	FINISH	PRICE
	• Single-Function Hand Shower System • Coordinates with Duro and Verity collections • 2 1/2" x 4" HydroMersion hand shower wand with Total spray and push-button Pause mode • EverFlow rubber spray nozzles • Wall cradle and elbow • 60" flexible metal hose • Contemporary/Modern style • 2.0 gpm (7.6 L/min) flow rate	HS501	Chrome	360.30
		HS501STN	Satin Nickel	468.40
		HS501MB	Matte Black	504.45
		HS501BBZ	Brushed Bronze	504.45
	WS P			
	• Single-Function Hand Shower Slide Bar System • Coordinates with Duro and Verity collections • 2-1/2" x 4-1/2" HydroMersion hand shower wand with Total spray and push-button Pause mode • EverFlow rubber spray nozzles • 30" hand shower slide bar • 60" flexible metal hose • Contemporary/Modern style • 2.0 gpm (7.6 L/min) flow rate	HS521	Chrome	362.40
		HS521STN	Satin Nickel	471.10
		HS521MB	Matte Black	507.40
		HS521BBZ	Brushed Bronze	507.40
	WS P			
	• Multifunction Hand Shower Wand • Standard on the Braston collection • 4" diameter • 7 modes • HydroMersion technology for increased force • EverFlow rubber spray nozzles • Easy-shift thumb lever • Pause mode for non-positive shutoff • Traditional style	*2.0 gpm (7.6 L/Min) standard*		
		582W7	Chrome	81.35
		582W7STN	Satin Nickel	105.80
		582W7MB	Matte Black	113.90
		582W7BBZ	Brushed Bronze	113.90
		1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
		582W715	Chrome	81.35
		582W7STN15	Satin Nickel	105.80
		582W7MB15	Matte Black	113.90
		582W7BBZ15	Brushed Bronze	113.90
	WS P			

Hand Showers

DESCRIPTION	MODEL	FINISH	PRICE
• Multifunction Hand Shower System • Coordinates with Allura and Braston collections • 4" HydroMersion hand shower wand with 7 modes • EverFlow rubber spray nozzles • Integrated wall cradle and elbow • 60" flexible metal hose • Traditional style • 2.0 gpm (7.6 L/min) flow rate	HR707	Chrome	317.20
	HR707STN	Satin Nickel	412.35
	HR707MB	Matte Black	444.10
	HR707BBZ	Brushed Bronze	444.10
• Multifunction Hand Shower Slide Bar System • Coordinates with Allura and Braston collections • 4" HydroMersion hand shower wand with 7 modes • EverFlow rubber spray nozzles • 30" hand shower slide bar • 60" flexible metal hose • Traditional style • 2.0 gpm (7.6 L/min) flow rate	HR727	Chrome	382.05
	HR727STN	Satin Nickel	496.60
	HR727MB	Matte Black	534.85
	HR727BBZ	Brushed Bronze	534.85
• Single-Function Hand Shower Wand • Standard on the Oak collection • 4" square • HydroMersion technology for increased force • EverFlow rubber spray nozzles • Total spray for complete coverage • Push-button Pause mode for non-positive shutoff • Transitional style	*2.0 gpm (7.6 L/Min) standard*		
	562W	Chrome	104.90
	562WSTN	Satin Nickel	136.35
	562WMB	Matte Black	146.90
	562WBBZ	Brushed Bronze	146.90
	1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
	562W15	Chrome	104.90
	562WSTN15	Satin Nickel	136.35
	562WMB15	Matte Black	146.90
	562WBBZ15	Brushed Bronze	146.90

Hand Showers

	DESCRIPTION	MODEL	FINISH	PRICE
	• Single-Function Hand Shower System • Coordinates with the Oak collection • 4" HydroMersion hand shower wand with Total spray and push-button Pause mode • EverFlow rubber spray nozzles • Integrated wall cradle and elbow • 60" flexible metal hose • Transitional style • 2.0 gpm (7.6 L/min) flow rate	HS601 HS601STN HS601MB HS601BBZ	Chrome Satin Nickel Matte Black Brushed Bronze	360.30 468.40 504.45 504.45
	• Single-Function Hand Shower Slide Bar System • Standard on the Oak collection • 4" HydroMersion hand shower wand with Total spray and push-button Pause mode • EverFlow rubber spray nozzles • 30" hand shower slide bar • 60" flexible metal hose • Transitional style • 2.0 gpm (7.6 L/min) flow rate	HS621 HS621STN HS621MB HS621BBZ	Chrome Satin Nickel Matte Black Brushed Bronze	425.15 552.65 595.20 595.20
	• Single-Function Hand Shower Wand • Standard on the Birch collection • 4" diameter • HydroMersion technology for increased force • Total spray for complete coverage • Pause mode for non-positive shutoff • Easy-shift thumb lever • EverFlow rubber spray nozzles • Transitional style	*2.0 gpm (7.6 L/Min) standard* 592W 592WSTN *1.5 gpm (5.7 L/min) WaterSense®, CALGreen* 592W15 592WSTN15	 Chrome Satin Nickel Chrome Satin Nickel	 61.80 80.35 61.80 80.35
	• Single-Function Hand Shower System • Coordinates with the Birch collection • 4" HydroMersion hand shower wand with Total spray and Pause mode • EverFlow rubber spray nozzles • Wall cradle and elbow • 60" flexible metal hose • Transitional style • 2.0 gpm (7.6 L/min) flow rate	HR601 HR601STN	Chrome Satin Nickel	317.20 412.35

Hand Showers

DESCRIPTION	MODEL	FINISH	PRICE
• Single-Function Hand Shower Slide Bar System • Coordinates with the Birch collection • 4" HydroMersion hand shower wand with Total spray and Pause mode • EverFlow rubber spray nozzles • 30" hand shower slide bar • 60" flexible metal hose • Transitional style • 2.0 gpm (7.6 L/min) flow rate	HR621	Chrome	382.05
	HR621STN	Satin Nickel	496.60
• Multifunction Hand Shower Wand • Standard on the Elm collection • 4" diameter • 7 modes • HydroMersion technology for increased force • EverFlow rubber spray nozzles • Easy-shift thumb lever • Pause mode for non-positive shutoff • Transitional style	*2.0 gpm (7.6 L/Min) standard*		
	592W7	Chrome	81.35
	592W7STN	Satin Nickel	105.80
	592W7MB	Matte Black	113.90
	592W7BBZ	Brushed Bronze	113.90
	1.5 gpm (5.7 L/min) WaterSense®, CALGreen		
	592W715	Chrome	81.35
	592W7STN15	Satin Nickel	105.80
	592W7MB15	Matte Black	113.90
	592W7BBZ15	Brushed Bronze	113.90
• Multifunction Hand Shower System • Standard on the Elm collection • 4" HydroMersion hand shower wand with 7 modes • EverFlow rubber spray nozzles • Wall cradle and elbow • 60" flexible metal hose • Transitional style • 2.0 gpm (7.6 L/min) flow rate	HR607	Chrome	336.75
	HR607STN	Satin Nickel	437.80
	HR607MB	Matte Black	471.50
	HR607BBZ	Brushed Bronze	471.50
• Multifunction Hand Shower Slide Bar System • Coordinates with the Elm collection • 4" HydroMersion hand shower wand with 7 modes • EverFlow rubber spray nozzles • 30" hand shower slide bar • 60" flexible metal hose • Transitional style • 2.0 gpm (7.6 L/min) flow rate	HR627	Chrome	401.60
	HR627STN	Satin Nickel	522.05
	HR627MB	Matte Black	562.25
	HR627BBZ	Brushed Bronze	562.25

Hand Showers

	DESCRIPTION	MODEL	FINISH	PRICE
	• Single-Function Hand Shower Wand • 1" diameter • 2.0 gpm (7.6 L/min) flow rate	432W 432W-STN 432WMB 432WBBZ	Chrome Satin Nickel Matte Black Brushed Bronze	164.65 230.50 230.50 230.50
	• Single-Function Hand Shower System • 1" single-function hand shower wand • Integrated wall cradle and elbow • 60" flexible metal hose • Contemporary/Modern style • 2.0 gpm (7.6 L/min) flow rate	HR101 HR101STN HR101MB HR101BBZ	Chrome Satin Nickel Matte Black Brushed Bronze	296.75 385.80 415.45 415.45
	• Multifunction Handheld Showerhead • 4" HydroMersion hand shower wand with Total spray and Pause mode • EverFlow rubber spray nozzles • Shower arm, flange and wand cradle adaptor included • 60" flexible metal hose • Contemporary/Modern style • 2.0 gpm (7.6 L/min) flow rate • Available Q1 2025	HSA507 HSA507STN HSA507MB HSA507BBZ	Chrome Satin Nickel Matte Black Brushed Bronze	250.00 325.00 350.00 350.00
	• Multifunction Hand Shower Wand • 4-3/4" diameter • 5 modes • 2.0 gpm (7.6 L/min) flow rate	10262W5 10262W5STN 10262W5MB	Chrome Satin Nickel Matte Black	66.55 86.50 93.15
	• ADA Hand Shower Wand • 3-3/8" diameter • Non-positive shutoff button • 2.0 gpm (7.6 L/min) flow rate	ADACHS ADACHS-STN ADACHS-MB ADACHS-BBZ ADACHS-WHT	Chrome Satin Nickel Matte Black Brushed Bronze White	88.95 124.60 129.00 129.00 65.40

Hand Showers

	DESCRIPTION	MODEL	FINISH	PRICE
	• Single-Function Hand Shower Wand • 2-3/4" diameter • 2.0 gpm (7.6 L/min) flow rate	EF-100 EF-100-STN EF-100-MB EF-100-BBZ	Chrome Satin Nickel Matte Black Brushed Bronze	88.45 186.15 186.15 186.15
	• Single-Function Hand Shower Wand • 3-3/4" diameter • 2.0 gpm (7.6 L/min) flow rate	EF-118 EF-118-STN	Chrome Satin Nickel	156.05 218.25
	• Single-Function Hand Shower System • 3" white hand shower wand • Wall cradle and elbow • 60" flexible metal hose • 2.0 gpm (7.6 L/min) flow rate	FS	Chrome	366.30
	• Single-Function Hand Shower Slide Bar System • 3" white hand shower wand • 30" slide bar with cradle for hand shower mounting • 60" flexible metal hose • 2.0 gpm (7.6 L/min) flow rate	FSB FSB-STN	Chrome Satin Nickel	521.80 834.80
	• Single-Function Hand Shower Slide Bar System • 3" white hand shower wand • Easy to clean rubber nozzles • Wall connection and flange • 30" slide bar with cradle for hand shower mounting • 60" flexible metal hose • 2.0 gpm (7.6 L/min) flow rate	T-300B-30-V T-300B-30-V-STN	Chrome Satin Nickel	448.95 718.10

Hand Showers

	DESCRIPTION	MODEL	FINISH	PRICE
	• 1-1/2" Diameter Grab Bar/Slide Bar • ADA slide mechanism • 60" flexible metal hose • ADA Chrome or Satin Nickel hand shower wand with non-positive shutoff • Supply elbow included • Wall connection and flange • 2.0 gpm (7.6 L/min) flow rate	*24" Length*		
		T724	Chrome	372.60
		T724-STN	Satin Nickel	486.25
		36" Length		
		T736	Chrome	396.05
		T736-STN	Satin Nickel	514.25
		48" Length		
		T748	Chrome	496.40
		T748-STN	Satin Nickel	561.10
	• 1-1/2" Diameter Grab Bar/Slide Bar • ADA slide mechanism • 60" flexible metal hose • ADA white hand shower wand with non-positive shutoff • Supply elbow included • Wall connection and flange • 2.0 gpm (7.6 L/min) flow rate	T24-WT	24" White	349.05
		T36-WT	36" White	372.40
		T48-WT	48" White	411.40
	• 24" or 36" Slide/Grab Bar • Contemporary/Modern style • 4" HydroMersion hand shower wand with 7 modes • EverFlow rubber spray nozzles • 60" flexible metal hose • 1-1/2" diameter slide bar • Pause mode for non-positive shutoff • ADA slide mechanism • Wall elbow included • 2.0 gpm (7.6 L/min) flow rate	*24" Length*		
		H35924	Chrome	426.20
		H35924STN	Satin Nickel	584.25
		H35924MB	Matte Black	596.80
		36" Length		
		H35936	Chrome	434.65
		H35936STN	Satin Nickel	595.95
		H35936MB	Matte Black	608.45
	• 24" or 36" Slide/Grab Bar • 2-1/2" x 4-1/2" HydroMersion hand shower wand with Total spray and push-button Pause mode • EverFlow rubber spray nozzles • 60" flexible metal hose • 1-1/2" diameter slide bar • ADA slide mechanism • Wall elbow included • Contemporary/Modern style • 2.0 gpm (7.6 L/min) flow rate	*24" Length*		
		H36924	Chrome	426.20
		H36924STN	Satin Nickel	584.25
		H36924MB	Matte Black	596.80
		36" Length		
		H36936	Chrome	434.65
		H36936STN	Satin Nickel	595.95
		H36936MB	Matte Black	608.45

Hand Showers

	DESCRIPTION	MODEL	FINISH	PRICE
	• Multifunction Hand Shower Wand • Standard on the Allura collection • 3-3/4" diameter • 3 modes • 2.0 gpm (7.6 L/min) flow rate WS P	EF-101 EF-101-STN	Chrome Satin Nickel	81.35 113.95
	• Multifunction Hand Shower Wand • 3-3/4" diameter • 3 modes • 2.0 gpm (7.6 L/min) flow rate WS P	EF-119	Chrome	216.55
	• Multifunction Hand Shower System • Standard on the Allura collection • 3-3/4" hand shower wand with 3 modes • Cradle for hand shower wand mounting • 60" flexible metal hose • 2.0 gpm (7.6 L/min) flow rate P	H303-V H303-V-STN	Chrome Satin Nickel	302.45 508.45
	• Multifunction Hand Shower Slide Bar System • Coordinates with the Allura collection • 3-5/8" hand shower wand with 3 modes • 30" slide bar with cradle for hand shower mounting • 60" flexible metal hose • 2.0 gpm (7.6 L/min) flow rate P	H323-V H323-V-STN	Chrome Satin Nickel	389.30 661.85
	• Hand Shower Unit • Hand shower wand not included • Wall elbow • 30" slide bar with cradle for hand shower mounting	0368-2HSB-LHS	Chrome	214.85
	• Slide Mechanism for B30 series 30" Adjusting Bar	FP-SM3	Chrome	65.60

Hand Showers

	DESCRIPTION	MODEL	FINISH	PRICE
	• Exposed Shower Riser • Round flanges • Metal lever handle • Diverter included for toggling between distinct showerhead and hand shower positions • Includes column/slide bar and hand shower bracket • 60" flexible metal hose • Hand shower and showerhead not included	35EX 35EX-STN 35EX-MB	Chrome Satin Nickel Matte Black	539.45 755.30 755.30
	• Exposed Shower Riser • Square flanges • Metal lever handle • Diverter included for toggling between distinct showerhead and hand shower positions • Includes column/slide bar and hand shower bracket • 60" flexible metal hose • Hand shower and showerhead not included	36EX 36EX-STN	Chrome Satin Nickel	539.45 755.30

Modifications for Hand Showers

SUFFIX	DESCRIPTION	CHROME	STN	BBZ	MB
15	CG 1.5 gpm (5.7 L/min) flow restrictor	N/C	N/C	N/C	N/C

Tub Spouts with Diverter

	DESCRIPTION	MODEL	FINISH	PRICE
	• Braston Diverter Tub Spout • 7-1/16" length • Pull-up diverter • Metal construction • Slip-on installation • Matte Black finish is Special Order	582DTS 582DTSSTN 582DTSMB 582DTSBBZ	Chrome Satin Nickel Matte Black Brushed Bronze	53.25 69.20 74.55 74.55
	• Duro Diverter Tub Spout • 6-1/2" length • Pull-up diverter • Metal construction • Thread-on installation	361DTS 361DTS-STN 361DTS-MB 361DTS-BBZ	Chrome Satin Nickel Matte Black Brushed Bronze	200.35 260.35 282.05 282.05
	• Duro Diverter Tub Spout • 6-1/2" length • Pull-up diverter • Metal construction • Slip-on installation	361DTS-SS 361DTS-SS-STN 361DTS-MB 361DTS-BBZ	Chrome Satin Nickel Matte Black Brushed Bronze	200.35 260.35 282.05 282.05
	• Elm Diverter Tub Spout • 5-7/8" length • Pull-up diverter • Metal construction • Thread-on installation	552TSD 552TSD-STN 552TSDMB 552TSDBBZ	Chrome Satin Nickel Matte Black Brushed Bronze	95.50 128.80 133.70 133.70
	• Oak Diverter Tub Spout • 7-11/16" length • Pull-up diverter • Metal construction • Slip-on installation	562DTS 562DTSSTN 562DTSMB 562DTSBBZ	Chrome Satin Nickel Matte Black Brushed Bronze	53.25 69.20 74.55 74.55
	• Verity Diverter Tub Spout • 5-1/2" length • Pull-up diverter • Metal construction • Slip-on installation	493DTS 493DTSSTN 493DTSMB	Chrome Satin Nickel Matte Black	84.10 109.35 117.75

Tub Spouts with Diverter

	DESCRIPTION	MODEL	FINISH	PRICE
	• Diverter tub spout • 5-1/2" length • 1/2" inlet • Pull-up diverter • Metal construction • Slip-on installation	053 053-STN	Chrome Satin Nickel	84.10 117.65
	• Diverter tub spout • 5-1/2" length • Pull-up diverter • Metal construction • Thread-on installation	054 054-STN 054MB 054BBZ	Chrome Satin Nickel Matte Black Brushed Bronze	58.85 76.50 82.40 82.40
	• Diverter tub spout • 7" length • Pull-up diverter • Metal construction • Thread-on installation	352TS 352TS-STN 352TS-MB 352TS-BBZ	Chrome Satin Nickel Matte Black Brushed Bronze	53.25 74.45 74.95 74.95
	• Diverter tub spout • 7" length • Pull-up diverter • Metal construction • Slip-on installation	057 057-STN 057MB 057BBZ	Chrome Satin Nickel Matte Black Brushed Bronze	57.85 112.95 80.95 80.95

Tub Spouts without Diverter

	DESCRIPTION	MODEL	FINISH	PRICE
	• Braston Tub Spout • 7-1/16" length • Metal construction • Slip-on installation • Matte Black finish is Special Order	582TS 582TSSTN 582TSMB 582TSBBZ	Chrome Satin Nickel Matte Black Brushed Bronze	53.25 69.20 74.55 74.55
	• Duro Non-Diverter Tub Spout • 6" length • Metal construction • Thread-on installation	361TS 361TS-STN 361TS-MB 361TS-BBZ	Chrome Satin Nickel Matte Black Brushed Bronze	184.70 240.20 260.00 260.00
	• Duro Non-Diverter Tub Spout • 6" length • Metal construction • Slip-on installation	361TS-SS 361TS-SS-STN	Chrome Satin Nickel	184.70 240.20
	• Elm Non-Diverter Tub Spout • 5-7/8" length • Metal construction • Thread-on installation	552TS 552TS-STN 552TSMB 552TSBBZ	Chrome Satin Nickel Matte Black Brushed Bronze	92.10 124.30 128.90 128.90
	• Oak Tub Spout • 7-11/16" length • Metal construction • Slip-on installation	562TS 562TSSTN 562TSMB 562TSBBZ	Chrome Satin Nickel Matte Black Brushed Bronze	53.25 69.20 74.55 74.55
	• Verity Tub Spout • 5-1/2" length • Metal construction • Slip-on installation	493TS 493TSSTN 493TSMB	Chrome Satin Nickel Matte Black	54.80 71.20 76.75

Tub Spouts without Diverter

	DESCRIPTION	MODEL	FINISH	PRICE
	• Non-diverter tub spout • 5-1/4" length • Metal construction • Thread-on installation	060	Chrome	27.05
		060-STN	Satin Nickel	35.75
		060MB	Matte Black	37.85
		060BBZ	Brushed Bronze	37.85
	P			
	• Non-diverter tub spout • 5-1/4" length • Metal construction • Slip-on installation	061	Chrome	54.80
		061-STN	Satin Nickel	76.95
	P			
	• Non-diverter tub spout • 7" length • Metal construction • Thread-on installation	067	Chrome	53.25
		067-STN	Satin Nickel	74.45
		067-MB	Matte Black	77.15
		067-BBZ	Brushed Bronze	77.15
	P			

Diverters and Volume Control Valves

DESCRIPTION	MODEL	FINISH	PRICE
• Allura Diverter Valve Trim • 5" diameter • Screwless escutcheon • Dual or triple outlet	*Trim Only: Diverter valve body required (see page 158)*		
	47-2DIV-TRM	Chrome	240.20
	47-2DIV-STN-TRM	Satin Nickel	340.20
• Birch Diverter Valve Trim • 5" diameter • Metal handle • Screwless escutcheon • Dual or triple outlet	*Trim Only: Diverter valve body required (see page 158)*		
	59DIVTRM	Chrome	167.30
	59DIVSTNTRM	Satin Nickel	217.55
• Braston Diverter Valve Trim • 5" diameter • Metal handle • Screwless escutcheon • Dual or triple outlet • Matte Black finish is Special Order	*Trim Only: Diverter valve body required (see page 158)*		
	58DIVTRM	Chrome	251.75
	58DIVSTNTRM	Satin Nickel	327.25
	58DIVMBTRM	Matte Black	352.40
	58DIVBBZTRM	Brushed Bronze	352.40
• Dia Diverter Valve Trim • 5" diameter • Metal lever handle • Screwless escutcheon • Dual or triple outlet	*Trim Only: Diverter valve body required (see page 158)*		
	35-2DIV-CYL-TRM	Chrome	251.75
	35-2DIV-CYL-STN-TRM	Satin Nickel	350.10
	35-2DIV-CYL-MB-TRM	Matte Black	434.10
	35-2DIV-CYL-BBZ-TRM	Brushed Bronze	434.10
• Duro Diverter Valve Trim • 5" square • Metal handle • Screwless escutcheon • Dual or triple outlet	*Trim Only: Diverter valve body required (see page 158)*		
	36-2DIV-TRM	Chrome	251.75
	36-2DIV-STN-TRM	Satin Nickel	350.10
	36-2DIV-MB-TRM	Matte Black	434.10
	36-2DIV-BBZ-TRM	Brushed Bronze	434.10
• Elm Diverter Valve Trim • 5" diameter • Screwless escutcheon • Dual or triple outlet • Matte Black and Brushed Bronze finishes are Special Order	*Trim Only: Diverter valve body required (see page 158)*		
	55-2DIV-TRM	Chrome	215.95
	55-2DIV-STN-TRM	Satin Nickel	328.05
	55DIVMBTRM	Matte Black	302.35
	55DIVBBZTRM	Brushed Bronze	302.35

Diverters and Volume Control Valves

DESCRIPTION	MODEL	FINISH	PRICE
• Identity Diverter Valve Trim • 5" diameter • Metal handle • Screwed escutcheon • Dual or triple outlet	*Trim Only: Diverter valve body required (see page 158)*		
	67-DIV-TRM	Chrome	167.30
	67-DIV-TRM-STN	Satin Nickel	233.60
	67DIVTRMMB	Matte Black	234.25
	67DIVTRMBBZ	Brushed Bronze	234.25
• Oak Diverter Valve Trim • 5" square • Metal handle • Screwless escutcheon • Dual or triple outlet • Brushed Bronze finish is Special Order	*Trim Only: Diverter valve body required (see page 158)*		
	56DIVTRM	Chrome	251.75
	56DIVSTNTRM	Satin Nickel	327.25
	56DIVMBTRM	Matte Black	352.40
	56DIVBBZTRM	Brushed Bronze	352.40
• Origins Diverter Trim • 4-1/4" diameter • Screwed escutcheon • Dual or triple outlet	*Trim Only: Diverter valve body required (see page 158)*		
	96-2DIV-PLR	Chrome	307.25
	96-2DIV-PLR-STN	Satin Nickel	361.20
	Trim Only: Diverter valve body required (see page 158)		
	96-DIV-PLR-TRM	Chrome	133.45
	96-DIV-PLR-TRM-STN	Satin Nickel	186.75
• Solarity Diverter Valve Trim • 5" diameter • Metal lever handle • Screwed escutcheon • Dual or triple outlet • Available Q1 2025	*Trim Only: Diverter valve body required (see page 158)*		
	33DIVTRM	Chrome	167.30
	33DIVSTNTRM	Satin Nickel	217.55
	33DIVMBTRM	Matte Black	234.25
• Verity Diverter Valve Trim • 5" square • Metal handle • Screwless escutcheon • Dual or triple outlet	*Trim Only: Diverter valve body required (see page 158)*		
	49DIVTRM	Chrome	167.30
	49DIVSTNTRM	Satin Nickel	217.55
	49DIVMBTRM	Matte Black	234.25
• VisuTemp Diverter Valve Trim	*Trim Only: Diverter valve body required (see page 158)*		
	2DIVVT	Chrome	274.60
	2DIVVT-STN	Satin Nickel	386.95
	Trim Only: Diverter valve body required (see page 158)		
	2DIVVT-TRM	Chrome	106.95
	2DIVVT-STN-TRM	Satin Nickel	219.40

Diverters and Volume Control Valves

	DESCRIPTION	MODEL	FINISH	PRICE
	• Dual Outlet Diverter	*Valve & Trim: 2DIV-BODY included (see page 158)*		
		2DIV	Chrome	220.00
		Trim Only: 2DIV-BODY required (see page 158)		
		2DIV-TRM	Chrome	47.35
	• Triple Outlet Diverter	*Valve & Trim: 3DIV-BODY included (see page 158)*		
		3DIV	Chrome	263.15
	• Push-Button Dual Outlet Diverter with Volume Control	4-451	Chrome	218.20
	• Concealed Volume Control Valve • 1/2" inlet	020	Chrome	322.35
	• Concealed Volume Control Valve • Positive shutoff	021	Chrome	322.35
	• Concealed Volume Control Valve • Positive shutoff • Single blade lever handle	022	Chrome	429.90

Accessories (Miscellaneous)

	DESCRIPTION	MODEL	FINISH	PRICE
	• Toe Tester • 2-1/4" length • Thread-on installation	071 071-STN	Chrome Satin Nickel	147.85 191.35
	• Wall Elbow and Flange	40 40A-STN	Chrome Satin Nickel	66.65 71.60
	• Origins Conversion Cover Plate	CC CC-STN	Chrome Satin Nickel	62.05 199.65
	• Dial Thermometer	G	Chrome	483.05
	• Quick Disconnect Unit • For use with hand shower units	QD QD-STN	Chrome Satin Nickel	103.70 154.70
	• Elevated Vacuum Breaker	VB	Chrome	438.30

Grab Bars and Assist Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• Two-Wall Grab Bar • Metal construction • ADA compliant	SC-121	Chrome	556.00
   	• ADA grab bar • Metal construction • Horizontal • Grab bar only • Stainless steel finish	*12" Length*		
		SGB-12	Chrome	67.05
		SGB-12-STN	Satin Nickel	80.50
		18" Length		
		SGB-18	Chrome	72.55
		SGB-18-STN	Satin Nickel	87.10
		24" Length		
		SGB-24	Chrome	117.30
		SGB-24-STN	Satin Nickel	164.15
		36" Length		
		SGB-36	Chrome	141.30
		SGB-36-STN	Satin Nickel	164.60
		42" Length		
		SGB-42	Chrome	154.00
		SGB-42-STN	Satin Nickel	215.75
		48" Length		
		SGB-48	Chrome	181.35
		SGB-48-STN	Satin Nickel	254.05
   	• ADA grab bar • Metal construction • Horizontal • Grab bar only • Textured finish	*12" Length*		
		SGB-12T	Chrome	73.75
		SGB-12T-STN	Satin Nickel	88.60
		18" Length		
		SGB-18T	Chrome	79.90
		SGB-18T-STN	Satin Nickel	95.90
		24" Length		
		SGB-24T	Chrome	140.80
		SGB-24T-STN	Satin Nickel	164.15
		36" Length		
		SGB-36T	Chrome	169.55
		SGB-36T-STN	Satin Nickel	217.55
		42" Length		
		SGB-42T	Chrome	170.35
		SGB-42T-STN	Satin Nickel	237.25
		48" Length		
		SGB-48T	Chrome	190.85
		SGB-48T-STN	Satin Nickel	279.35

Grab Bars and Assist Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• 24" or 36" Grab Bar • Coordinates with Allura and Braston collections • Metal construction • ADA compliant • Matte Black finish is Special Order	*24" Length*		
		583GB24	Chrome	167.50
		583GB24STN	Satin Nickel	217.75
		583GB24MB	Matte Black	234.50
		583GB24BBZ	Brushed Bronze	234.50
		36" Length		
		583GB36	Chrome	175.80
		583GB36STN	Satin Nickel	228.55
		583GB36MB	Matte Black	246.15
		583GB36BBZ	Brushed Bronze	246.15
	• 18" or 24" Towel Bar with Assist Bar • Coordinates with Dia and Identity collections • Stainless-steel construction • Durable mounting system • ADA compliant	*18" Length*		
		353GBTB-18	Chrome	126.80
		353GBTB-18-STN	Satin Nickel	177.50
		24" Length		
		353GBTB-24	Chrome	140.85
		353GBTB-24-STN	Satin Nickel	197.20
	• Toilet Paper Holder with Assist Bar • Coordinates with Dia and Identity collections • Durable mounting system • Stainless-steel construction • ADA compliant	353GBTP	Chrome	128.05
		353GBTP-STN	Satin Nickel	179.25

Grab Bars and Assist Accessories

DESCRIPTION	MODEL	FINISH	PRICE
• Grab Bar • Coordinates with Dia and Identity collections • Durable mounting system • Stainless-steel construction • Screwless flanges • ADA compliant	*12" Length*		
	353GB-12	Chrome	129.90
	353GB-12-STN	Satin Nickel	181.85
	353GB12MB	Matte Black	181.85
	353GB12BBZ	Brushed Bronze	181.85
	18" Length		
	353GB-18	Chrome	139.60
	353GB-18-STN	Satin Nickel	195.55
	353GB18MB	Matte Black	195.55
	353GB18BBZ	Brushed Bronze	186.20
	24" Length		
	353GB-24	Chrome	167.50
	353GB-24-STN	Satin Nickel	234.50
	353GB24MB	Matte Black	234.50
	353GB24BBZ	Brushed Bronze	234.50
	36" Length		
	353GB-36	Chrome	175.80
	353GB-36-STN	Satin Nickel	246.20
	353GB36MB	Matte Black	246.20
	353GB36BBZ	Brushed Bronze	246.20
	42" Length		
	353GB-42	Chrome	184.65
	353GB-42-STN	Satin Nickel	258.55
	353GB42MB	Matte Black	258.55
	353GB42BBZ	Brushed Bronze	258.55
• 18" or 24" Towel Bar with Assist Bar • Coordinates with the Duro collection • Durable mounting system • Metal construction • Screwless flanges • ADA compliant	*18" Length*		
	363GBTB-18	Chrome	126.80
	363GBTB-18-STN	Satin Nickel	177.50
	24" Length		
	363GBTB-24	Chrome	140.85
	363GBTB-24-STN	Satin Nickel	197.20
• Toilet Paper Holder with Assist Bar • Coordinates with the Duro collection • Durable mounting system • Metal construction • Screwless flanges • ADA compliant	363GBTP	Chrome	128.05
	363GBTP-STN	Satin Nickel	179.25

Grab Bars and Assist Accessories

	DESCRIPTION	MODEL	FINISH	PRICE
	• Grab Bar • Coordinates with the Duro collection • Metal construction • Durable mounting system • Screwless flanges • ADA compliant	*12" Length*		
		363GB-12	Chrome	135.60
		363GB-12-STN	Satin Nickel	190.00
		18" Length		
		363GB-18	Chrome	150.75
		363GB-18-STN	Satin Nickel	211.10
		24" Length		
		363GB-24	Chrome	167.50
		363GB-24-STN	Satin Nickel	234.50
		36" Length		
		363GB-36	Chrome	175.80
		363GB-36-STN	Satin Nickel	246.20
		42" Length		
		363GB-42	Chrome	184.65
		363GB-42-STN	Satin Nickel	258.55
	• 24" or 36" Grab Bar • Coordinates with Oak collection • Metal construction • Screwless flanges • ADA compliant • Brushed Bronze finish is Special Order	*24" Length*		
		563GB24	Chrome	167.50
		563GB24STN	Satin Nickel	217.75
		563GB24MB	Matte Black	234.50
		563GB24BBZ	Brushed Bronze	234.50
		36" Length		
		563GB36	Chrome	175.80
		563GB36STN	Satin Nickel	228.55
		563GB36MB	Matte Black	246.15
		563GB36BBZ	Brushed Bronze	246.15

2024 SYMMONS REPAIR PARTS LIST PRICING

SEPTEMBER 1, 2024

Symmons Genuine Repair Parts should be used to repair or service your Symmons product.
Use of replacement parts other than Symmons will void any warranty.

ActivSense Sensor Faucers and Soap Dispensers

NO.	PART NAME	LIST
SF251	Sensor Kit (Single)	239.00
SF253	Solenoid Valve (Single)	88.05
SF255	Solenoid Housing Kit (Single)	36.50
SF258	Battery Box (batteries not included)	76.50
SF277	3 Meter Output Cable (Male)	22.25
SD010	Soap Dispenser 12V Transformer (power supply)	19.80
SD017	Extension Cable, 4.5 Feet	20.90
SD019	Power Splitter	23.95
SD021	12V Power Supply 2.5 Amp	80.30

ALLURA Pressure Balancing Valve for valve parts see Temptrol

NO.	PART NAME	LIST
DF-28-LAM	Decorative handle kit (w/chrome insert)	68.75
DF-28-LCF	Decorative handle kit (w/clear faceted insert)	68.75
DF-28-LPO	Decorative handle kit (w/white porcelain insert)	68.75
RTS-026	Shower handle kit	47.40
RTS-032	Allura tub/shower handle kit	32.90
T-19	Plastic dome cover	12.00
T-32	Handle screw and lock washer	3.80
T-33	Plug button	3.80
T-127	Chrome cross handle	68.65
T-130A	S-valve tub/shower dial kit	11.05
T-130B	S-valve shower only dial kit	11.05
T-132	Hot/Cold dial (Model C)	7.65
T-133C	Non-S valve escutcheon kit	40.70
T-139	Diverter/volume control handle	16.65
T3-28	Escutcheon screws (2)	3.80
T3-31S	Solid handle kit	65.35

ALLURA 4" Centerset Lavatory Faucets Prior to April 2012

NO.	PART NAME	LIST
FLR-110-1.0	1.0 gpm aerator	13.35
FLR-110-1.5	1.5 gpm aerator	13.35
LN-15	2.2 gpm aerator	5.80
LN-02774	Hot cartridge	23.95
LN-02775	Cold cartridge	23.95

ALLURA 4" Centerset Lavatory Faucets May 2012 to Date

NO.	PART NAME	LIST
FLR-110-1.0	1.0 gpm aerator	13.35
FLR-110-1.5	1.5 gpm aerator	13.35
LN-15	2.2 gpm aerator	5.80
LN-01452	Hot cartridge	23.95
LN-01453	Cold cartridge	23.95
LN-01454	Handle repair kit	51.50
P-100N	Plastic stopper	6.40
RL-072	Repair kit	26.35
RL-118	Lift rod	14.50
RL-120	1.5 gpm aerator	12.05
RL-154LR	Pop up drain, less rod	30.25
RL-235	Lift rod for SLC-4712	14.50

ALLURA Widespread Lavatory Faucets Prior to 2023

NO.	PART NAME	LIST
FLR-110-1.0	1.0 gpm aerator	13.35
FLR-110-1.5	1.5 gpm aerator	13.35
KN-113	Cold lavatory replacement cartridge	16.95
KN-114	Hot lavatory replacement cartridge	16.95
LN-15	2.2 gpm aerator	5.80
RL-072	Repair kit	26.35
RL-123	Mounting hardware	16.60

BIRCH COLLECTION Lavatory Faucets and Shower Systems

NO.	PART NAME	LIST
FLR13610	1.0 gpm (3.8 L/min) faucet aerator	13.70
FLR13605	0.5 gpm (1.9 L/min) faucet aerator	13.70
KN-113	Cold lavatory faucet replacement cartridge	16.95
KN-114	Hot lavatory faucet replacement cartridge	16.95
RL-067	Single handle faucet mouting hardware	16.60
RL-081	4" single handle lavatory faucet deck plate	34.20
RL324	Push-pop drain, brass	30.25
RL325	Single handle faucet 25mm cartridge	50.45
RL326	Widespread faucet spout rough	25.50
RL327	Widespread faucet valve flanges	pr. 9.80
RL328	Widespread faucet push-in tee connector	13.35
RL344	Widespread faucet hot valve body	63.70
RL345	Widespread faucet cold valve body	63.70
RL346	Widespread faucet mounting hardware	16.60

RL356	Birch single handle faucet handle kit	46.35
RL360	Birch widespread faucet spout trim kit	43.05
RL361	Birch widespread faucet handle trim kit	pr. 43.65
RTS168	Birch escutcheon kit	88.70
RTS169	Birch VersaFlex escutcheon kit	88.70
RTS170	Birch shower handle	46.35
RTS171	Birch diverter escutcheon kit	88.05
RTS172	Birch diverter lever handle	25.50
RTS173	Birch wall elbow	91.65

BRASTON COLLECTION
Lavatory Faucets and Shower Systems

NO.	PART NAME	LIST
FLR13605	0.5 gpm (1.9 L/min) faucet aerator	13.70
FLR13610	1.0 gpm (5.7 L/min) faucet aerator	13.70
KN-113	Cold lavatory faucet replacement cartridge	16.95
KN-114	Hot lavatory faucet replacement cartridge	16.95
RL-067	Single handle faucet mouting hardware	16.60
RL-081	4" single handle lavatory faucet deck plate	34.20
RL324	Push-pop drain, brass	30.25
RL325	Single handle faucet 25mm cartridge	50.45
RL326	Widespread faucet spout rough	25.50
RL327	Widespread faucet valve flanges	pr. 9.80
RL328	Widespread faucet push-in tee connector	13.35
RL344	Widespread faucet hot valve body	63.70
RL345	Widespread faucet cold valve body	63.70
RL346	Widespread faucet mounting hardware	16.60
RL357	Braston single handle faucet handle kit	51.55
RL363	Brastson widespread faucet spout trim kit	44.95
RL364	Braston widespread faucet handle trim kit	pr. 52.70
RTS161	Braston escutcheon kit	102.50
RTS162	Braston VersaFlex escutcheon kit	102.50
RTS163	Braston shower handle	49.65
RTS164	Braston diverter escutcheon kit	193.25
RTS165	Braston diverter lever	25.50

DIA
Lavatory Faucets and Showers Prior to 2023

NO.	PART NAME	LIST
FLR-102-0.5	0.5 gpm aerator and key	6.50
P-100N	Plastic stopper	6.40
RL-032	8" deck plate for SPB-3510	89.05
RL-057	Widespread lavatory mounting hardware	16.60
RL-058	Widespread lavatory handle kit	52.70
RL-068	Single post pop up drain assembly	30.25
RL-071	Single post lavatory 0.5 gpm aerator	12.05
RL-154LR	Pop up drain, less rod	30.25
RL-180C	Centerset lavatory cartridge, cold	51.70
RL-180H	Centerset lavatory cartridge, hot	51.70
RL-191	Centerset lift rod	14.50
RL-196	Centerset lavatory 1.0 gpm aerator	12.05
RL-198	Escutcheon kit (2)	26.35
RL-238	Mounting hardware kit for SLS-3510	16.60
RL-250	Cross handle kit	52.70
RL-279	Limit stop cartridge	51.70
RTS-009	Model C brass escutcheon kit (includes mounting hardware and dome cover)	102.50
RTS-010	Model C plastic escutcheon kit (includes mounting hardware and dome cover)	102.50
RTS-011	Model A/B brass escutcheon kit (includes mounting hardware and dome cover)	102.50
RTS-012	Model A/B plastic escutcheon kit (includes mounting hardware and dome cover)	102.50
RTS-013	Brass diverter/volume control handle	22.55
RTS-014	Plastic diverter/volume control handle	5.45
RTS-090	Shower handle, 3520 series	49.65
RTS-091	Shower handle, 3530 series	49.65
T-242A	Tub/shower handle kit	95.20

DIA COLLECTION
Lavatory Faucets 2023 to Date

NO.	PART NAME	LIST
FLR13610	1.0 gpm (3.8 L/min) faucet aerator	13.70
FLR13605	0.5 gpm (1.9 L/min) faucet aerator	13.70
KN-113	Cold lavatory replacement cartridge	16.95
KN-114	Hot lavatory replacement cartridge	16.95
RL324	Push-pop drain, brass	30.25
RL326	Widespread faucet spout rough	25.50
RL327	Widespread faucet valve flanges	pr. 9.80
RL328	Widespread faucet push-in tee connector	13.35
RL329	Dia widespread faucet handle trim kit	pr. 52.70
RL330	Dia widespread faucet cross handle trim kit	pr. 52.70
RL335	Dia widespread faucet spout trim kit (SLW3512)	44.95
RL336	Dia widespread faucet spout trim kit (SLW3522)	44.95
RL344	Widespread faucet hot valve body	63.70
RL345	Widespread faucet cold valve body	63.70
RL346	Widespread faucet mounting hardware	16.60

DIA
Kitchen Faucets Prior to 2023

NO.	PART NAME	LIST
RK-001	Mounting hardware	16.60
RK-002	Pull-down handle kit	26.35
RK-003	Cartridge	51.70
RK-004	Spray wand	36.60
RK-005	O-ring and dual check	6.30
RK-006	Hose	9.90
RK-007	Installation tool	6.30
RK-013	Handle assembly	26.35
RK-014	Connector repair kit	12.35
RK-015-1.5	Aerator	12.05
RK-022	O-ring repair kit for SPP-3510	7.25
RK-024	Mounting hardware	16.60
RK-030	Spray wand	102.00

RK-032	Hose	36.85
RK-032-GY	Hose	36.85
RO-007	1.5 gpm pull-down aerator	12.05

DIVERTROL DIVERTERS from 1964 to Date

NO.	PART NAME	LIST
DT-2	Bonnet	29.90
DT-3	Spindle assembly	47.30
DT-4	Spacer bushing	8.65
DT-7	Escutcheon bushing	17.40
DT-8	Bonnet o-ring	3.80
DT-9	Bonnet gasket	3.80
DT-10	Packing cup	3.80
DT-11	O-ring washer	3.80
DT-12	Spring	3.80
DT-13	Volume dial & screw	4.65
DT-15	Knob	15.80
DT-20	Replacement unit complete	130.15
LD-15A	Escutcheon with set screw	42.90

DURO Lavatory Faucets and Showers Prior to 2023

NO.	PART NAME	LIST
LN-01416	Single post lavatory handle	51.50
LN-01417	Single post lavatory control cartridge	25.55
P-100N	Plastic stopper	6.40
RL-002	Widespread lavatory handle kit (with screws) (2)	52.70
RL-003	Widespread lavatory hot cartridge	51.70
RL-004	Widespread lavatory cold cartridge	51.70
RL-006	Widespread lavatory lift rod assembly	14.50
RL-011	Mounting kit and hoses	36.85
RL-014	Lift rod, stopper, ball rod	14.50
RL-015	Lift rod	14.50
RL-019	0.5 gpm aerator	12.05
RL-148	Widespread mounting kit	16.60
RL-149	Widespread handle kit	26.35
RL-150	Lift rod	14.50
RL-179	Centerset handle	52.70
RL-180C	Centerset lavatory cartridge, cold	51.70
RL-180H	Centerset lavatory cartridge, hot	51.70
RTS-001	Model C escutcheon kit (includes mounting hardware and dome cover)	102.50
RTS-003	Model A/B escutcheon kit (includes mounting hardware and dome cover)	102.50
RTS-004	Diverter/Volume control handle	25.50
RTS-037	Dome cover repair kit	18.85
RTS-040	Diverter escutcheon kit	102.50
RTS-092	Shower handle, 3620 Series	49.65
RTS-093	Shower handle, 3630 Series	49.65

DURO COLLECTION Lavatory Faucets 2023 to Date

NO.	PART NAME	LIST
FLR13605	0.5 gpm (1.9 L/min) faucet aerator	13.70
FLR13610	1.0 gpm (3.8 L/min) faucet aerator	13.70
KN-113	Cold lavatory faucet replacement cartridge	16.95
KN-114	Hot lavatory faucet replacement cartridge	16.95
RL324	Push-pop drain, brass	30.25
RL326	Widespread faucet spout rough	25.50
RL328	Widespread faucet push-in tee connector	13.35
RL344	Widespread faucet hot valve body	63.70
RL345	Widespread faucet cold valve body	63.70
RL346	Widespread faucet mounting hardware	16.60
RL365	Duro widespread faucet spout trim kit (SLW3612)	44.95
RL366	Duro widespread faucet spout trim kit (SLW3622)	44.95
RL367	Duro widespread faucet handle trim kit	52.70
RL368	Widespread faucet valve flanges	pr. 9.80

ELM Lavatory Faucets Prior to 2023

NO.	PART NAME	LIST
KN-113	Cold lavatory replacement cartridge	16.95
KN-114	Hot lavatory replacement cartridge	16.95
RL-031	Widespread lavatory handle kit	26.35
RL-041	Single post lavatory handle kit	26.35
RL-042	Single post lavatory control cartridge	51.70
RTS-005	Escutcheon repair kit (includes mounting hardware and dome cover)	102.50
RTS-006	Tub/shower handle kit	31.90
RTS-007	Escutcheon repair kit (includes mounting hardware and dome cover)	102.50
RTS-008	Diverter/volume control handle	32.90
RTS-038	Diverter escutcheon kit	102.50

ELM COLLECTION Lavatory Faucets 2023 to Date

NO.	PART NAME	LIST
FLR13605	0.5 gpm (1.9 L/min) faucet aerator	13.70
FLR13610	1.0 gpm (3.8 L/min) faucet aerator	13.70
KN-113	Cold lavatory faucet replacement cartridge	16.95
KN-114	Hot lavatory faucet replacement cartridge	16.95
RL324	Push-pop drain, brass	30.25
RL326	Widespread faucet spout rough	25.50
RL327	Widespread faucet valve flanges	9.80
RL328	Widespread faucet push-in tee connector	13.35
RL332`	Elm widespread faucet handle trim kit	pr. 26.35
RL338	Elm widespread faucet spout trim kit	37.10
RL344	Widespread faucet hot valve body	63.70
RL345	Widespread faucet cold valve body	63.70
RL346	Widespread faucet mounting hardware	16.60

EXPOSED SHOWER RISER

NO.	PART NAME	LIST
RTS-041	Shower riser diverter handle	46.10

RTS-042	Riser diverter cartridge	51.70
RTS-043	Shower riser slide assembly	136.95

FS and FSB Hand Spray Units

NO.	PART NAME	LIST
430SS	Flange only	7.10
FP-1	Open flow hand spray	128.10
FP-1E	Swivel	14.90
FP-1-TEMPTROL	Temptrol open flow hand spray	42.55
FP-2	Wall bracket with screws	21.20
FP-24A	Bar end and screws	18.95
FP-30B	Bar only (30")	68.85
FP-40	Wall connection with flange	41.10
FP-48B	Bar only (48")	118.20
FP-SM3	Slide mechanism for 30" adjusting bar B30	65.60
QD	Quick disconnect unit for hand shower units	103.70
SP-4	5' hose and vacuum breaker	37.45
SP-4-6	Hose (6')	57.25
ST-12RV	Vinyl hose (5')	53.45

HANOVER

NO.	PART NAME	LIST
DF-9B	Escutcheon screws	10.85
DF-28-LAM	Decorative handle kit (w/chrome insert)	68.75
LN-112	Lever handle collar (2 required)	ea. 9.55
LN-114-LAM-KIT	Handle kit	49.25
T-19/20-PL	Dome cover	46.25
T-30C	Diverter/volume handle (tub/shower)	24.15
T-169	7.5 brass escutcheon with screw	59.40
T-169A	Escutcheon ("S" Series)	74.05

HYDAPIPE 800 Series Pressure Balancing Valve from 1964 to Date for valve parts see Safetymix

NO.	PART NAME	LIST
HP-4	Top cap	41.80
HP-5	Soap dish	63.70
HP-6	Dial	16.80
HP-7	Screws (8 required per unit)	ea. 3.80
HP-10	Body cover	19.30
HP-10A	O-ring	3.80
HP-14	Screw	3.80
HP-14B	Anchor (blue) for Hydapipe	3.80
HP-27	Ceiling flange	53.30
HP-29	Inside joining bracket	53.30
HY-50	Holt head screwdriver	20.95
SC-13C	Dial	15.90
SC-15A	Set screw	3.80

HYDAPIPE 900 Series Pressure Balancing Valve from 1997 to Date for valve parts see Temptrol

NO.	PART NAME	LIST
HP-7	Screws (8 required per unit)	ea. 3.80
HP-14A	Washer	3.80
HP-14B	Anchor (blue) for Hydapipe	3.80
HPN-5	Top cap	41.80
HPN-7	Dial	15.75
HPN-10	Dome cover	19.30
HPN-29	Inside joining bracket	107.25
HPN-39	Ceiling flange	53.30
HY-50	Holt head screwdriver	20.95
LM-26SW	Service stop complete	16.90

H300 Series Hand Spray Units Prior to May 2013

NO.	PART NAME	LIST
EF-100	1 mode hand shower wand	88.45
EF-101	3 mode hand shower wand	81.35
EF-104	5' hose and vacuum breaker	86.20
EF-105	Elbow	94.40
EF-106	Wall mounting bracket	25.10
EF-109	Vacuum breaker	45.60
SC-127	5 mode hand shower wand	158.40

H300 Series Hand Spray Units May 2013 to Date

NO.	PART NAME	LIST
EF-100	1 mode hand shower wand	88.45
EF-101	3 mode hand shower wand	81.35
EF-104	5' hose and vacuum breaker	86.20
EF-105	Elbow	94.40
EF-106	Wall mounting bracket	25.10
EF-109	Vacuum breaker	45.60
RA-009	Complete slide assembly	56.70
RA-010	30" bar only	31.80
RA-011	48" bar only	68.00
RA-012	Slide assembly	54.95
RA-013	Mount ends and screws (2)	4.90
RA-016	Slide assembly	113.45

H400 Series Hand Spray Units Prior to May 2013

NO.	PART NAME	LIST
EF-104	5' hose and vacuum breaker	86.20
EF-105	Elbow	94.40
EF-106	Wall mounting bracket	25.10
EF-109	Vacuum breaker	45.60
EF-118	1 mode hand shower wand	156.05
EF-119	3 mode hand shower wand	216.55

H400 Series Hand Spray Units
May 2013 to Date

NO.	PART NAME	LIST
EF-104	5' hose and vacuum breaker	86.20
EF-105	Elbow	94.40
EF-106	Wall mounting bracket	25.10
EF-109	Vacuum breaker	45.60
EF-118	1 mode hand shower wand	156.05
EF-119	3 mode hand shower wand	216.55
RA-009	Complete slide assembly	56.70
RA-010	30" bar only	31.80
RA-011	48" bar only	68.00
RA-012	Slide assembly	54.95
RA-013	Mount ends and screws (2)	4.90

IDENTITY
Kitchen Faucets Prior to 2023

NO.	PART NAME	LIST
RK-050	Handle and screw	26.35
RK-051-1.5	Spray wand	26.35
RK-052	Hose	36.85
RK-053	Mounting hardware	16.60
RK-058	Deck plate	46.10

IDENTITY
Lavatory Faucets Prior to 2023

NO.	PART NAME	LIST
RL-286	Lift rod	14.50
RL-287	Handle with screw set	26.35

IDENTITY COLLECTION
Lavatory Faucets 2023 to Date

NO.	PART NAME	LIST
FLR13605	0.5 gpm (1.9 L/min) faucet aerator	13.70
FLR13610	1.0 gpm (3.8 L/min) faucet aerator	13.70
LN-01449	Kit, handle, with hardware	46.35
KN-113	Cold lavatory faucet replacement cartridge	16.95
KN-114	Hot lavatory faucet replacement cartridge	16.95
RL324	Push-pop drain, brass	30.25
RL326	Widespread faucet spout rough	25.50
RL327	Widespread faucet valve flanges	9.80
RL328	Widespread faucet push-in tee connector	13.35
RL335	Identity widespread faucet handle trim kit	43.65
RL340	Identity widespread faucet spout trim kit	43.05
RL344	Widespread faucet hot valve body	63.70
RL345	Widespread faucet cold valve body	63.70
RL346	Widespread faucet mounting hardware	16.60

LEVERTROL
from 1965 to 1976
September 1990 to Date

NO.	PART NAME	LIST
LD-15A	Escutcheon with set screw	42.90
LLD-20	Replacement unit complete	121.15
LLD-20A	Replacement unit complete with escutcheon	163.75
RC-14X	Handle	67.30

LEVERTROL 4-458 and 4-459
from 1976 to September 1990

NO.	PART NAME	LIST
LD-3	Bonnet	24.40
LD-7R	Spindle assembly	61.00
LD-8	Escutcheon nipple	18.00
LD-11	Bonnet o-ring	3.80
LD-12	Bonnet washer	3.80
LD-13	Spring & washer	7.85
LD-15A	Escutcheon with set screw	42.90
RC-14X	Handle	67.30

LEVERTROL 4-460
from 1976 to Date

NO.	PART NAME	LIST
LD-6A	Bonnet	31.90
LD-7RR	Spindle assembly	65.75
LD-15A	Escutcheon with set screw	42.90
NS-27	Cap large o-ring	3.80

METERING FAUCET
SCOT S-60 Series
from 1984 to March 2000

NO.	PART NAME	LIST
K-15P	Handle insert	3.80
LL-1A	Control cartridge	144.35
LL-1B	Control cartridge for quick closing	144.35
LL-27	Handle set screw	3.80
LL-28	Cycle time washers (7)	3.10
LL-35	Thrust washer	3.80
LL-48	Upper housing o-rings (3)	3.80
LL-60B	Aerator, vandal proof	31.30
LL-71B	In-line checks/screen assembly (2)	64.45

METERING FAUCET
SCOT S-60 Series
April 2000 to Date

NO.	PART NAME	LIST
LL-1A	Control cartridge	144.35
LL-1B	Control cartridge for quick closing	144.35
LL-3N	Upper housing	19.30
LL-27	Handle set screw	3.80
LL-28	Cycle time washers (7)	3.10
LL-35	Thrust washer	3.80
LL-48	Upper housing o-rings (3)	3.80
LL-71B	In-line checks/screen assembly (2)	64.45

LN-100	0.5 gpm laminar flow vandal resistant aerator kit	13.70
LN-101	Aerator (vandal resistant)	18.30
LT-71B	In-line check/screen assembly	32.35
LT-100	Handle	27.65
RL-156	Handle repair kit, lever	52.70
RL-266	Control spindle kit	86.50
RL-267	Piston spring and cylinder kit	86.50
RL-272	O-ring kit	6.30

METERING FAUCET
S-70 Series
from 1996 to August 2002

NO.	PART NAME	LIST
LL-28	Cycle time washers (7)	3.10
LL-60B	Aerator, vandal proof	31.30
LL-60K	Spray outlet wrench	3.80
SPF-26	Hex nut	5.95
SPF-28	Deck plate (S-72 & S-74)	29.40
TT-47N	O-ring	3.80

METERING FAUCET
S-70 Series
from September 2002 to Date

NO.	PART NAME	LIST
LL-1A	Control cartridge	144.35
LL-1B	Control cartridge for quick closing	144.35
LL-3N	Upper housing	19.30
LL-27	Handle set screw	3.80
LL-28	Cycle time washers (7)	3.10
LL-48	Upper housing o-rings (3)	3.80
LL-60K	Spray outlet wrench	3.80
LL-101	In-line screen	7.35
LN-100	0.5 gpm laminar flow vandal resistant aerator kit	13.70
LN-101	Aerator (vandal resistant)	18.30
MV-10	Washer (S-73 & S-74)	3.80
MV-107	Repair kit for 4-10 check (2)	8.80
SPF-26	Hex nut	5.95
SPF-28	Deck plate (S-72 & S-74)	29.40
SPF-104	Cap for single post, plain	67.40
SPF-KIT	Mounting kit (2)	5.25

METERING FAUCET
SLS-7000 Series

NO.	PART NAME	LIST
RL-293	Handle kit	52.70
RL-294	4" deck plate	57.25
RL-295	8" deck plate	89.05

OAK COLLECTION
Lavatory Faucets and Shower Systems

NO.	PART NAME	LIST
FLR13605	0.5 gpm (1.9 L/min) faucet aerator	13.70
FLR13610	1.0 gpm (5.7 L/min) faucet aerator	13.70
KN-113	Cold lavatory faucet replacement cartridge	16.95
KN-114	Hot lavatory faucet replacement cartridge	16.95
RL-067	Single handle faucet mouting hardware	16.60
RL-082	4" single handle lavatory faucet deck plate	57.25
RL324	Push-pop drain, brass	30.25
RL325	Single handle faucet 25mm cartridge	50.45
RL326	Widesprad faucet spout rough	25.50
RL327	Widespread faucet valve flanges	pr. 9.80
RL328	Widespread faucet push in tee connector	13.35
RL344	Widespread faucet hot valve body	63.70
RL345	Widespread faucet cold valve body	63.70
RL355	Oak single handle faucet handle kit	51.55
RL358	Oak widespread faucet spout trim kit	44.95
RL359	Oak widespread faucet handle trim kit	pr. 52.70
RTS152	Square wall elbow	94.40
RTS154	Oak escutcheon kit	102.50
RTS155	Oak VersaFlex escutcheon kit	102.50
RTS156	Oak shower handle	49.65
RTS157	Oak diverter escutcheon kit	193.25
RTS158	Oak diverter lever handle	25.50

OLDE BRAINTREE BRASS
Pressure Balancing Valve
for valve parts see Temptrol

NO.	PART NAME	LIST
DF-6	Handle flange	23.85
DF-8	Dial	6.20
DF-9	Escutcheon screws (2)	10.85
DF-10	Handle screw	5.00
DF-11	Dome	53.50
DF-14	Escutcheon (less slot)	116.55
DF-14-SL	Escutcheon (slotted)	116.55
DF-21/22	Diverter/volume handle	60.85
DF-25	O-ring	3.80
DF-28-LAM	Decorative handle kit (w/chrome insert)	68.75
DF-28-LCF	Decorative handle kit (w/clear faceted insert)	68.75
DF-28-LPO	Decorative handle kit (w/white porcelain insert)	68.75
T-127	Chrome cross handle	68.65

ORIGINS
Centerset Lavatory Faucets (SLC-9612/96103
Prior to 2022

NO.	PART NAME	LIST
RL-222C	Hot cartridge	51.70
RL-222H	Cold cartridge	51.70
RL-223	Pop-up drain	30.25
RL-224	Pop-up stopper	26.35
RL-239-0.5	0.5 gpm aerator with housing	12.05
RL-239-1.0	1.0 gpm aerator with housing	12.05

ORIGINS
Single Handle Lavatory Faucets (S-9612/9610)
Prior to 2023

NO.	PART NAME	LIST
RL-223	Pop-up drain	30.25
RL-224	Pop-up stopper	26.35
RL-226	Handle kit	26.35
RL-227	Cartridge	51.70
RL-228	Mounting hardware	16.60
RL-240-0.5	0.5 gpm aerator with housing	12.05
RL-240-1.0	1.0 gpm aerator with housing	12.05

ORIGINS
S-243 & S-244 Series Widespread Lavatory Faucets
Prior to 2023

NO.	PART NAME	LIST
DF-30	Screw (2)	10.50
KN-113	Cold lavatory replacement cartridge	16.95
KN-114	Hot lavatory replacement cartridge	16.95
L-42	Nuts (2)	6.40
LN-100	0.5 gpm laminar flow vandal resistant aerator kit	13.70
LN-101	Aerator (vandal resistant)	18.30
LN-111	Lock ring (2 required)	ea. 3.80
LN-112	Lever handle collar (2 required)	ea. 9.55
LN-121	Phillips pan head screw (2 required)	ea. 3.80
LN-129	Gasket, escutcheon (2 required)	ea. 3.80
LN-131-KIT	Handle kit	23.20
LN-133A	Temperature indicator (red)	3.80
LN-133B	Temperature indicator (blue)	3.80
LN-134	Oval Phillips head screw (2 required)	ea. 3.80
LN-138	Washer	3.80
LN-150	O-ring	3.80
LN-152-LAM-KIT	Handle kit	49.25
LN-152-LPO-KIT	Handle kit	49.25
LN-154	Bushing (2 required)	ea. 3.80
LN-157	Flex hose (2 required)	ea. 16.55
LN-177	Cross handle for lavatory faucets (2 required)	ea. 21.15
LN-182	Base (arc spout)	8.55
P-26	Grid drain assembly	31.05
SPF-26	Hex nut	5.95
T-33	Plug button	3.80
T-33B	Plug button (blue)	3.80
T-33R	Plug button (red)	3.80

ORIGINS
Tub/Shower

NO.	PART NAME	LIST
9600-OP-ESC	Escutcheon kit	86.85
9600-P-B-ESC	Brass escutcheon kit	53.20
9600-P-ESC	Escutcheon kit	25.50
9600-PLR-B-ESC	Brass escutcheon kit	53.20
9600-PLR-ESC	Escutcheon kit	25.50
RTS-061	Tri-star handle	24.75
RTS-063	Metal lever handle	67.05
S-9600-OP-ESC	Escutcheon kit for lever handle	96.80
S-9600-P-ESC	Escutcheon kit	66.45
S-9600-PLR-ESC	Escutcheon kit	66.45
S-9600TS-OP-ESC	Escutcheon kit for lever handle	96.80
S-9600TS-P-B-ESC	Brass escutcheon kit	94.15
S-9600TS-P-ESC	Escutcheon kit	66.45
S-9600TS-PLR-B-ESC	Brass escutcheon kit	94.15
S-9600TS-PLR-ESC	Escutcheon kit	66.45
T-19	Plastic dome cover	12.00

ORIGINS
S-23 Series Kitchen Faucets
Prior to 2023

NO.	PART NAME	LIST
K-41/42	Hand spray with hose and holder	78.80
K-44	Retainer ring for S-23 Series	3.80
K-46	Diverter o-ring	3.80
KN-1	Valve cap	26.95
KN-2	Compression ring	3.80
KN-3BRB	Loop handle	26.75
KN-3RB	Solid handle	26.75
KN-4	Cartridge	51.70
KN-19A	Spacer	3.80
KN-20	O-ring (2)	4.50
KN-30	Escutcheon	27.65
KN-33	Base plate	8.30
KN-43	Diverter with o-ring (before 12/99)	11.25
KN-59	Diverter removal tool	-
KN-118	Gasket	3.80
KN-157	Plug button	3.80
KN-169	Diverter kit (after 8/02)	17.55
L-22	Handle screw	3.80
L-35	Mounting bolts (2)	3.80
L-36	Mounting nuts (2)	3.80
L-42	Nuts (2)	6.40
LN-15	2.2 gpm aerator	5.80
LN-34	Cartridge wrench	6.10
LN-100	0.5 gpm laminar flow vandal resistant aerator kit	13.70
LN-101	Aerator (vandal resistant)	18.30
LN-135	6" lever handle	34.55

ORIGINS
S-248 Series Kitchen Faucets

NO.	PART NAME	LIST
DF-30	Screw (2)	10.50
K-41/42	Hand spray with hose and holder	78.80
KN-101	Spout assembly	47.25
KN-103	Cap	8.75
KN-104	Spacer	3.80
KN-108	Escutcheon	23.70
KN-109	Base plate	5.30

KN-112	Diverter valve	9.80
KN-113	Cold lavatory replacement cartridge	16.95
KN-114	Hot lavatory replacement cartridge	16.95
KN-115	Spacer (2 required)	ea. 3.80
KN-120	O-ring	3.80
L-42	Nuts (2)	6.40
LN-15	2.2 gpm aerator	5.80
LN-101	Aerator (vandal resistant)	18.30
LN-102	Acrylic handle (2 required)	ea. 9.00
LN-102-KIT	Handle kit	13.35
LN-111	Lock ring (2 required)	ea. 3.80
LN-112	Lever handle collar (2 required)	ea. 9.55
LN-121	Phillips pan head screw (2 required)	ea. 3.80
LN-131-KIT	Handle kit	23.20
LN-133A	Temperature indicator (red)	3.80
LN-133B	Temperature indicator (blue)	3.80
LN-134	Oval Phillips head screw (2 required)	ea. 3.80
LN-140	Lever handle (2 required)	ea. 9.00
LN-140-KIT	Handle kit	13.35
LN-152-LAM-KIT	Handle kit	49.25
LN-152-LPO-KIT	Handle kit	49.25
S-240-KIT	Mounting hardware kit (2)	5.20
T-33	Plug button	3.80
T-33B	Plug button (blue)	3.80
T-33R	Plug button (red)	3.80

SAFETYMIX
Pressure Balancing Mixing Valve
from 1960 to date

NO.	PART NAME	LIST
C-5	Flow control spindle	118.35
C-50	Renewable seat socket wrench (for all Safetymix models)	87.95
KIT-B	Safetymix washer & gasket kit	19.20
RC-14	Solid lever handle	67.35
SC-2	Cap	76.65
SC-3	Renewable seat w/gaskets	63.05
SC-7	Packing nut	9.80
SC-13/18	Dome cover	26.85
SC-15A	Set screw	3.80
SC-17	Packing (2)	6.40
SC-22A	Limit stop assembly	7.10
SC-26	Limit stop with o-ring	5.75
SC-102	Dial	8.35

REPAIR KITS

NO.	PART NAME	LIST
FF-1A	Front insert (complete for 4-295)	109.10
FF-2B	Washer	3.80
IH-EX	4-295 adapter for male head	45.60
NIH-1F	GPM floW restrictor and retainer	19.10
NIH-5	Face plate (4-150)	7.70
RK-044	Spray wand	102.00
RO-001	.35 gpm aerator	12.05
RO-004	Wall elbow with backflow prevention	50.55
RO-005	5' metal hose	36.85
RO-008	1.0 gpm Tom Junior cache aerator	12.05
RO-010	Face and gasket	96.40
RO-011	1.5 gpm aerator	12.05
RO-011-0.5	0.5 gpm aerator	12.05
RO-019	1.5 gpm G-US aerator	12.05

SAFETYMIX DIVERTERS
Lever Type
from 1960 to 1964

NO.	PART NAME	LIST
LLD-20A	Replacement unit complete with escutcheon	163.75

SAFETYMIX DIVERTERS
Pushbutton Type
from 1960 to 1964

NO.	PART NAME	LIST
DT-20/5	Replacement unit complete with escutcheon	173.10

SAFETYMIX VALVE INTEGRAL STOP W/O-RINGS
1956 to Date or
SAFETYMIX'ETTE' STOP
1964 to 1965

NO.	PART NAME	LIST
C-32-5	Spindle assembly (5/8" dia.) (2)	36.30
C-32-11	Spindle assembly (11/16" dia.) (2)	36.30
C-32B-11	Plaster shield (11/16" dia.) (2)	6.25

SCOT
SLC-6000 Series

NO.	PART NAME	LIST
RL-290	Handle kit	52.70
RL-291	8" deck plate for SLC-6000	89.05

SENSOR FAUCETS
S-6060 Series

NO.	PART NAME	LIST
SF-246	Sensor for 6V battery, S-6060	241.05
SF-01804	Sensor, AC, S-6060, Plastic	241.05

SERENO

NO.	PART NAME	LIST
LN-341	Lift rod (lav faucet)	9.10
LN-969	Control cartridge (lav faucet)	51.70
RL-144	Handle kit (lav faucet)	26.35
T-19/20-PL	Dome cover	46.25
T-30M	Diverter/volume handle (tub/shower)	37.00
T-249	Escutcheon	227.65
T-251	Handle kit (tub/shower)	168.65

SERENO
Kitchen Faucets

NO.	PART NAME	LIST
RK-008	Mounting hardware	16.60

RK-009	Handle kit	26.35
RK-010-1.5	Spray wand	36.60
RK-011	Hose	9.90
RK-012	Deck plate	60.20
RK-021	Hose	36.85

SHOWEROFF "60"
Automatic Shower Limiting Valve
from 1960 to 1982

NO.	PART NAME	LIST
NS-4	Push rod	6.25
NS-22	Escutcheon screws (2)	4.10
PS-1	Complete cartridge replacement unit; includes cap, nut, gaskets, o-ring, washer, screw	267.15
PS-2	Knob & screw	39.55
PS-7	Cap screws (2 required)	pr. 3.80

SHOWEROFF "83"
Automatic Shower Limiting Valve
from 1983 to Date

NO.	PART NAME	LIST
HV-1	Manual shut-off cartridge	267.15
L-39	Plug button	3.80
NS-1	Complete cartridge replacement unit	255.35
NS-2	Cap	45.10
NS-3	Knob	16.45
NS-4	Push rod	6.25
NS-5	Guide nut	10.05
NS-6	Cylinder	28.80
NS-7	Retainer	10.25
NS-8	Piston	37.45
NS-9	Retainer	10.00
NS-11	Shut-off washer	3.80
NS-13	Piston spring	3.80
NS-13R	Washer and gasket repair unit	79.00
NS-14	Guide nut washer	3.80
NS-15	Piston o-ring	3.80
NS-16	Control rod	4.95
NS-18	Integral stop unit	18.40
NS-22	Escutcheon screws (2)	4.10
NS-24	Guide nut small o-ring	3.80
NS-25	Guide nut large o-ring	3.80
NS-26	Cap small o-ring	3.80
NS-27	Cap large o-ring	3.80
NS-28	Knob set screw	3.80
NS-30	Adapter plate	12.00
NS-32	Stop retainer	4.10
PS-4A	Escutcheon for 4-427R and 4-428-R	108.15
PS-4E	Studs and nut kit (2)	3.80
PS-4H	Horseshoe bracket	31.85

SOLARITY COLLECTION
Lavatory Faucets and Shower Systems

NO.	PART NAME	LIST
FLR13605	0.5 gpm (1.9 L/min) faucet aerator	13.70
FLR13610	1.0 gpm (3.8 L/min) faucet aerator	13.70
KN-113	Cold lavatory faucet replacement cartridge	16.95
KN-114	Hot lavatory faucet replacement cartridge	16.95
RL-067	Single handle faucet mouting hardware	16.60
RL324	Push-pop drain, brass	30.25
RL326	Widespread faucet spout rough	25.50
RL327	Widespread faucet valve flanges	9.80
RL328	Widespread faucet push-in tee connector	13.35
RL344	Widespread faucet hot valve body	63.70
RL354	Widespread faucet cold valve body	63.70
RL369	Solarity single handle faucet handle kit	46.35
RL370	Solarity widespread faucet spout trim kit	43.05
RL371	Solarity widespread faucet handle trim kit	43.65
RTS174	Solarity shower handle	46.35
RTS175	Solarity escutcheon kit	88.70
RTS176	Solarity VersaFlex escutcheon kit	88.70
RTS177	Solarity diverter escutcheon kit	88.05
RTS178	Solarity diverter lever handle	25.50

SYMMETRIX
S-20 Series Lavatory Faucets

NO.	PART NAME	LIST
KN-2	Compression ring	3.80
KN-3BRB	Loop handle	26.75
KN-3RB	Solid handle	26.75
KN-4	Cartridge	51.70
KN-157	Plug button	3.80
L-22	Handle screw	3.80
L-36	Mounting nuts (2)	3.80
L-39	Plug button	3.80
L-42	Nuts (2)	6.40
LN-8	Valve cap	19.95
LN-15	2.2 gpm aerator	5.80
LN-20	Gasket	3.80
LN-34	Cartridge wrench	6.10
LN-100	0.5 gpm laminar flow vandal resistant aerator kit	13.70
LN-101	Aerator (vandal resistant)	18.30
LN-122	Lucite handle	32.70
LN-135	6" lever handle	34.55
P-26	Grid drain assembly	31.05
SPF-KIT	Mounting kit (2)	5.25
T-33	Plug button	3.80

SYMMETRIX
S-26 Series Pull-Out Kitchen Faucets

NO.	PART NAME	LIST
KN-4	Cartridge	51.70
KN-135	Pull-out hose	42.45
KN-136	Hand spray	102.00
KN-157	Plug button	3.80
LN-135	6" lever handle	34.55

SYMMETRIX
S-240 Series Lavatory Faucets

NO.	PART NAME	LIST
DF-30	Screw (2)	10.50
KN-113	Cold lavatory replacement cartridge	16.95
KN-114	Hot lavatory replacement cartridge	16.95
KN-116	Flange nut (2 required)	ea. 3.80
L-42	Nuts (2)	6.40
LN-15	2.2 gpm aerator	5.80
LN-20	Gasket	3.80
LN-100	0.5 gpm laminar flow vandal resistant aerator kit	13.70
LN-101	Aerator (vandal resistant)	18.30
LN-102-KIT	Handle kit	13.35
LN-111	Lock ring (2 required)	ea. 3.80
LN-112	Lever handle collar (2 required)	ea. 9.55
LN-114	Handle lever	10.30
LN-114-LAM-KIT	Handle kit	49.25
LN-115	Bushing	3.80
LN-121	Phillips pan head screw (2 required)	ea. 3.80
LN-131-KIT	Handle kit	23.20
LN-133A	Temperature indicator (red)	3.80
LN-133B	Temperature indicator (blue)	3.80
LN-134	Oval Phillips head screw (2 required)	ea. 3.80
LN-140-KIT	Handle kit	13.35
P-26	Grid drain assembly	31.05
S-240-KIT	Mounting hardware kit (2)	5.20
T-33	Plug button	3.80
T-33B	Plug button (blue)	3.80
T-33R	Plug button (red)	3.80

SYMMETRIX
S-245 and S-249 Series Bar and Laundry Faucets

NO.	PART NAME	LIST
DF-30	Screw (2)	10.50
KN-113	Cold lavatory replacement cartridge	16.95
KN-114	Hot lavatory replacement cartridge	16.95
KN-116	Flange nut (2 required)	ea. 3.80
L-5	Aerator	5.45
L-5VP	Vandal resistant aerator	18.30
L-42	Nuts (2)	6.40
LN-20	Gasket	3.80
LN-102	Acrylic handle (2 required)	ea. 9.00
LN-102-KIT	Handle kit	13.35
LN-111	Lock ring (2 required)	ea. 3.80
LN-112	Lever handle collar (2 required)	ea. 9.55
LN-115	Bushing	3.80
LN-121	Phillips pan head screw (2 required)	ea. 3.80
LN-131-KIT	Handle kit	23.20
LN-133A	Temperature indicator (red)	3.80
LN-133B	Temperature indicator (blue)	3.80
LN-134	Oval Phillips head screw (2 required)	ea. 3.80
LN-140	Lever handle (2 required)	ea. 9.00
LN-140-KIT	Handle kit	13.35
LN-147B	Snap ring	4.45
LN-152-LAM-KIT	Handle kit	49.25
LN-152-LPO-KIT	Handle kit	49.25
S-240-KIT	Mounting hardware kit (2)	5.20
T-33	Plug button	3.80
T-33B	Plug button (blue)	3.80
T-33R	Plug button (red)	3.80

SYMMETRIX
S-246 Roman Tub Faucets

NO.	PART NAME	LIST
DF-30L	Finial, long (2 required)	ea. 16.35
KN-113	Cold lavatory replacement cartridge	16.95
KN-114	Hot lavatory replacement cartridge	16.95
LN-112	Lever handle collar (2 required)	ea. 9.55
LN-129	Gasket, escutcheon (2 required)	ea. 3.80
LN-134	Oval Phillips head screw (2 required)	ea. 3.80
LN-151-KIT	Handle kit	-
LN-152	Handle lever	13.35
LN-152-LAM-KIT	Handle kit	49.25
LN-152-LPO-KIT	Handle kit	49.25
RT-103N	Nut flanged (2 required)	ea. 6.05
RT-106	Aerator	9.80
RT-107	Gasket, spout	3.80
RT-111	Escutcheon (arc spout)	23.10
SC-15A	Set screw	3.80
T-33	Plug button	3.80
T-33B	Plug button (blue)	3.80
T-33R	Plug button (red)	3.80

SYMMETRIX
S-2610 Series Pull-Out Kitchen Faucets

NO.	PART NAME	LIST
KN-4	Cartridge	51.70
KN-191	Cradle	6.30
KN-196	Hand spray	65.55
KN-205	Hose	74.25

TEMPCONTROL
Thermostatic Water Controller

NO.	PART NAME	LIST
TT-11-200	Casing gasket	8.65
TT-11-400	Casing gasket	8.65
TT-11-1000	Casing gasket	8.65
TT-15-100	Sleeve o-rings (3)	11.25
TT-15-200	Sleeve o-rings (3)	11.25
TT-15-400	Sleeve o-rings (3)	11.25
TT-15-700	Sleeve o-rings (3)	11.25
TT-15-1000	Sleeve o-rings (3)	12.70
TT-16-100	Spring with spring saddle	12.45
TT-16-200	Spring with spring saddle	12.45
TT-16-400	Spring with spring saddle	12.45
TT-16-500	Spring with spring saddle	12.45
TT-16-700	Spring with spring saddle	12.45

TT-16-900	Double spring with spring saddle	18.50
TT-16-1000	Double spring with spring saddle	18.50
TT-17N-200	Check spring retainer (2)	11.05
TT-17N-400	Check spring retainer	11.05
TT-17N-500	Check spring retainer	11.05
TT-19-400	Gland nut & packing	18.50
TT-19-500	Gland nut & packing (2)	18.50
TT-19-700	Gland nut & packing (2)	18.50
TT-19-900	Gland nut & packing (2)	18.50
TT-20-1000	Cap (2)	160.95
TT-20N-200	Cap (2) for 7 Series only	85.75
TT-20N-400	Cap for 7 Series only	107.85
TT-20N-500	Cap for 7 Series only	160.95
TT-20N-700	Cap for 7 Series only	160.95
TT-21-200	Cap gasket (2)	3.80
TT-21-400	Cap gasket (2)	3.80
TT-21-500	Cap gasket (2)	3.80
TT-21-700	Cap gasket (2)	3.80
TT-21-900	Cap gasket (2)	3.80
TT-21-1000	Cap gasket (2)	3.80
TT-22-900	Stop spindle	44.40
TT-22-1000	Stop spindle	44.40
TT-22N-200	Stop spindle (2)	22.05
TT-22N-400	Stop spindle (2)	22.05
TT-22N-500	Stop spindle (2)	22.05
TT-22N-700	Stop spindle (2)	22.05
TT-26-200	Check seat (2)	54.00
TT-26-400	Check seat (2)	54.00
TT-26-500	Check seat (2)	84.70
TT-26-700	Check seat (2)	84.70
TT-27-900	Check stop body (2)	590.70
TT-27-1000	Check stop body (2)	590.70
TT-32A	Gasket between stops (for 7-900 and 7-1000 Series) (2)	3.80
TT-47N	O-ring (2)	3.80
TT-50AN-200	Complete stop assembly (2)	185.60
TT-50AN-400	Complete stop assembly (2)	236.60
TT-50AN-500	Complete stop assembly (2)	273.25
TT-50AN-700	Complete stop assembly (2)	273.25
TT-181-200	Check spindle and spring (2)	84.70
TT-181-400	Check spindle and spring (2)	84.70
TT-181-500	Check spindle and spring (2)	84.70
TT-181-700	Check spindle and spring (2)	84.70
TT-200-900	Check spindle assembly	88.90
TT-200-1000	Check spindle assembly	86.50

TEMPCONTROL 5-102 to 7-102 Series Thermostatic Water Controller

NO.	PART NAME	LIST
CE-29	O-ring	4.65
CE-30	Gasket (2)	4.65
CSE-25	Check stop body with stop seat (2)	134.85
CSE-26	Check stop cap	69.10
CSE-31	Washer (2)	3.80
CSE-32	Check stop washer (2)	3.80
CSE-34	Check spring (2)	4.70
CSE-35	Check stop spindle (2)	40.95
RO-016	7 Series handle kit	36.85
RO-017	7 Series set screw kit	12.05
RO-028	Nut and bolt for Tempcontrol	12.05

TEMPTROL Pressure Balancing Valve from 1968 to Date

NO.	PART NAME	LIST
T-12A	Cap assembly	51.10
T-16	O-ring, packing and washer	4.65
T-17	Packing nut	9.95
T-19/20	Plastic dome cover and metal lock nut	19.30
T-21	Hold down washer w/screw (1 hole)	3.80
T-21A	Hold down washer w/screws (2 holes)	3.80
T-21C	Diverter retainer	3.80
T-24	Spindle o-ring	3.80
T-27	Escutcheon	40.70
T-27B	Escutcheon gasket	3.80
T-27-BRASS	Brass escutcheon	75.00
T-27CL	Diverter handle retainer clip	3.80
T-28	Escutcheon screws 1 1/2" (2)	3.80
T-28A	Escutcheon screws 3" (2)	4.60
T-28VP	Vandal resistant escutcheon screws (2)	4.90
T-29A	Dial (Model A)	8.35
T-29B	Dial (Model B)	8.35
T-29C	Dial (Model C)	8.35
T-30	Diverter/volume handle	15.00
T-31	Handle, plastic	Use RTS-061
T-32	Handle screw and lock washer	3.80
T-33	Plug button	3.80
T-34	Limit stop screw w/o-ring	5.75
T35C	Universal seat removal tool	28.75
T-101	Handle, acrylic	31.25
T-169	7.5 brass escutcheon with screw	59.40
TA-4	Hot & cold renewable seats	49.30
TA-9	Washer replacement kit	7.30
TA-10	Flow control spindle	81.05
TA-10-EXT-KIT	Spindle extension kit	43.35
TA-25A	Diverter/volume spindle (Model A valve) color grey or beige	10.95
TA-25B	Volume spindle (Model B valve) color black	10.95

TEMPTROL Stop Parts for Valves with Sweat Connection

NO.	PART NAME	LIST
T-52	Stop spindle assembly (2)	34.25
T-55	Stop spindle retainer (2)	4.95
T-55C	Stop spindle retainer wrench	27.10

TEMPTROL II
Pressure Balancing Valve
for valve parts see Temptrol

NO.	PART NAME	LIST
T-27	Escutcheon	40.70
T-28	Escutcheon screws 1 1/2" (2)	3.80
T-29CT2	Dial (for use with T-27)	8.35
T-32	Handle screw and lock washer	3.80
T-33	Plug button	3.80
T-65	Handle kit	24.30

TEMPTROL 2000
Pressure Balancing Valve
for valve parts see Temptrol

NO.	PART NAME	LIST
RL-210	Lift rod	14.50
RL-211	Mounting hardware	16.60
RL-215-0.5	0.5 gpm spray aerator	12.05
RL-215-1.0	1.0 gpm aerator	12.05
RL-215-1.5	1.5 gpm aerator	12.05
RL-215-2.2	2.2 gpm aerator	12.05
RL-222C	Hot cartridge	51.70
RL-222H	Cold cartridge	51.70
RL-223	Pop-up drain	30.25
RL-224	Pop-up stopper	26.35
RL-226	Handle kit	26.35
T-19/20	Plastic dome cover and metal lock nut	19.30
T-32	Handle screw and lock washer	3.80
T-33	Plug button	3.80
T3-27	Escutcheon (Model C)	41.00
T3-27B	Escutcheon gasket	3.80
T3-28	Escutcheon screws (2)	3.80
T3-29	Dial (Model C)	11.55
T3-31	Lever handle kit	63.05
T3-31L	Loop handle kit	65.35
T3-31S	Solid handle kit	65.35
T3-31-INS	Handle insert, spline	3.80
T3-33R	Plug button (round)	4.60

ULTRASENSE S-6080 Series
Prior to 2011

NO.	PART NAME	LIST
SF-2CR5	6V lithium battery	36.20
SF-125	1.5 gpm aerator vandal resistant aerator kit	30.15
SF-138	Deck plate	57.25
SF-140	Gasket	12.05
SF-142	Mounting kit (2)	12.05
SF-146	Check strainer repair kit (2)	30.15
SF-147	Sensor repair kit	-
SF-148	Supply hose	36.85
SF-150A	Pilot valve repair kit	150.70
SF-151	Solenoid valve membrane	12.05
SF-152	Housing screw	12.05
SF-153	Handle plug button	12.05
SF-154	Handle	36.85
SF-155	Handle screw	12.05
SF-157	O-ring kit for S-6080	12.05
SF-158	Single mount kit	12.05
SF-159	Plug	6.05
SF-162	Mixer	37.70
SF-173	8" deck plate	89.05
SF-186	Check strainer kit (2)	60.20

ULTRASENSE S-6080 Series
2011 to Date

NO.	PART NAME	LIST
LN-100	0.5 gpm laminar flow vandal resistant aerator kit	13.70
LN-217	1.5 gpm laminar flow vandal resistant aerator kit	24.70
SF-103	Sensor battery box	18.10
SF-125	1.5 gpm aerator vandal resistant aerator kit	30.15
SF-158	Single mount kit	12.05
SF-186	Check strainer kit (2)	60.20
SF-195	AC sensor	397.70
SF-239	Sensor for S-6080-AC-12V	241.05
SF-240	Solenoid	180.75
SF-241	Battery container	18.10
SF-245	Sensor kit	241.05
SF-193	10' (3048mm) output cord	66.35
SF-193A	20' (6096mm) output cable	132.75
SF-223	4" deck plate kit	57.25
SF-223A	4" deck plate kit	57.25
SF-236	Transformer, 12V, AC, plug in	120.50
SF-01303	4" deck plate	57.25
SF-01530	Sensor for 6V battery	397.70
SF-01531	Sensor, AC, 12V	241.05
SF-01538	1.5 gpm aerator	30.15
SF-01657	Single mount kit, S-6090	12.05

UNITY
Centerset Lavatory Faucets (SLC-6612/6610)

NO.	PART NAME	LIST
FLR-102-0.5	0.5 gpm aerator and key	6.50
LN-742-KIT	1.0 gpm aerator and key	13.70
RL-075	Hot cartridge	51.70
RL-076	Cold cartridge	51.70
RL-208	Mounting hardware	16.60
RL-223	Pop-up drain	30.25
RL-224	Pop-up stopper	26.35

UNITY
Single Handle Lavatory Faucets (S-6612/6610)

NO.	PART NAME	LIST
KN-4	Cartridge	51.70
RL-215-0.5	0.5 gpm spray aerator	12.05
RL-215-1.0	1.0 gpm aerator	12.05
RL-223	Pop-up drain	30.25
RL-224	Pop-up stopper	26.35

UNITY
Tub/Shower

NO.	PART NAME	LIST
6600-ESC	Escutcheon kit	43.50
96-66-DIV-ESC	Escutcheon kit	83.90
RTS-064	Lever handle	41.00
S-6600-ESC	Escutcheon kit	84.40
T-19	Plastic dome cover	12.00

UNITY
Widespread Lavatory Faucets (SLW-6612/6610)

NO.	PART NAME	LIST
FLR-102-0.5	0.5 gpm aerator and key	6.50
LN-742-KIT	1.0 gpm aerator and key	13.70
RL-075	Hot cartridge	51.70
RL-076	Cold cartridge	51.70
RL-210	Lift rod	14.50
RL-211	Mounting hardware	16.60
RL-223	Pop-up drain	30.25
RL-224	Pop-up stopper	26.35

VERITY COLLECTION
Lavatory Faucets and Shower Systems

NO.	PART NAME	LIST
FLR13710	1.0 gpm (5.7 L/min) single handle faucet aerator	13.70
FLR13605	0.5 gpm (1.9 L/min) widespread faucet aerator	13.70
FLR13610	1.0 gpm (3.8 L/min) widespread faucet aerator	13.70
KN-113	Cold lavatory faucet replacement cartridge	16.95
KN-114	Hot lavatory faucet replacement cartridge	16.95
RL-067	Single handle faucet mouting hardware	16.60
RL324	Push-pop drain, brass	30.25
RL326	Widespread faucet spout rough	25.50
RL327	Widespread faucet valve flanges	pr. 9.80
RL328	Widespread faucet push-in tee connector	13.35
RL346	Widespread faucet mounting hardware	16.60
RL349	Verity single handle faucet handle kit	46.35
RL353	Verity widespread faucet handle trim kit	pr. 43.65
RL354	Verity widespread faucet spout trim kit	43.05
RA-009	Wall elbow	56.70
RTS-004	Verity diverter lever	25.50
RTS-044	Verity escutcheon kit	88.70
RTS149	Verity shower handle	46.35
RTS150	Verity VF escutcheon kit	88.70
RTS153	Verity diverter escutcheon kit	88.05

VISU-TEMP
Pressure Balancing Valve with Thermometer from 1975 to Date

NO.	PART NAME	LIST
C-5	Flow control spindle	118.35
C-50	Renewable seat socket wrench (for all Safetymix models)	87.95
KIT-B-VT	Safetymix Visu-Temp washer & gasket kit	27.50
RC-14	Solid lever handle	67.35
SC-2	Cap	76.65
SC-3	Renewable seat w/gaskets	63.05
SC-7	Packing nut	9.80
SC-10A	Washer screw	Use KIT-B-VT
SC-13/18	Dome cover	26.85
SC-15A	Set screw	3.80
SC-17	Packing (2)	6.40
SC-19	Cap gasket	Use KIT-B-VT
SC-26	Limit stop with o-ring	5.75
VT-9A	Retainer assembly	10.05

VISU-TEMP
Pressure Balancing Valve with Thermometer

NO.	PART NAME	LIST
SC-13/18	Dome cover	26.85
VT-103	Thermometer	168.10
VT-105	Escutcheon kit	87.35
VT-112	Handle	71.60
VT-112X	Handle (for seperate diverter)	71.60
WO-20A	Screws (2)	3.80

WATER DANCE
Pressure Balancing Valve

NO.	PART NAME	LIST
C-13	Dome cover	36.05
DF-9	Escutcheon screws (2)	10.85
DF-10	Handle screw	5.00
DF-25	O-ring	3.80
HF-28-LAM	Insert handle	69.00
HF-28-LCF	Insert handle	69.00
HF-28-LPO	Insert handle	69.00
HF-103	Spindle	182.00
HF-109	Renewable seat w/gasket	95.65
HF-112	Escutcheon (OBB style)	167.10
HF-113	Dome cover	19.30
HF-117	Dial (OBB style)	6.25
HF-118	Handle flange	13.60
HF-119	Dial (2000 style)	-
HF-120	Escutcheon (2000 style)	139.20
KIT-HF	Washer and gasket kit	33.30
SC-2	Cap	76.65
SC-7	Packing nut	9.80
SC-10A	Hot washer screw	Use KIT-HF
SC-10/11	Hot & cold washers	Use KIT-HF
SC-17	Packing (2)	6.40
SC-19	Cap gasket	Use KIT-HF
SC-26	Limit stop with o-ring	5.75
T-32	Handle screw and lock washer	3.80
T-33	Plug button	3.80
T3-28	Escutcheon screws (2)	3.80

T3-31L	Loop handle kit	65.35
T3-31S	Solid handle kit	65.35

W-400, W-500-B, W-600, W-602 Duplex Protector Valve for Washing Machine Supplies

NO.	PART NAME	LIST
KIT-AA	Rebuilding unit for all models of washing machine valves. (Includes valve, handle and mounting gaskets)	63.80
KIT-W-400	Hardware and gasket kit	21.60
KIT-W-600	Hardware and gasket kit	21.60
KIT-W-602	Hardware and gasket kit	21.60
KIT-WM	Pistons and o-rings for valve (for valves mfgd. after 1984)	31.40
LM-1	Box for W-600	33.30
LM-2	Cover	31.25
LM-3A	Drip pan	16.35
LM-5	Handle	8.40
LM-6/7	Labels	3.80
LM-9	Drain nut for W-602	3.80
LM-12	Screws	3.80
W-2A	Sweat elbow fittings (2)	24.40
W-12	Screws (2)	4.50
W-13	Small gasket (2)	3.80
W-14	Large gasket (2)	3.80
WS-17	Cover with label for W-500-B	7.10
WS-18/19	Handle and knob	12.70

2024 SYMMONS REPAIR PARTS LIST PRICING

SEPTEMBER 1, 2024

Symmons Genuine Repair Parts should be used to repair or service your Symmons product.
Use of replacement parts other than Symmons will void any warranty.

NO.	PART NAME	LIST
430SS	Flange only	7.10
6600-ESC	Escutcheon kit	43.50
9600-OP-ESC	Escutcheon kit	86.85
9600-P-B-ESC	Brass escutcheon kit	53.20
9600-P-ESC	Escutcheon kit	25.50
9600-PLR-B-ESC	Brass escutcheon kit	53.20
9600-PLR-ESC	Escutcheon kit	25.50
96-66-DIV-ESC	Escutcheon kit	83.90
C-13	Dome cover	36.05
C-32-11	Spindle assembly (11/16" dia.) (2)	36.30
C-32-5	Spindle assembly (5/8" dia.) (2)	36.30
C-32B-11	Plaster shield (11/16" dia.) (2)	6.25
C-5	Flow control spindle	118.35
C-50	Renewable seat socket wrench (for all Safetymix models)	87.95
CE-29	O-ring	4.65
CE-30	Gasket (2)	4.65
CSE-25	Check stop body with stop seat (2)	134.85
CSE-26	Check stop cap	69.10
CSE-31	Washer (2)	3.80
CSE-32	Check stop washer (2)	3.80
CSE-34	Check spring (2)	4.70
CSE-35	Check stop spindle (2)	40.95
DF-10	Handle screw	5.00
DF-11	Dome	53.50
DF-14	Escutcheon (less slot)	116.55
DF-14-SL	Escutcheon (slotted)	116.55
DF-21/22	Diverter/volume handle	60.85
DF-25	O-ring	3.80
DF-28-LAM	Decorative handle kit (w/chrome insert)	68.75
DF-28-LCF	Decorative handle kit (w/clear faceted insert)	68.75
DF-28-LPO	Decorative handle kit (w/white porcelain insert)	68.75
DF-30	Screw (2)	10.50
DF-30L	Finial, long (2 required)	ea. 16.35
DF-6	Handle flange	23.85
DF-8	Dial	6.20
DF-9	Escutcheon screws (2)	10.85
DF-9B	Escutcheon screws	10.85
DT-10	Packing cup	3.80
DT-11	O-ring washer	3.80
DT-12	Spring	3.80
DT-13	Volume dial & screw	4.65
DT-15	Knob	15.80
DT-2	Bonnet	29.90
DT-20	Replacement unit complete	130.15

NO.	PART NAME	LIST
DT-20/5	Replacement unit complete with escutcheon	173.10
DT-3	Spindle assembly	47.30
DT-4	Spacer bushing	8.65
DT-7	Escutcheon bushing	17.40
DT-8	Bonnet o-ring	3.80
DT-9	Bonnet gasket	3.80
EF-100	1 mode hand shower wand	88.45
EF-101	3 mode hand shower wand	81.35
EF-104	5' hose and vacuum breaker	86.20
EF-105	Elbow	94.40
EF-106	Wall mounting bracket	25.10
EF-109	Vacuum breaker	45.60
EF-118	1 mode hand shower wand	156.05
EF-119	3 mode hand shower wand	216.55
FF-1A	Front insert (complete for 4-295)	109.10
FF-2B	Washer	3.80
FLR-102-0.5	0.5 gpm aerator and key	6.50
FLR-110-1.0	1.0 gpm aerator	13.35
FLR-110-1.5	1.5 gpm aerator	13.35
FLR13605	0.5 gpm (1.9 L/min) faucet aerator	13.70
FLR13610	1.0 gpm (3.8 L/min) faucet aerator	13.70
FLR13710	1.0 gpm (5.7 L/min) single handle faucet aerator	13.70
FP-1	Open flow hand spray	128.10
FP-1E	Swivel	14.90
FP-1-TEMPTROL	Temptrol open flow hand spray	42.55
FP-2	Wall bracket with screws	21.20
FP-24A	Bar end and screws	18.95
FP-30B	Bar only (30")	68.85
FP-40	Wall connection with flange	41.10
FP-48B	Bar only (48")	118.20
FP-SM3	Slide mechanism for 30" adjusting bar B30	65.60
HF-103	Spindle	182.00
HF-109	Renewable seat w/gasket	95.65
HF-112	Escutcheon (OBB style)	167.10
HF-113	Dome cover	19.30
HF-117	Dial (OBB style)	6.25
HF-118	Handle flange	13.60
HF-119	Dial (2000 style)	-
HF-120	Escutcheon (2000 style)	139.20
HF-28-LAM	Insert handle	69.00
HF-28-LCF	Insert handle	69.00
HF-28-LPO	Insert handle	69.00
HP-10	Body cover	19.30
HP-10A	O-ring	3.80

NO.	PART NAME	LIST
HP-14	Screw	3.80
HP-14A	Washer	3.80
HP-14B	Anchor (blue) for Hydapipe	3.80
HP-27	Ceiling flange	53.30
HP-29	Inside joining bracket	53.30
HP-4	Top cap	41.80
HP-5	Soap dish	63.70
HP-6	Dial	16.80
HP-7	Screws (8 required per unit)	ea. 3.80
HPN-10	Dome cover	19.30
HPN-29	Inside joining bracket	107.25
HPN-39	Ceiling flange	53.30
HPN-5	Top cap	41.80
HPN-7	Dial	15.75
HV-1	Manual shut-off cartridge	267.15
HY-50	Holt head screwdriver	20.95
IH-EX	4-295 adapter for male head	45.60
K-15P	Handle insert	3.80
K-41/42	Hand spray with hose and holder	78.80
K-44	Retainer ring for S-23 Series	3.80
K-46	Diverter o-ring	3.80
KIT-AA	Rebuilding unit for all models of washing machine valves. (Includes valve, handle and mounting gaskets)	63.80
KIT-B	Safetymix washer & gasket kit	19.20
KIT-B-VT	Safetymix Visu-Temp washer & gasket kit	27.50
KIT-HF	Washer and gasket kit	33.30
KIT-W-400	Hardware and gasket kit	21.60
KIT-W-600	Hardware and gasket kit	21.60
KIT-W-602	Hardware and gasket kit	21.60
KIT-WM	Pistons and o-rings for valve (for valves mfgd. after 1984)	31.40
KN-1	Valve cap	26.95
KN-101	Spout assembly	47.25
KN-103	Cap	8.75
KN-104	Spacer	3.80
KN-108	Escutcheon	23.70
KN-109	Base plate	5.30
KN-112	Diverter valve	9.80
KN-113	Cold lavatory replacement cartridge	16.95
KN-114	Hot lavatory replacement cartridge	16.95
KN-115	Spacer (2 required)	ea. 3.80
KN-116	Flange nut (2 required)	ea. 3.80
KN-118	Gasket	3.80
KN-120	O-ring	3.80
KN-135	Pull-out hose	42.45
KN-136	Hand spray	102.00
KN-157	Plug button	3.80
KN-169	Diverter kit (after 8/02)	17.55
KN-191	Cradle	6.30
KN-196	Hand spray	65.55
KN-19A	Spacer	3.80
KN-2	Compression ring	3.80
KN-20	O-ring (2)	4.50

NO.	PART NAME	LIST
KN-205	Hose	74.25
KN-30	Escutcheon	27.65
KN-33	Base plate	8.30
KN-3BRB	Loop handle	26.75
KN-3RB	Solid handle	26.75
KN-4	Cartridge	51.70
KN-43	Diverter with o-ring (before 12/99)	11.25
KN-59	Diverter removal tool	-
L-22	Handle screw	3.80
L-35	Mounting bolts (2)	3.80
L-36	Mounting nuts (2)	3.80
L-39	Plug button	3.80
L-42	Nuts (2)	6.40
L-5	Aerator	5.45
L-5VP	Vandal resistant aerator	18.30
LD-11	Bonnet o-ring	3.80
LD-12	Bonnet washer	3.80
LD-13	Spring & washer	7.85
LD-15A	Escutcheon with set screw	42.90
LD-3	Bonnet	24.40
LD-6A	Bonnet	31.90
LD-7R	Spindle assembly	61.00
LD-7RR	Spindle assembly	65.75
LD-8	Escutcheon nipple	18.00
LL-101	In-line screen	7.35
LL-1A	Control cartridge	144.35
LL-1B	Control cartridge for quick closing	144.35
LL-27	Handle set screw	3.80
LL-28	Cycle time washers (7)	3.10
LL-35	Thrust washer	3.80
LL-3N	Upper housing	19.30
LL-48	Upper housing o-rings (3)	3.80
LL-60B	Aerator, vandal proof	31.30
LL-60K	Spray outlet wrench	3.80
LL-71B	In-line checks/screen assembly (2)	64.45
LLD-20	Replacement unit complete	121.15
LLD-20A	Replacement unit complete with escutcheon	163.75
LM-1	Box for W-600	33.30
LM-12	Screws	3.80
LM-2	Cover	31.25
LM-26SW	Service stop complete	16.90
LM-3A	Drip pan	16.35
LM-5	Handle	8.40
LM-6/7	Labels	3.80
LM-9	Drain nut for W-602	3.80
LN-01416	Single post lavatory handle	51.50
LN-01417	Single post lavatory control cartridge	25.55
LN-01449	Kit, handle, with hardware	46.35
LN-01452	Hot cartridge	23.95
LN-01453	Cold cartridge	23.95
LN-01454	Handle repair kit	51.50
LN-02774	Hot cartridge	23.95
LN-02775	Cold cartridge	23.95

NO.	PART NAME	LIST
LN-100	0.5 gpm laminar flow vandal resistant aerator kit	13.70
LN-101	Aerator (vandal resistant)	18.30
LN-102	Acrylic handle (2 required)	ea. 9.00
LN-102-KIT	Handle kit	13.35
LN-111	Lock ring (2 required)	ea. 3.80
LN-112	Lever handle collar (2 required)	ea. 9.55
LN-114	Handle lever	10.30
LN-114-LAM-KIT	Handle kit	49.25
LN-115	Bushing	3.80
LN-121	Phillips pan head screw (2 required)	ea. 3.80
LN-122	Lucite handle	32.70
LN-129	Gasket, escutcheon (2 required)	ea. 3.80
LN-131-KIT	Handle kit	23.20
LN-133A	Temperature indicator (red)	3.80
LN-133B	Temperature indicator (blue)	3.80
LN-134	Oval Phillips head screw (2 required)	ea. 3.80
LN-135	6" lever handle	34.55
LN-138	Washer	3.80
LN-140	Lever handle (2 required)	ea. 9.00
LN-140-KIT	Handle kit	13.35
LN-147B	Snap ring	4.45
LN-15	2.2 gpm aerator	5.80
LN-150	O-ring	3.80
LN-151-KIT	Handle kit	-
LN-152	Handle lever	13.35
LN-152-LAM-KIT	Handle kit	49.25
LN-152-LPO-KIT	Handle kit	49.25
LN-154	Bushing (2 required)	ea. 3.80
LN-157	Flex hose (2 required)	ea. 16.55
LN-177	Cross handle for lavatory faucets (2 required)	ea. 21.15
LN-182	Base (arc spout)	8.55
LN-20	Gasket	3.80
LN-217	1.5 gpm laminar flow vandal resistant aerator kit	24.70
LN-34	Cartridge wrench	6.10
LN-341	Lift rod (lav faucet)	9.10
LN-742-KIT	1.0 gpm aerator and key	13.70
LN-8	Valve cap	19.95
LN-969	Control cartridge (lav faucet)	51.70
LT-100	Handle	27.65
LT-71B	In-line check/screen assembly	32.35
MV-10	Washer (S-73 & S-74)	3.80
MV-107	Repair kit for 4-10 check (2)	8.80
NIH-1F	GPM floW restrictor and retainer	19.10
NIH-5	Face plate (4-150)	7.70
NS-1	Complete cartridge replacement unit	255.35
NS-11	Shut-off washer	3.80
NS-13	Piston spring	3.80
NS-13R	Washer and gasket repair unit	79.00
NS-14	Guide nut washer	3.80
NS-15	Piston o-ring	3.80
NS-16	Control rod	4.95
NS-18	Integral stop unit	18.40

NO.	PART NAME	LIST
NS-2	Cap	45.10
NS-22	Escutcheon screws (2)	4.10
NS-24	Guide nut small o-ring	3.80
NS-25	Guide nut large o-ring	3.80
NS-26	Cap small o-ring	3.80
NS-27	Cap large o-ring	3.80
NS-28	Knob set screw	3.80
NS-3	Knob	16.45
NS-30	Adapter plate	12.00
NS-32	Stop retainer	4.10
NS-4	Push rod	6.25
NS-5	Guide nut	10.05
NS-6	Cylinder	28.80
NS-7	Retainer	10.25
NS-8	Piston	37.45
NS-9	Retainer	10.00
P-100N	Plastic stopper	6.40
P-26	Grid drain assembly	31.05
PS-1	Complete cartridge replacement unit; includes cap, nut, gaskets, o-ring, washer, screw	267.15
PS-2	Knob & screw	39.55
PS-4A	Escutcheon for 4-427R and 4-428-R	108.15
PS-4E	Studs and nut kit (2)	3.80
PS-4H	Horseshoe bracket	31.85
PS-7	Cap screws (2 required)	pr. 3.80
QD	Quick disconnect unit for hand shower units	103.70
RA-009	Complete slide assembly	56.70
RA-010	30" bar only	31.80
RA-011	48" bar only	68.00
RA-012	Slide assembly	54.95
RA-013	Mount ends and screws (2)	4.90
RA-016	Slide assembly	113.45
RC-14	Solid lever handle	67.35
RC-14X	Handle	67.30
RK-001	Mounting hardware	16.60
RK-002	Pull-down handle kit	26.35
RK-003	Cartridge	51.70
RK-004	Spray wand	36.60
RK-005	O-ring and dual check	6.30
RK-006	Hose	9.90
RK-007	Installation tool	6.30
RK-008	Mounting hardware	16.60
RK-009	Handle kit	26.35
RK-010-1.5	Spray wand	36.60
RK-011	Hose	9.90
RK-012	Deck plate	60.20
RK-013	Handle assembly	26.35
RK-014	Connector repair kit	12.35
RK-015-1.5	Aerator	12.05
RK-021	Hose	36.85
RK-022	O-ring repair kit for SPP-3510	7.25
RK-024	Mounting hardware	16.60
RK-030	Spray wand	102.00

NO.	PART NAME	LIST
RK-032	Hose	36.85
RK-032-GY	Hose	36.85
RK-044	Spray wand	102.00
RK-050	Handle and screw	26.35
RK-051-1.5	Spray wand	26.35
RK-052	Hose	36.85
RK-053	Mounting hardware	16.60
RK-058	Deck plate	46.10
RL-002	Widespread lavatory handle kit (with screws) (2)	52.70
RL-003	Widespread lavatory hot cartridge	51.70
RL-004	Widespread lavatory cold cartridge	51.70
RL-006	Widespread lavatory lift rod assembly	14.50
RL-011	Mounting kit and hoses	36.85
RL-014	Lift rod, stopper, ball rod	14.50
RL-015	Lift rod	14.50
RL-019	0.5 gpm aerator	12.05
RL-031	Widespread lavatory handle kit	26.35
RL-032	8" deck plate for SPB-3510	89.05
RL-041	Single post lavatory handle kit	26.35
RL-042	Single post lavatory control cartridge	51.70
RL-057	Widespread lavatory mounting hardware	16.60
RL-058	Widespread lavatory handle kit	52.70
RL-067	Single handle faucet mouting hardware	16.60
RL-068	Single post pop up drain assembly	30.25
RL-071	Single post lavatory 0.5 gpm aerator	12.05
RL-072	Repair kit	26.35
RL-075	Hot cartridge	51.70
RL-076	Cold cartridge	51.70
RL-081	4" single handle lavatory faucet deck plate	34.20
RL-082	4" single handle lavatory faucet deck plate	57.25
RL-118	Lift rod	14.50
RL-120	1.5 gpm aerator	12.05
RL-123	Mounting hardware	16.60
RL-144	Handle kit (lav faucet)	26.35
RL-148	Widespread mounting kit	16.60
RL-149	Widespread handle kit	26.35
RL-150	Lift rod	14.50
RL-154LR	Pop up drain, less rod	30.25
RL-156	Handle repair kit, lever	52.70
RL-179	Centerset handle	52.70
RL-180C	Centerset lavatory cartridge, cold	51.70
RL-180H	Centerset lavatory cartridge, hot	51.70
RL-191	Centerset lift rod	14.50
RL-196	Centerset lavatory 1.0 gpm aerator	12.05
RL-198	Escutcheon kit (2)	26.35
RL-208	Mounting hardware	16.60
RL-210	Lift rod	14.50
RL-211	Mounting hardware	16.60
RL-215-0.5	0.5 gpm spray aerator	12.05
RL-215-1.0	1.0 gpm aerator	12.05
RL-215-1.5	1.5 gpm aerator	12.05

NO.	PART NAME	LIST
RL-215-2.2	2.2 gpm aerator	12.05
RL-222C	Hot cartridge	51.70
RL-222H	Cold cartridge	51.70
RL-223	Pop-up drain	30.25
RL-224	Pop-up stopper	26.35
RL-226	Handle kit	26.35
RL-227	Cartridge	51.70
RL-228	Mounting hardware	16.60
RL-235	Lift rod for SLC-4712	14.50
RL-238	Mounting hardware kit for SLS-3510	16.60
RL-239-0.5	0.5 gpm aerator with housing	12.05
RL-239-1.0	1.0 gpm aerator with housing	12.05
RL-240-0.5	0.5 gpm aerator with housing	12.05
RL-240-1.0	1.0 gpm aerator with housing	12.05
RL-250	Cross handle kit	52.70
RL-266	Control spindle kit	86.50
RL-267	Piston spring and cylinder kit	86.50
RL-272	O-ring kit	6.30
RL-279	Limit stop cartridge	51.70
RL-286	Lift rod	14.50
RL-287	Handle with screw set	26.35
RL-290	Handle kit	52.70
RL-291	8" deck plate for SLC-6000	89.05
RL-293	Handle kit	52.70
RL-294	4" deck plate	57.25
RL-295	8" deck plate	89.05
RL324	Push-pop drain, brass	30.25
RL325	Single handle faucet 25mm cartridge	50.45
RL326	Widespread faucet spout rough	25.50
RL327	Widespread faucet valve flanges	pr. 9.80
RL328	Widespread faucet push-in tee connector	13.35
RL329	Dia widespread faucet handle trim kit	pr. 52.70
RL330	Dia widespread faucet cross handle trim kit	pr. 52.70
RL332`	Elm widespread faucet handle trim kit	pr. 26.35
RL335	Dia widespread faucet spout trim kit (SLW3512)	44.95
RL336	Dia widespread faucet spout trim kit (SLW3522)	44.95
RL338	Elm widespread faucet spout trim kit	37.10
RL340	Identity widespread faucet spout trim kit	43.05
RL344	Widespread faucet hot valve body	63.70
RL345	Widespread faucet cold valve body	63.70
RL346	Widespread faucet mounting hardware	16.60
RL349	Verity single handle faucet handle kit	46.35
RL353	Verity widespread faucet handle trim kit	pr. 43.65
RL354	Widespread faucet cold valve body	63.70
RL355	Oak single handle faucet handle kit	51.55
RL356	Birch single handle faucet handle kit	46.35
RL357	Braston single handle faucet handle kit	51.55
RL358	Oak widespread faucet spout trim kit	44.95
RL359	Oak widespread faucet handle trim kit	pr. 52.70
RL360	Birch widespread faucet spout trim kit	43.05
RL361	Birch widespread faucet handle trim kit	pr. 43.65

NO.	PART NAME	LIST
RL363	Brastson widespread faucet spout trim kit	44.95
RL364	Braston widespread faucet handle trim kit	pr. 52.70
RL365	Duro widespread faucet spout trim kit (SLW3612)	44.95
RL366	Duro widespread faucet spout trim kit (SLW3622)	44.95
RL367	Duro widespread faucet handle trim kit	52.70
RL368	Widespread faucet valve flanges	pr. 9.80
RL369	Solarity single handle faucet handle kit	46.35
RL370	Solarity widespread faucet spout trim kit	43.05
RL371	Solarity widespread faucet handle trim kit	43.65
RO-001	.35 gpm aerator	12.05
RO-004	Wall elbow with backflow prevention	50.55
RO-005	5' metal hose	36.85
RO-007	1.5 gpm pull-down aerator	12.05
RO-008	1.0 gpm Tom Junior cache aerator	12.05
RO-010	Face and gasket	96.40
RO-011	1.5 gpm aerator	12.05
RO-011-0.5	0.5 gpm aerator	12.05
RO-016	7 Series handle kit	36.85
RO-017	7 Series set screw kit	12.05
RO-019	1.5 gpm G-US aerator	12.05
RO-028	Nut and bolt for Tempcontrol	12.05
RT-103N	Nut flanged (2 required)	ea. 6.05
RT-106	Aerator	9.80
RT-107	Gasket, spout	3.80
RT-111	Escutcheon (arc spout)	23.10
RTS-001	Model C escutcheon kit (includes mounting hardware and dome cover)	102.50
RTS-003	Model A/B escutcheon kit (includes mounting hardware and dome cover)	102.50
RTS-004	Diverter/Volume control handle	25.50
RTS-005	Escutcheon repair kit (includes mounting hardware and dome cover)	102.50
RTS-006	Tub/shower handle kit	31.90
RTS-007	Escutcheon repair kit (includes mounting hardware and dome cover)	102.50
RTS-008	Diverter/volume control handle	32.90
RTS-009	Model C brass escutcheon kit (includes mounting hardware and dome cover)	102.50
RTS-010	Model C plastic escutcheon kit (includes mounting hardware and dome cover)	102.50
RTS-011	Model A/B brass escutcheon kit (includes mounting hardware and dome cover)	102.50
RTS-012	Model A/B plastic escutcheon kit (includes mounting hardware and dome cover)	102.50
RTS-013	Brass diverter/volume control handle	22.55
RTS-014	Plastic diverter/volume control handle	5.45
RTS-026	Shower handle kit	47.40
RTS-032	Allura tub/shower handle kit	32.90
RTS-037	Dome cover repair kit	18.85
RTS-038	Diverter escutcheon kit	102.50
RTS-040	Diverter escutcheon kit	102.50
RTS-041	Shower riser diverter handle	46.10
RTS-042	Riser diverter cartridge	51.70

NO.	PART NAME	LIST
RTS-043	Shower riser slide assembly	136.95
RTS-044	Verity escutcheon kit	88.70
RTS-061	Tri-star handle	24.75
RTS-063	Metal lever handle	67.05
RTS-064	Lever handle	41.00
RTS-090	Shower handle, 3520 series	49.65
RTS-091	Shower handle, 3530 series	49.65
RTS-092	Shower handle, 3620 Series	49.65
RTS-093	Shower handle, 3630 Series	49.65
RTS149	Verity shower handle	46.35
RTS150	Verity VF escutcheon kit	88.70
RTS152	Square wall elbow	94.40
RTS153	Verity diverter escutcheon kit	88.05
RTS154	Oak escutcheon kit	102.50
RTS155	Oak VersaFlex escutcheon kit	102.50
RTS156	Oak shower handle	49.65
RTS157	Oak diverter escutcheon kit	193.25
RTS158	Oak diverter lever handle	25.50
RTS161	Braston escutcheon kit	102.50
RTS162	Braston VersaFlex escutcheon kit	102.50
RTS163	Braston shower handle	49.65
RTS164	Braston diverter escutcheon kit	193.25
RTS165	Braston diverter lever	25.50
RTS168	Birch escutcheon kit	88.70
RTS169	Birch VersaFlex escutcheon kit	88.70
RTS170	Birch shower handle	46.35
RTS171	Birch diverter escutcheon kit	88.05
RTS172	Birch diverter lever handle	25.50
RTS173	Birch wall elbow	91.65
RTS174	Solarity shower handle	46.35
RTS175	Solarity escutcheon kit	88.70
RTS176	Solarity VersaFlex escutcheon kit	88.70
RTS177	Solarity diverter escutcheon kit	88.05
RTS178	Solarity diverter lever handle	25.50
S-240-KIT	Mounting hardware kit (2)	5.20
S-6600-ESC	Escutcheon kit	84.40
S-9600-OP-ESC	Escutcheon kit for lever handle	96.80
S-9600-P-ESC	Escutcheon kit	66.45
S-9600-PLR-ESC	Escutcheon kit	66.45
S-9600TS-OP-ESC	Escutcheon kit for lever handle	96.80
S-9600TS-P-B-ESC	Brass escutcheon kit	94.15
S-9600TS-P-ESC	Escutcheon kit	66.45
S-9600TS-PLR-B-ESC	Brass escutcheon kit	94.15
S-9600TS-PLR-ESC	Escutcheon kit	66.45
SC-10/11	Hot & cold washers	Use KIT-HF
SC-102	Dial	8.35
SC-10A	Washer screw	Use KIT-B-VT
SC-127	5 mode hand shower wand	158.40
SC-13/18	Dome cover	26.85
SC-13C	Dial	15.90
SC-15A	Set screw	3.80

NO.	PART NAME	LIST
SC-17	Packing (2)	6.40
SC-19	Cap gasket	Use KIT-B-VT
SC-2	Cap	76.65
SC-22A	Limit stop assembly	7.10
SC-26	Limit stop with o-ring	5.75
SC-3	Renewable seat w/gaskets	63.05
SC-7	Packing nut	9.80
SD010	Soap Dispenser 12V Transformer (power supply)	19.80
SD017	Extension Cable, 4.5 Feet	20.90
SD019	Power Splitter	23.95
SD021	12V Power Supply 2.5 Amp	80.30
SF-01303	4" deck plate	57.25
SF-01530	Sensor for 6V battery	397.70
SF-01531	Sensor, AC, 12V	241.05
SF-01538	1.5 gpm aerator	30.15
SF-01657	Single mount kit, S-6090	12.05
SF-01804	Sensor, AC, S-6060, Plastic	241.05
SF-103	Sensor battery box	18.10
SF-125	1.5 gpm aerator vandal resistant aerator kit	30.15
SF-138	Deck plate	57.25
SF-140	Gasket	12.05
SF-142	Mounting kit (2)	12.05
SF-146	Check strainer repair kit (2)	30.15
SF-147	Sensor repair kit	-
SF-148	Supply hose	36.85
SF-150A	Pilot valve repair kit	150.70
SF-151	Solenoid valve membrane	12.05
SF-152	Housing screw	12.05
SF-153	Handle plug button	12.05
SF-154	Handle	36.85
SF-155	Handle screw	12.05
SF-157	O-ring kit for S-6080	12.05
SF-158	Single mount kit	12.05
SF-159	Plug	6.05
SF-162	Mixer	37.70
SF-173	8" deck plate	89.05
SF-186	Check strainer kit (2)	60.20
SF-193	10' (3048mm) output cord	66.35
SF-193A	20' (6096mm) output cable	132.75
SF-195	AC sensor	397.70
SF-223	4" deck plate kit	57.25
SF-223A	4" deck plate kit	57.25
SF-236	Transformer, 12V, AC, plug in	120.50
SF-239	Sensor for S-6080-AC-12V	241.05
SF-240	Solenoid	180.75
SF-241	Battery container	18.10
SF-245	Sensor kit	241.05
SF-246	Sensor for 6V battery, S-6060	241.05
SF251	Sensor Kit (Single)	239.00
SF253	Solenoid Valve (Single)	88.05
SF255	Solenoid Housing Kit (Single)	36.50
SF258	Battery Box (batteries not included)	76.50

NO.	PART NAME	LIST
SF277	3 Meter Output Cable (Male)	22.25
SF-2CR5	6V lithium battery	36.20
SP-4	5' hose and vacuum breaker	37.45
SP-4-6	Hose (6')	57.25
SPF-104	Cap for single post, plain	67.40
SPF-26	Hex nut	5.95
SPF-28	Deck plate (S-72 & S-74)	29.40
SPF-KIT	Mounting kit (2)	5.25
ST-12RV	Vinyl hose (5')	53.45
T-101	Handle, acrylic	31.25
T-127	Chrome cross handle	68.65
T-12A	Cap assembly	51.10
T-130A	S-valve tub/shower dial kit	11.05
T-130B	S-valve shower only dial kit	11.05
T-132	Hot/Cold dial (Model C)	7.65
T-133C	Non-S valve escutcheon kit	40.70
T-139	Diverter/volume control handle	16.65
T-16	O-ring, packing and washer	4.65
T-169	7.5 brass escutcheon with screw	59.40
T-169A	Escutcheon ("S" Series)	74.05
T-17	Packing nut	9.95
T-19	Plastic dome cover	12.00
T-19/20	Plastic dome cover and metal lock nut	19.30
T-19/20-PL	Dome cover	46.25
T-21	Hold down washer w/screw (1 hole)	3.80
T-21A	Hold down washer w/screws (2 holes)	3.80
T-21C	Diverter retainer	3.80
T-24	Spindle o-ring	3.80
T-242A	Tub/shower handle kit	95.20
T-249	Escutcheon	227.65
T-251	Handle kit (tub/shower)	168.65
T-27	Escutcheon	40.70
T-27B	Escutcheon gasket	3.80
T-27-BRASS	Brass escutcheon	75.00
T-27CL	Diverter handle retainer clip	3.80
T-28	Escutcheon screws 1 1/2" (2)	3.80
T-28A	Escutcheon screws 3" (2)	4.60
T-28VP	Vandal resistant escutcheon screws (2)	4.90
T-29A	Dial (Model A)	8.35
T-29B	Dial (Model B)	8.35
T-29C	Dial (Model C)	8.35
T-29CT2	Dial (for use with T-27)	8.35
T-30	Diverter/volume handle	15.00
T-30C	Diverter/volume handle (tub/shower)	24.15
T-30M	Diverter/volume handle (tub/shower)	37.00
T-31	Handle, plastic	Use RTS-061
T-32	Handle screw and lock washer	3.80
T3-27	Escutcheon (Model C)	41.00
T3-27B	Escutcheon gasket	3.80
T3-28	Escutcheon screws (2)	3.80
T3-29	Dial (Model C)	11.55
T-33	Plug button	3.80
T3-31	Lever handle kit	63.05

NO.	PART NAME	LIST
T3-31-INS	Handle insert, spline	3.80
T3-31L	Loop handle kit	65.35
T3-31S	Solid handle kit	65.35
T3-33R	Plug button (round)	4.60
T-33B	Plug button (blue)	3.80
T-33R	Plug button (red)	3.80
T-34	Limit stop screw w/o-ring	5.75
T35C	Universal seat removal tool	28.75
T-52	Stop spindle assembly (2)	34.25
T-55	Stop spindle retainer (2)	4.95
T-55C	Stop spindle retainer wrench	27.10
T-65	Handle kit	24.30
TA-10	Flow control spindle	81.05
TA-10-EXT-KIT	Spindle extension kit	43.35
TA-25A	Diverter/volume spindle (Model A valve) color grey or beige	10.95
TA-25B	Volume spindle (Model B valve) color black	10.95
TA-4	Hot & cold renewable seats	49.30
TA-9	Washer replacement kit	7.30
TT-11-1000	Casing gasket	8.65
TT-11-200	Casing gasket	8.65
TT-11-400	Casing gasket	8.65
TT-15-100	Sleeve o-rings (3)	11.25
TT-15-1000	Sleeve o-rings (3)	12.70
TT-15-200	Sleeve o-rings (3)	11.25
TT-15-400	Sleeve o-rings (3)	11.25
TT-15-700	Sleeve o-rings (3)	11.25
TT-16-100	Spring with spring saddle	12.45
TT-16-1000	Double spring with spring saddle	18.50
TT-16-200	Spring with spring saddle	12.45
TT-16-400	Spring with spring saddle	12.45
TT-16-500	Spring with spring saddle	12.45
TT-16-700	Spring with spring saddle	12.45
TT-16-900	Double spring with spring saddle	18.50
TT-17N-200	Check spring retainer (2)	11.05
TT-17N-400	Check spring retainer	11.05
TT-17N-500	Check spring retainer	11.05
TT-181-200	Check spindle and spring (2)	84.70
TT-181-400	Check spindle and spring (2)	84.70
TT-181-500	Check spindle and spring (2)	84.70
TT-181-700	Check spindle and spring (2)	84.70
TT-19-400	Gland nut & packing	18.50
TT-19-500	Gland nut & packing (2)	18.50
TT-19-700	Gland nut & packing (2)	18.50
TT-19-900	Gland nut & packing (2)	18.50
TT-200-1000	Check spindle assembly	86.50
TT-200-900	Check spindle assembly	88.90
TT-20-1000	Cap (2)	160.95
TT-20N-200	Cap (2) for 7 Series only	85.75
TT-20N-400	Cap for 7 Series only	107.85
TT-20N-500	Cap for 7 Series only	160.95
TT-20N-700	Cap for 7 Series only	160.95
TT-21-1000	Cap gasket (2)	3.80

NO.	PART NAME	LIST
TT-21-200	Cap gasket (2)	3.80
TT-21-400	Cap gasket (2)	3.80
TT-21-500	Cap gasket (2)	3.80
TT-21-700	Cap gasket (2)	3.80
TT-21-900	Cap gasket (2)	3.80
TT-22-1000	Stop spindle	44.40
TT-22-900	Stop spindle	44.40
TT-22N-200	Stop spindle (2)	22.05
TT-22N-400	Stop spindle (2)	22.05
TT-22N-500	Stop spindle (2)	22.05
TT-22N-700	Stop spindle (2)	22.05
TT-26-200	Check seat (2)	54.00
TT-26-400	Check seat (2)	54.00
TT-26-500	Check seat (2)	84.70
TT-26-700	Check seat (2)	84.70
TT-27-1000	Check stop body (2)	590.70
TT-27-900	Check stop body (2)	590.70
TT-32A	Gasket between stops (for 7-900 and 7-1000 Series) (2)	3.80
TT-47N	O-ring	3.80
TT-50AN-200	Complete stop assembly (2)	185.60
TT-50AN-400	Complete stop assembly (2)	236.60
TT-50AN-500	Complete stop assembly (2)	273.25
TT-50AN-700	Complete stop assembly (2)	273.25
VT-103	Thermometer	168.10
VT-105	Escutcheon kit	87.35
VT-112	Handle	71.60
VT-112X	Handle (for seperate diverter)	71.60
VT-9A	Retainer assembly	10.05
W-12	Screws (2)	4.50
W-13	Small gasket (2)	3.80
W-14	Large gasket (2)	3.80
W-2A	Sweat elbow fittings (2)	24.40
WO-20A	Screws (2)	3.80
WS-17	Cover with label for W-500-B	7.10
WS-18/19	Handle and knob	12.70