



Simpatico

Wall Tile


Neutral Colors – Gloss/Satin



LWT02 ▶ Fellowship




LWT17 ▶ Sync



LWT03 ▶ Connection



LWT18 ▶ Goodwill



LWT06 ▶ Camaraderie



LWT22 ▶ Kinship (Gloss Only)

Textures – (Available in LWT02 only Gloss/Satin) *Shown in Gloss Finish



LWT02.11224BOTG ▶ Botanic Gloss

LWT02.11224BOTS ▶ Botanic Satin



LWT02.11224CUBG ▶ Cube Gloss

LWT02.11224CUBS ▶ Cube Satin


Simpatico

Wall Tile

Sizes (field tile available in all colors)*



6 x 24



12 x 24

Features and Benefits

- Features contemporary textures in gloss or satin finishes
- Six luxe, neutral hues bring a retro feel to modern design
- 6 x 24 and 12 x 24 inch formats offer added versatility
- A 3 x 24 bullnose completes the look for your interior, vertical surfaces
- Simpatico's thickness ensures compatibility with other Crossville products
- Contains 4% certified recycled content
- Globally Sourced

Sizes & Finishes

Field Tile

Nominal (in)	Actual (mm)	Thickness (mm)	Finish
6 x 24	146 x 590	9.3	Gloss/Satin*
12 x 24	294 x 590	9.3	Gloss/Satin*

Crossville recommends a minimum 2 mm grout joint.

* Please note that colors LWT22 is available in gloss finish

Textures are only available LWT02 (gloss and satin) in the 12 x 24 size .

Coordinating Trim

Nominal (in)	Actual (in)	Thickness (in)	Finish
3 x 24 Single Bullnose	71.4 x 590	9.3	Gloss/Satin*




3 x 24 Single Bullnose

Product Performance

Breaking Strength	>225 lbf	ASTM C648
Water Absorption	15-19%	ASTM C373

Shade & Texture Index

Simpatico has a shade variation of V1.



This tile product is produced with a V1 variation. Differences among pieces from the same production run are minimal. Inspect the product upon delivery and for best results, blend tile from several cartons during installation.



LWT02.11224CUBS ▶ Cube 12 x 24 Satin

Simpatico

Crossville, Inc.

PO Box 1168
Crossville, TN
38557

Phone 931.484.2110
Fax 931.456.2956
E-Mail Crossc@CrossvilleInc.com
Web CrossvilleInc.com

Recommended Use

Simpatico tile is recommended for interior vertical surfaces in wet or dry applications. If offset pattern is required for tiles 15 inches or longer, Crossville® recommends an offset of not greater than 33%. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage. See CrossvilleInc.com for detailed installation instructions.

Care and Maintenance

Regular cleaning is the best way to keep Simpatico tile looking good for years to come. Use clean, hot water (combined with a non-abrasive household cleaner, if needed). Rinse thoroughly and dry with a soft cloth to prevent spots. No waxes or sealers are need. More information regarding the care and maintenance of Crossville® products is available at CrossvilleInc.com.

Hydrotect

Our porcelain tiles are available with Hydrotect. Crossville's revolutionary invisible coating harnesses the power of light, water, and oxygen to create the best defense against dirt and pollution. Whether indoors or out, floors and walls stay cleaner, providing a superior experience in any space. For complete details check our website at CrossvilleInc.com



Our Warranty


Crossville Inc. guarantees that its products will meet or exceed the performance specifications outlined in ANSI A137.1- 2012 and in the performance data section of the Crossville, Inc. general product catalog. For complete details check our website at CrossvilleInc.com.



LWT17 ▶ Sync 12 x 24 Satin
LWT22 ▶ Kinship 6 x 24 Gloss
Argent A1403 ▶ No Reservations 12 x 24 UPS



Trade Organizations



Environmentally Aware

