

I PORT CONNECT

PAYMENT PROCESSOR



72424- CONNECT PHONE PayCase AMS1

I PORT CONNECT

PAYMENT PROCESSOR

I PORT CONNECT Phone Payment Processor Manual

Thank you for purchasing the all-new IPORT CONNECT Platform. We hope you enjoy this revolutionary new system, and if at any time you need more assistance, please get in touch with IPORT Tech Support via Online chat or through our help desk online.

- IPORT Team

Whats in box:

- 1 - IPORT CONNECT AMS1 Payment Processor Case
- 1 - Info Card

Glossary of Terms:


- **Payment Processor Dock** - The Finished stationary dock providing power and a mounting location for a Payment Processor Case
- **Payment Processor Case** - The removable housing providing charging and mounting for a AMS1 payment processor.

I PORT CONNECT

PAYMENT PROCESSOR

I PORT CONNECT Paycase AMS1


- 1. Remove the AMS1 and PayCase from their packaging.**



I PORT CONNECT

PAYMENT PROCESSOR



- 2. Slide the AMS1 into the USB-C connection at the bottom of the PayCase first, ensuring it is securely seated into the port.**



I PORT CONNECT

PAYMENT PROCESSOR


- 3. Once the AMS1 is connected to the USB-C connector, pivot it towards the rear of the case and press firmly until it snaps into the PayCase.**



I PORT CONNECT

PAYMENT PROCESSOR


- 4. The PayCase magnetically attaches to the CONNECT Phone Case. The AMS1 is designed to be easily removed and attached for tap, dip, and swipe transactions.**



I PORT CONNECT

PAYMENT PROCESSOR


- 5. To charge the AMS1 PayCase, remove the PayCase from the phone and place the AMS1 face out from the Dock in the Top charging location.**



I PORT CONNECT

PAYMENT PROCESSOR


6. Once the PayCase has been removed and is charging on the Dock, place the **CONNECT Phone Case** face out and place it onto the Dock.



I PORT CONNECT

PAYMENT PROCESSOR

- 7. To remove the AMS1, Insert a small flat object into the top portion of the case to release the tab at the top. Once the tab is free, gently wiggle the AMS1 out of the USB-C connection.**



I PORT CONNECT

PAYMENT PROCESSOR

- 8. To Charge the CONNECT Phone Case and Pay Case on a MultiDock, Detach the Pay Case and place it in the upper Cradle. Then, place the CONNECT Phone Case into the lower cradle.**

