











# WOW, TECHNICAL FEATURES / INFORMACIÓN TÉCNICA

TECHNICAL FEATURES FOR DRY-PRESSED CERAMIC TILES WITH WATER ABSORPTION BIII ( $E_b > 10\%$ )  
 CARACTERÍSTICAS TÉCNICAS PARA LAS BALDOSAS CERÁMICAS PRENSADAS EN SECO DEL GRUPO BIII ( $E_b > 10\%$ )

FEATURES / CARACTERÍSTICAS	SPECIFICATION / ESPECIFICACIÓN	NORMA	
	<p>Dimensional Features.</p> <p>Wave (W 124,3 +/- 0,6 mm x 124,3 +/- 0,6 mm x h. 22,5 mm) GL</p> <p>Delta (W 124,3 +/- 0,6 mm x 124,3 +/- 0,6 mm x h. 21mm) GL</p> <p>Moon (W 124,3 +/- 0,6 mm x 124,3 +/- 0,6 mm x h. 21,5mm) GL</p> <p>Nilo (W 124,3 +/- 0,6 mm x 124,3 +/- 0,6 mm x h. 25 mm) GL</p> <p>Candy (W 124,3 +/- 0,6 mm x 124,3 +/- 0,6 mm x h. 26 mm) GL</p> <p>Arch (W 124,3 +/- 0,6 mm x 124,3 +/- 0,6 mm x h. 26mm) GL</p> <p>Liso (W 124,3 +/- 0,6 mm x 124,3 +/- 0,6 mm x h. 8 mm) GL</p> <p>Canale (W 124,3 +/- 0,6 mm x 124,3 +/- 0,6 mm x h. 9 mm) GL</p> <p>LISO L (W 124,3 +/- 0,6 mm x 249,5 +/- 0,6 mm x h. 8 mm) GL</p> <p>CANALE L (W 124,3 +/- 0,6 mm x 249,5 +/- 0,6 mm x h. 9 mm) GL</p> <p>Moon L (W 249,6 +/- 0,6 mm x 249,6 +/- 0,6 mm x h. 22 mm) GL</p> <p>Delta L (W 249,6 +/- 0,6 mm x 249,6 +/- 0,6 mm x h. 19,5 mm) GL</p> <p>Edge (W 8 x 124,3 +/- 0.3 mm x h. 8 mm) GL</p> <p>Edge L (W 8 x 249,6 +/- 0.3 mm x h. 8 mm) GL</p> <p>Edge Corner (W 8 x 8 +/- 0.3 mm x h. 8 mm) GL</p> <p>Hexa (W Side 124,3 +/- 0,6 mm x h. 23 mm) GL</p> <p>Hexa Liso (W Side 124,3 +/- 0,6 mm x h. 8 mm) GL</p> <p>Fiore (W Side 124,3 +/- 0,6 mm x h. 21 mm) GL</p>	UNE-EN ISO 10545-2:1998	
	Water absorption.	$E_b > 10\%$	UNE-EN ISO 10545-3:1997
	Modulus of rupture and breaking strength.	Thickness $\geq 7,5$ mm Mínimo 600 N Thickness $\geq 7,5$ mm Mínimo 12 N/mm <sup>2</sup>	UNE-EN ISO 10545-4:2012
	Crazing resistance.	Pass	UNE-EN ISO 10545-11:1997
	Household products resistance.	GA	UNE-EN ISO 10545-13:1998
	Chemical resistance.	GLA	UNE-EN ISO 10545-13:1998
	Stain resistance.	Class 5	UNE-EN ISO 10545-14:1998



WOW

unexpected surfaces