- s ⊂
- ת ח



COMMERCIAL

Whether you're looking for tiles for your home or business, Willemstad is the perfect option for you.

Colors



Story has always been important to us. It is what has driven us from the very beginning and it is what continues to inspire us today. Our story begins with porcelain tiles, surfaces that are both technically excellent and beautifully satisfying to the eye. Willemstad is a testament to our commitment to creating products that are both functional and aesthetic.

Every inspiration has a color and creating an inspiring pantone is the concept of Willemstad. Color with essence, meaning, history and tailored for interior design. The classic English brick is the basis of color. Surface molded by hand that has been exposed to weather over the centuries undergoes a transformation through painting. The result is a stunning color palette created with Interior Design trends in mind, sure to please Interior Designers and Architectural Professionals alike.



Willemstad Ivory 3" x 9"





Absorption: ≤3.0%



Ready Ship

All Colors

\//bito	lu on c	Cashmara	T	Clay	
White	lvory	Cashmere	Taupe	Clay	Brown
Lemon	Golden	Mustard	Orange	Carrot	Persimmon
		Negerator			
Blossom	Blush	Pink	Rose	Red	Cherry
Teal	Pistachio	Cactus	Moors	Jungle	Ocean
Siberian	Glacier	Loam	Stone	Midnight	Black
		CIN2.			
Frost	Periwinkle	Seafoam	Pacific		
Burgundy	Earth	Berry	Eggplant		



Willemstad Seafoam and Pacific, 3" x 9"

SHAPES & SIZES

7.2mm



3" x 9" Matte



Mosaics & Coordinating Trims*

SIZE	ACTUAL	THICKNESS	FINISH
3" x 9" Wall Tile	2.56" x 9.06"	7.2 mm	Matte

SIZE	ACTUAL	FINISH
Not Available	Not Available	Matte

Material

Ceramic

CERAMIC CARE & MAINTENANCE

Glazed tile products should be cleaned routinely with an all-purpose, low VOC, household or commercial cleaner. The product chosen should also be grout joint cleaning compatible. The type of product may vary depending on the tile application and use. A multipurpose spray cleaner, which removes soap scum, hard water deposits and mildew designed for everyday use can be used on wall tile areas in residential baths and showers. A cotton mop, cloth, sponge, or non-metallic brush should be used to apply and agitate cleaner. Rinse the area with clean water and dry thoroughly. Routine cleaners should never contain harsh chemicals as these can damage tile. Acids can damage grout and the glazed surface of the tile. Ammonia can discolor grout.

Regular dust mopping, sweeping, or vacuuming is recommended prior to cleaning with liquid products.

Unglazed tile should be cleaned routinely with concentrated tile cleaners with a neutral pH for safe regular use. These cleaners are better suited for removing grease, oils, and normal spills from unglazed products. Again, these products will vary depending on the application, amount of traffic and the use. The product chosen should also be compatible with the grout.

Product Characteristics

TEST	9 M M		
Breaking Strength	Not Available		
Chemical Resistance	Resistant		
DCOF	Not Available		
Deep Scratch Resistance - Unglazed	Not Available		
Frost Resistance	Not Available		
Mohs Hardness - EN101	Not Applicable		
Water Absorption	≤3.0%		
Certifications	LEED		
Country of Origin	Not Applicable		
Shade Variation Code	v1		

ഗ

WHEN IT MUST BE GREAT.

WHEN IT MUST BE READY.

WHEN IT MUST BE EXTRAORDINARY.

WHEN IT MATTERS MOST.

VITL

Start your journey

Request samples.

www.vitlsurfaces.com samples@vitlsurfaces.com





