

FALLTECH®

For Utilities

Innovation in Every Connection

Your Lifeline to Greater **Protection**

FT-X® EdgeCore™ Arc Flash SRL-P

- The first arc-rated ANSI Class 2 SRL-P
- Features Kevlar® Leading Edge lifeline
- Minimizes nuisance lockups with refined mechanism

FT-R® Arc Flash SRL-R

- Combines fall arrest and rescue in one device
- Enables fast, safe rescues with simple handle control
- Features arc-rated Technora® lifeline for proven support

FallTech Solutions: Built for the Realities of Utility Work

In hot, cold, wet, high-voltage, and confined spaces–
Our gear out performs every time.

Climb with Greater Confidence

APEX™ Pro Fall Restrict Device

- Eases climbs in dry, wet, or icy conditions
- Technora® rope reduces weight while maximizing strength
- Outperforms traditional devices with limitless adjustment

FT-Lineman Pro™ Body Belt

- Enhances comfort with ergonomic, fully adjustable design
- Overmolded dielectric D-rings protect from electrocution
- Premium leather construction elevates durability

FT-Climber Pro™

- Firm and supportive padding for all-day comfort
- Ergonomic gaff design neutralizes foot cramping
- Forged steel under-boot frame for enhanced durability

Safety Harnesses & Body Belts

8050

FT-Lineman Pro™
Body Belt *Available in S, M, L, XL*

- Adjustable up to six D-ring sizes
- Features overmolded dielectric D-rings
- Ergonomic design eliminates pinch points

8077FDQC

FT-Arc™
2D Climbing Non-Belted Full-Body Harness
Available in XS, S, M, L, XL, 2XL, 3XL

- Features Kevlar®-reinforced Nomex® webbing
- Comfort Legs® lateral straps enhance leg mobility
- Overmolded Quick-Connect leg and chest buckles

8079FDQC

FT-Arc™
4D Construction Climbing Belted Full-Body Harness
Available in XS, S, M, L, XL, 2XL, 3XL

- Features Kevlar®-reinforced Nomex® webbing
- Comfort Legs® lateral straps enhance leg mobility
- Overmolded Quick-Connect leg and chest buckles

Self-Retracting Lifelines

721530TD1

30′ FT-R®
Arc Flash Class 1 SRL w/ Dielectric Snap Hook

- Equipped with ¼″ Technora® rope lifeline
- Engineered to minimize unwanted lockup
- Lightweight housing with UV/scratch-resistant labeling

72907SP8

7′ Arc Flash Mini Pro™
Class 1 SRL-P w/ Steel 5k Carabiner

- Equipped with Kevlar® lifeline
- Simple push-button harness attachment
- Compact design aligns SRL with worker motion

72906SC6L

6′ DuraTech® Mini Arc Flash
Class 1 SRL-P w/ Aluminum Carabiner

- Equipped with Kevlar® lifeline
- Impact-resistant nylon housing
- Swivel-eye prevents lifeline twisting

84008SPD1

8′ FT-X® EdgeCore™ Arc Flash
Class 2 SRL-P w/ Dielectric Snap Hook

- Equipped with Kevlar® Leading Edge lifeline
- Engineered to minimize unwanted lockup
- Simple push-button harness attachment

84008TP8

8′ FT-X® EdgeCore™ Arc Flash
Class 2 Tie-Back SRL-P w/ Steel 5k Carabiners

- Equipped with Kevlar® Leading Edge lifeline
- Engineered to minimize unwanted lockup
- Features SpeedLink™ field-replaceable legs

84008TPD1

8′ FT-X® EdgeCore™ Arc Flash
Class 2 SRL-P w/ Dielectric Snap Hooks

- Equipped with Kevlar® Leading Edge lifeline
- Engineered to minimize unwanted lockup
- Features SpeedLink™ field-replaceable legs

Confined Space & Rescue

721560R
60′ FT-R®
Class 1 SRL-R w/ Steel Swivel Snap Hook

Class 1 Anchor at or above dorsal D-Ring

- Equipped with 7/32″ galvanized steel cable lifeline
- Engineered to minimize unwanted lockup
- Dual-purpose design shifts from arrest to rescue quickly

721560RTD1 / 721560RT
60′ FT-R® Arc Flash
Class 1 SRL-R w/ Dielectric or Steel Swivel Snap Hook

Class 1 Anchor at or above dorsal D-Ring

- Equipped with ¼″ Technora® rope lifeline
- Engineered to minimize unwanted lockup
- Dual-purpose design shifts from arrest to rescue quickly
- ***721560RTD1 - Dielectric Snap Hook***
- ***721560RT - Steel Swivel Snap Hook***

5030
60′ Controlled Descent Kit

- Provides steady 2.6 feet-per-second descent
- 11/32″ moisture- and abrasion-resistant kernmantle rope
- Lightweight aluminum housing with pivoting anchorage eye

7509TB
8′ Confined Space Tripod System with Storage Bags

- Two-stage telescoping legs adjust from 5′-8′
- Includes 60′ FT-R® Arc Flash SRL-R and personnel winch
- Also includes dual pulleys, auxiliary eyebolts, leg brackets, and safety chain

Lineman Built
Developed through feedback from the field, FallTech gear is made to deliver comfort, usability, and dependable protection on every climb.

6050428WRB
5pc Confined Space Davit System

- Features 60′ FT-R® SRL-R and personnel winch
- Also includes 33″ mast, davit arm, 3-piece base, and universal receiver bracket
- Davit arm adjusts 12″–29″ to center lifelines over access

6814150K
150′ Rescue and Descent Worksite Kit with Storage Bag

- Features UniDrive™ device for rescue, vertical lift, and controlled descent
- Device equipped with 7/32″ moisture- and abrasion-resistant kernmantle rope
- Kit also includes 3 carabiners, ratchet handle, drill adapter, and 6′ sling anchor.

Accessories

8180D
APEX™ Pro
Adjustable Fall Restrict Device

- Fits wood poles 4″–18″ diameter
- Strap adjuster conforms to any pole size
- Magnetic tail keeper reduces trips and snags

8180R
APEX™ Pro
Replacement Rope Assembly

- For use in dry, wet, or icy conditions
- 15mm Technora® rope for extra durability
- Also includes tail keeper, rope adjuster, and mini snap hook

8230S
FT-Climber Pro™

- Firm and supportive padding for all-day comfort
- Ergonomic gaff design neutralizes foot cramping
- 6° rotating head allows natural foot articulation
- Forged steel under-boot frame for enhanced durability

Find Our Full Selection of Fall Protection Products for Utilities at FallTech.com/Utilities

FALLTECH®

©2026 Alexander Andrew, Inc.

1306 S. Alameda St.

Compton, CA 90221-4803

(323) 752-0066

Questions?

Contact:

Armando Garcia

agarcia@falltech.com

(619) 538-0089

@falltechsafety

@falltechsafety

@falltechsafety

@falltech

Fall Protection is All We Do.