

# Building Product Information Requirements Disclosure

## Legge Door Furniture

<b>Product name</b>	Legge door furniture
<b>Product category</b>	Door furniture
<b>Product identifier (Allegion product series)</b>	67, 6000, 8000, 500, 700, 800, 5300, 5400

### Product description

Legge door furniture has been designed for use on commercial applications including interior and exterior doors for retail, educational, governmental, medical, multi-family, aged care and public buildings.

Legge commercial furniture is constructed of commercial grade quality components and should be specified where heavy duty door furniture is essential.

Accessible Legge levers compliant to AS 1428:1-2009 include Alpha, Bergen and Ergo. Levers compliant to NZS 4121: 2001 include Alpha, Bergen, Ergo, Leonardo, Neptune and Sparta.

### Relevant building code clauses

Building Regulations 1992, Section D1 – Access routes

D1.3.4 (f) – have doors and related hardware which are easily used.

Legge accessible door furniture complies with D1 access routes by virtue of easily functioning door hardware with door handle designs that return towards the door surface to avoid catching the end of the door handle, also making the door handle easier to hold and function.

### Scope of use

Legge door furniture is used within a commercial or residential building to:

- Provide ease of operation for accessible doors (accessible compliant levers)
- Provide accessible compliant privacy turn

### Conditions of use

Legge door furniture should be installed according to the supplied installation instructions.

Fire Rating: Successfully tested on fire door assemblies in accordance with AS 1905 Part1: Fire resistance doorsets. Check with fire door manufacturer prior to installation.

Accessibility: Compliant to Australian Standard AS 1428:1-2009 Design for access and mobility, and New Zealand Standard NZS 4121: 2001 Design for access and mobility: buildings and associated facilities.

## Supporting documentation

All BPIR documents can be found on our website [www.allegion.co.nz/BPIR](http://www.allegion.co.nz/BPIR)

Further supporting documentation including product catalogues, installation, and care and maintenance documents are available for each of our products provided in the links below.

Product Series	URL
Legge 67	<a href="https://www.allegion.co.nz/en/products/commercial-security/mechanical-security/door-furniture/rose-furniture/legge-67-series.html">https://www.allegion.co.nz/en/products/commercial-security/mechanical-security/door-furniture/rose-furniture/legge-67-series.html</a>
Legge 6000	<a href="https://www.allegion.co.nz/en/products/commercial-security/mechanical-security/door-furniture/rose-furniture/legge-6000-series.html">https://www.allegion.co.nz/en/products/commercial-security/mechanical-security/door-furniture/rose-furniture/legge-6000-series.html</a>
Legge 8000	<a href="https://www.allegion.co.nz/en/products/commercial-security/mechanical-security/door-furniture/rose-furniture/legge-8000-series.html">https://www.allegion.co.nz/en/products/commercial-security/mechanical-security/door-furniture/rose-furniture/legge-8000-series.html</a>
Legge 500	<a href="https://www.allegion.co.nz/en/products/commercial-security/mechanical-security/door-furniture/plate-furniture/legge-500-series.html">https://www.allegion.co.nz/en/products/commercial-security/mechanical-security/door-furniture/plate-furniture/legge-500-series.html</a>
Legge 700	<a href="https://www.allegion.co.nz/en/products/commercial-security/mechanical-security/door-furniture/plate-furniture/legge-700-series.html">https://www.allegion.co.nz/en/products/commercial-security/mechanical-security/door-furniture/plate-furniture/legge-700-series.html</a>
Legge 800	<a href="https://www.allegion.co.nz/en/products/commercial-security/mechanical-security/door-furniture/plate-furniture/legge-800-series.html">https://www.allegion.co.nz/en/products/commercial-security/mechanical-security/door-furniture/plate-furniture/legge-800-series.html</a>
Legge 5300	<a href="https://www.allegion.co.nz/en/products/commercial-security/mechanical-security/door-furniture/narrow-plate-furniture/legge-5300-series.html">https://www.allegion.co.nz/en/products/commercial-security/mechanical-security/door-furniture/narrow-plate-furniture/legge-5300-series.html</a>
Legge 5400	<a href="https://www.allegion.co.nz/en/products/commercial-security/mechanical-security/door-furniture/narrow-plate-furniture/legge-5400-series.html">https://www.allegion.co.nz/en/products/commercial-security/mechanical-security/door-furniture/narrow-plate-furniture/legge-5400-series.html</a>

### Contact details

<b>Manufacture location</b>	New Zealand
<b>Legal and trading name of manufacturer</b>	Allegion (New Zealand) Limited
<b>Manufacturer address for service</b>	437 Rosebank Road Avondale Auckland 1026
<b>Manufacturer website</b>	<a href="http://www.allegion.co.nz">www.allegion.co.nz</a>
<b>Manufacturer email</b>	<a href="mailto:nzinfo@allegion.com">nzinfo@allegion.com</a>
<b>Manufacturer NZBN</b>	9429040748979
<b>Manufacturer phone number</b>	+64 (09) 829 0550

### Warnings and bans

Legge door furniture is not subject to any warnings or bans under section 26 of the Building Act 2004.

## Appendix

### Building code performance clauses

All relevant building code performance clauses listed in this document:

Section D1 – Access routes

D1.3.4 An accessible route, in addition to the requirement of Clause D1.3.3, shall:

- a) be easy to find, as required by Clause F8 Signs,
- b) have adequate activity space to enable a person in a wheelchair to negotiate the route while permitting an ambulant person to pass,
- c) include a lift complying with Clause D2 Mechanical installations for access to upper floors where:
  - i. buildings are four or more storeys high,
  - ii. buildings are three storeys high and have a total design occupancy of 50 or more persons on the two upper floors,
  - iii. buildings are two storeys high and have a total design occupancy of 40 or more persons on the upper floor, or
  - iv. an upper floor, irrespective of design occupancy, is to be used for the purposes of public reception areas of banks, central, regional and local government offices and facilities, hospitals, medical and dental surgeries, and medical, paramedical and other primary health care centres,
- d) contain no thresholds or upstands forming a barrier to an unaided wheelchair user,
- e) have means to prevent the wheel of a wheelchair dropping over the side of the accessible route,
- f) have doors and related hardware which are easily used,
- g) not include spiral stairs, or stairs having open risers,
- h) have stair treads with leading edge which is rounded, and
- i) have handrails on both sides of the accessible route when the slope of the route exceeds 1 in 20. The handrails shall be continuous along both sides of the stair, ramp and landing except where the handrail is interrupted by a doorway.