

COMMERCIAL

SURFACES

INSIDE

INSPIRATION



VITL


SPOTLIGHT

INSPIRATION

INSIDE

SURFACES

COMMERCIAL



Whether you're looking
for tiles for your home or
business, Spotlight is the
perfect option for you.

SPOTLIGHT

Story has always been important to us. It is what has driven us from the very beginning and it is what continues to inspire us today. Our story begins with porcelain tiles, surfaces that are both technically excellent and beautifully satisfying to the eye. Spotlight is a testament to our commitment to creating products that are both functional and aesthetic.

The Spotlight collection from VITL tells the story of constant evolution with an urban aesthetic linked to the world of design and an extremely transitional mood. Raw textures and gentle colors combine to create harmonious escapes within a growing city. Embrace that world, comfortably.

V I T L

COMMERCIAL

SURFACES

SPOTLIGHT



Spotlight Wheat 24" x 24" Floor Tile, Spotlight Sky & Mist Glossy Wall Tile 6" x 24"


Floor Colors



SPOTLIGHT Linen
VTL SGLI



SPOTLIGHT Beige
VTL SGBE



SPOTLIGHT Wheat
VTL SGWH



SPOTLIGHT Moss
VTL SGMO



SPOTLIGHT Atlantic
VTL SGAT



SPOTLIGHT Storm Cloud
VTL SGSC



SPOTLIGHT Light Grey
VTL SGLG



SPOTLIGHT Dark Grey
VTL SGDГ



SPOTLIGHT Anthracite
VTL SGAN

SPOTLIGHT



Spotlight Storm Cloud 12" x 12", 12" x 24", 24" x 24"

Wall Colors



SPOTLIGHT Snow Glossy
VTL SGSN



SPOTLIGHT Sand Glossy
VTL SGSA



SPOTLIGHT Tan Glossy
VTL SGTA



SPOTLIGHT Sky Glossy
VTL SGSK



SPOTLIGHT Mist Glossy
VTL SGRA



SPOTLIGHT Rain Glossy
VTL SGRA



SPOTLIGHT Pebble Glossy
VTL SGPE




SPOTLIGHT Twilight Glossy
VTL SGTW




SPOTLIGHT Storm Glossy
VTL SGST



SPOTLIGHT Fog Glossy
VTL SGFO



SPOTLIGHT Smoke Glossy
VTL SGSM



SPOTLIGHT Caviar Glossy
VTL SGCA

SPOTLIGHT



V2 Slight
Variation



Recommend an
offset pattern
 $\leq 33\%$



Water
Absorption:
 $\leq 0.4\%$



Frost Resistant




DCOF: ≥ 0.42

Linen - Floor Tile




Shapes & Sizes



24" x 48" Rectified Bush-Hammered, Chiseled
and Matte 10mm



24" x 24" Rectified
Bush-Hammered and
Matte 10mm



12" x 24" Rectified
Bush-Hammered, Chiseled,
and Matte 10mm



12" x 12" Rectified
Bush-Hammered, and
Matte 10mm



Made in USA




Bureau Veritas, Greenguard,
LEED, Green Squared Certified



Ready Ship
and Stock

Beige - Floor Tile




Shapes & Sizes



24" x 48" Rectified Bush-Hammered, Chiseled
and Matte 10mm



24" x 24" Rectified
Bush-Hammered and
Matte 10mm



12" x 24" Rectified
Bush-Hammered, Chiseled,
and Matte 10mm



12" x 12" Rectified
Bush-Hammered, and
Matte 10mm

SPOTLIGHT



V2 Slight
Variation



Recommend an
offset pattern
 $\leq 33\%$



Water
Absorption:
 $\leq 0.4\%$




Frost Resistant




DCOF: ≥ 0.42

Wheat - Floor Tile



Shapes & Sizes



24" x 48" Rectified Bush-Hammered, Chiseled
and Matte 10mm



24" x 24" Rectified
Bush-Hammered and
Matte 10mm



12" x 24" Rectified
Bush-Hammered, Chiseled,
and Matte 10mm



12" x 12" Rectified
Bush-Hammered, and
Matte 10mm



Made in USA




Bureau Veritas, Greenguard,
LEED, Green Squared Certified



Ready Ship
and Stock


Moss - Floor Tile



Shapes & Sizes



24" x 48" Rectified Bush-Hammered, Chiseled
and Matte 10mm



24" x 24" Rectified
Bush-Hammered and
Matte 10mm



12" x 24" Rectified
Bush-Hammered, Chiseled,
and Matte 10mm



12" x 12" Rectified
Bush-Hammered, and
Matte 10mm

SPOTLIGHT



V2 Slight
Variation



Recommend an
offset pattern
 $\leq 33\%$



Water
Absorption:
 $\leq 0.4\%$




Frost Resistant




DCOF: ≥ 0.42


Atlantic - Floor Tile



Shapes & Sizes



24" x 48" Rectified Bush-Hammered, Chiseled
and Matte 10mm



24" x 24" Rectified
Bush-Hammered and
Matte 10mm



12" x 24" Rectified
Bush-Hammered, Chiseled,
and Matte 10mm



12" x 12" Rectified
Bush-Hammered, and
Matte 10mm



Made in USA




Bureau Veritas, Greenguard,
LEED, Green Squared Certified




Ready Ship
and Stock


Storm Cloud - Floor Tile




Shapes & Sizes



24" x 48" Rectified Bush-Hammered, Chiseled
and Matte 10mm



24" x 24" Rectified
Bush-Hammered and
Matte 10mm



12" x 24" Rectified
Bush-Hammered, Chiseled,
and Matte 10mm



12" x 12" Rectified
Bush-Hammered, and
Matte 10mm

SPOTLIGHT



V2 Slight
Variation



Recommend an
offset pattern
 $\leq 33\%$



Water
Absorption:
 $\leq 0.4\%$




Frost Resistant




DCOF: ≥ 0.42

Light Gray - Floor Tile



Shapes & Sizes



24" x 48" Rectified Bush-Hammered, Chiseled
and Matte 10mm



24" x 24" Rectified
Bush-Hammered and
Matte 10mm



12" x 24" Rectified
Bush-Hammered, Chiseled,
and Matte 10mm



12" x 12" Rectified
Bush-Hammered, and
Matte 10mm



Made in USA




Bureau Veritas, Greenguard,
LEED, Green Squared Certified



Ready Ship
and Stock


Dark Grey - Floor Tile




Shapes & Sizes



24" x 48" Rectified Bush-Hammered, Chiseled
and Matte 10mm



24" x 24" Rectified
Bush-Hammered and
Matte 10mm



12" x 24" Rectified
Bush-Hammered, Chiseled,
and Matte 10mm



12" x 12" Rectified
Bush-Hammered, and
Matte 10mm

SPOTLIGHT



V2 Slight
Variation



Recommend an
offset pattern
 $\leq 33\%$



Water
Absorption:
 $\leq 0.4\%$




Frost Resistant



DCOF: ≥ 0.42


Anthracite - Floor Tile




Shapes & Sizes



24" x 48" Rectified Bush-Hammered, Chiseled
and Matte 10mm



24" x 24" Rectified
Bush-Hammered and
Matte 10mm



12" x 24" Rectified
Bush-Hammered, Chiseled,
and Matte 10mm



12" x 12" Rectified
Bush-Hammered, and
Matte 10mm



Spotlight Dark Grey 24" x 48" Matte

SPOTLIGHT



V2 Slight
Variation



Recommend an
offset pattern
 $\leq 33\%$



Water
Absorption:
 $\leq 0.4\%$



Frost Resistant



DCOF: ≥ 0.42

Snow - Wall Tile



Shapes & Sizes



6" x 24" Glossy 8mm



3" x 12" Glossy 8mm



Made in USA



Bureau Veritas, Greenguard,
LEED, Green Squared Certified



Ready Ship
and Stock

Sand - Wall Tile



Shapes & Sizes



6" x 24" Glossy 8mm



3" x 12" Glossy 8mm

SPOTLIGHT



V2 Slight
Variation



Recommend an
offset pattern
 $\leq 33\%$



Water
Absorption:
 $\leq 0.4\%$



Frost Resistant



DCOF: ≥ 0.42

Tan - Wall Tile

Shapes & Sizes



6" x 24" Glossy 8mm



3" x 12" Glossy 8mm



Made in USA



Bureau Veritas, Greenguard,
LEED, Green Squared Certified



Ready Ship
and Stock

Sky - Wall Tile



Shapes & Sizes



6" x 24" Glossy 8mm



3" x 12" Glossy 8mm

SPOTLIGHT



V2 Slight
Variation



Recommend an
offset pattern
≤33%



Water
Absorption:
≤0.4%



Frost Resistant



DCOF: ≥0.42

Mist - Wall Tile



Shapes & Sizes



6" x 24" Glossy 8mm

- Snow
- Sand
- Tan
- Sky
- Mist
- Smoke
- Fog
- Pebble
- Twilight Gray
- Rain
- Storm
- Caviar



3" x 12" Glossy 8mm

- Snow
- Sand
- Tan
- Sky
- Mist
- Smoke
- Fog
- Pebble
- Twilight Gray
- Rain
- Storm
- Caviar



Made in USA



Bureau Veritas, Greenguard,
LEED, Green Squared Certified



Ready Ship
and Stock

Rain - Wall Tile



Shapes & Sizes



6" x 24" Glossy 8mm



3" x 12" Glossy 8mm

SPOTLIGHT



V2 Slight
Variation



Recommend an
offset pattern
 $\leq 33\%$



Water
Absorption:
 $\leq 0.4\%$



Frost Resistant



DCOF: ≥ 0.42

Pebble - Wall Tile



Shapes & Sizes



6" x 24" Glossy 8mm



3" x 12" Glossy 8mm



Made in USA



Bureau Veritas, Greenguard,
LEED, Green Squared Certified




Ready Ship
and Stock

Twilight - Wall Tile



Shapes & Sizes



6" x 24" Glossy 8mm



3" x 12" Glossy 8mm

SPOTLIGHT



V2 Slight
Variation



Recommend an
offset pattern
 $\leq 33\%$



Water
Absorption:
 $\leq 0.4\%$



Frost Resistant



DCOF: ≥ 0.42

Storm - Wall Tile

Shapes & Sizes



6" x 24" Glossy 8mm



3" x 12" Glossy 8mm



Made in USA



Bureau Veritas, Greenguard,
LEED, Green Squared Certified



Ready Ship
and Stock

Fog - Wall Tile



Shapes & Sizes



6" x 24" Glossy 8mm



3" x 12" Glossy 8mm

SPOTLIGHT



V2 Slight
Variation



Recommend an
offset pattern
 $\leq 33\%$



Water
Absorption:
 $\leq 0.4\%$



Frost Resistant



DCOF: ≥ 0.42

Smoke - Wall Tile



Shapes & Sizes



6" x 24" Glossy 8mm



3" x 12" Glossy 8mm



Made in USA




Bureau Veritas, Greenguard,
LEED, Green Squared Certified




Ready Ship
and Stock


Caviar - Wall Tile



Shapes & Sizes



6" x 24" Glossy 8mm



3" x 12" Glossy 8mm


SIZES

24" x 48" Rectified Matte,
Rectified Chiseled, Rectified
Bush-Hammered 10mm



- Linen
- Beige
- Wheat
- Moss
- Atlantic
- Storm Cloud
- Light Gray
- Dark Gray
- Anthracite

24" x 24" Rectified Matte,
Rectified Chiseled,
Rectified Bush-Hammered 10mm



- Linen
- Beige
- Wheat
- Moss
- Atlantic
- Storm Cloud
- Light Gray
- Dark Gray
- Anthracite

12" x 24" Rectified Matte,
Rectified Chiseled, Rectified
Bush-Hammered 10mm



- Linen
- Beige
- Wheat
- Moss
- Atlantic
- Storm Cloud
- Light Gray
- Dark Gray
- Anthracite

12" x 12" Rectified Matte,
Rectified Bush-Hammered
10mm



- Linen
- Beige
- Wheat
- Moss
- Atlantic
- Storm Cloud
- Light Gray
- Dark Gray
- Anthracite

6" x 24" Field Tile Glossy
8mm




- Snow
- Sand
- Tan
- Sky
- Mist
- Rain
- Pebble
- Twilight
- Storm
- Fog
- Smoke
- Caviar

3" x 12" Field Tile Glossy
8mm




- Snow
- Sand
- Tan
- Sky
- Mist
- Rain
- Pebble
- Twilight
- Storm
- Fog
- Smoke
- Caviar

2" x 2" Mosaic Matte
Rectified 10mm




- Linen
- Beige
- Wheat
- Moss
- Atlantic
- Storm Cloud
- Light Gray
- Dark Gray
- Anthracite

2" x 2" Mosaic
Bush-Hammered
Rectified 10mm




- Linen
- Beige
- Wheat
- Moss
- Atlantic
- Storm Cloud
- Light Gray
- Dark Gray
- Anthracite

TRIM



3" x 12" Rectified 10mm
Bullnose
All Floor Colors



6" x 24" 8mm Bullnose
All Wall Colors



6" x 12" 7mm Cove Base Matte
All Wall Colors

Field Tiles*

SIZE	ACTUAL	THICKNESS	FINISH
24" x 48" Rectified	24" x 48"	10 mm	Matte
24" x 48" Rectified	24" x 48"	10 mm	Chiseled
24" x 48" Rectified	24" x 48"	10 mm	Bush-Hammered
24" x 24" Rectified	24" x 24"	10 mm	Matte
24 x 24" Rectified	24" x 24"	10 mm	Chiseled
24" x 24" Rectified	24" x 24"	10 mm	Bush-Hammered
12" x 24" Rectified	12" x 24"	10 mm	Matte
12" x 24" Rectified	12" x 24"	10 mm	Chiseled
12" x 24" Rectified	12" x 24"	10 mm	Bush-Hammered
12" x 12" Rectified	12" x 12"	10 mm	Matte
12" x 12" Rectified	12" x 12"	10 mm	Bush-Hammered
3" x 12"	3" x 12"	8 mm	Glossy
6" x 24"	6" x 24"	8 mm	Glossy

Product Characteristics

TEST

Breaking Strength	Range of ≥300 lb/ft 2 to ≥400 lb/ft 2
Chemical Resistance	Resistant
DCOF	≥0.42 Wet
Deep Scratch Resistance - Unglazed	Not Resistant
Frost Resistance	Resistant
Mohs Hardness - EN101	Not Applicable
Water Absorption	≤0.4%
Certifications	Bureau Veritas, Greenguard, LEED, Green Squared
Country of Origin	USA
Shade Variation Code	V2

VITL

Mosaics & Coordinating Trims*

SIZE	ACTUAL	FINISH
2" x 2" Mosaic Rectified	12" x 12"	Matte
2" x 2" Mosaic Rectified	12" x 12"	Bush-Hammered
3" x 12" Bullnose	3" x 12"	Matte
6" x 24" Bullnose	6" x 24"	Glossy
6" x 12" Cove Base	6" x 12"	Matte

Material

Glazed Porcelain

PORCELAIN CARE & MAINTENANCE

INITIAL CLEANING

Proper cleaning after installation is essential for future maintenance. Remove excess grout using clean water and a sponge. If grout leaves behind a white haze, it can be wiped off using a clean cloth after grout has cured. Stubborn residue may require the use of a grout haze remover solution or neutral detergent. Thoroughly rinse the area with clean water and dry with a clean towel or wet vacuum.

ROUTINE MAINTENANCE

Immediately wipe up any spills and clean the area using a damp cloth or sponge. Remove loose soil using a broom or vacuum. To remove stubborn surface debris, use a scraper or putty knife. Wipe the area with a PH-neutral and soapless cleaner. Rinse with clear water and wipe dry to prevent residue. Do not use cleaning wax, oil-based cleaners, ammonia, sealants, or products containing acid or bleach for routine maintenance. Avoid using abrasive cleaning products such as steel wool.

SURFACES

WHEN IT MUST BE GREAT.

WHEN IT MUST BE READY.

WHEN IT MUST BE EXTRAORDINARY.

WHEN IT MATTERS MOST.

VITL

Start your journey

Request samples.

www.vitlsurfaces.com
samples@vitlsurfaces.com

