



OASIS COOLER TO ELECTRONIC BOTTLE FILLER CONVERSION KIT, PHARMACEUTICAL FILTER, NON-REFRIGERATED

MODEL NNFEFBPG-FRX

Suggested Specification

Model NNFEFBPG-FRX shall retrofit to existing OASIS PG*AC and P*AC series water coolers to provide contactless activation and laminar flow. Retrofits to both single and split level models. Model NNFEFBPG-FRX shall include the VersaFiller® Bottle Filler. Bottle Filler alcove and cabinet finish shall be stainless steel. Key VersaFiller components contain Freshield®, which utilizes a silver-based antimicrobial compound to protect the surfaces from discoloration, odors and degradation caused by the growth of micro-organisms and mildew.

Features:

- Waterways are lead-free in materials & construction
- Heavy duty galvanized steel frame
- Bottle filler replaces bubbler, button activation, existing top and front panel
- Bottle filler retro-fits to the existing water cooler without removing it from the wall
- Re-uses existing refrigeration, plumbing and power source
- Access through the side of the bottle filler cabinet for clean and easy replacement of filters
- Filter located in top bottle filler for easy filter replacement
- Built-in filter monitor and bottle counter
- Logos permanently formed into the alcove and stainless steel wrapper
- LED lighted alcove
- Compatible with refrigerated and non-refrigerated fountains

Filtration System:

OASIS Pharmaceutical Filter Certified to NSF/ANSI 42, 53, 372 and 401 for chlorine, taste, odor, particulate class 1, lead, cysts, 12 pharmaceuticals, and microplastics reduction to 725 gallons.

Power:

115 Volts, 60 Hz

Activation By:

Contactless Sensor

Mounting Type:

Wall Mounted

Chilling Option:

Utilizes existing refrigeration system if applicable

Full Load Amps

0.4 amps

Rated Watts

20

Approx. Net Weight

24 lbs

Installation Location:

Indoor



*Drinking Fountain Not Included

Ships in one box.

Installation

- Prior to roughing in, consult with local, state and federal codes for proper mounting height
- Shipped with complete instructions and wall mounting bracket

Finishes

- Standard cabinet finish: Stainless steel

Limited 1-Year Warranty

(Continental limits of the United States and Canada)

One year on bottle fillers and electrical components. Detailed warranty certificate enclosed with each water cooler; sample available upon request.

Export Warranty

One year on components parts. Detailed warranty certificate enclosed with each drinking fountain; sample copy available upon request.

Certifications/Compliance

- Certified to UL 399 and CAN/CSA C22.2 No.120 (electric water coolers only)
- Complies with the requirements of ADA (Americans with Disabilities Act) when properly installed

MODEL: _____ QTY: _____

PROJECT: _____

CONTACT: _____

NOTES: _____

APPROVAL: _____ DATE: _____



WARNING:

Cancer and Reproductive Harm
www.P65Warnings.ca.gov



Specifications subject to change without notice



OASIS COOLER TO ELECTRONIC BOTTLE FILLER CONVERSION KIT, PHARMACEUTICAL FILTER, NON-REFRIGERATED **MODEL NNFEBFPG-FRX**

Accessories



OASIS Pharmaceutical Replacement Cartridge

OASIS Item #041670-001


- Certified to NSF/ANSI 42, 53, 372 and 401 for chlorine, taste, odor, particulate class 1, lead, cysts, Atenolol, Bisphenol A, Carbamazepine, DEET (diethyltoluamide), Estrone, Ibuprofen, Meprobamate, Metolachlor, Naproxen, Nonyl phenol, Phenytoin and Trimethoprim, and microplastics reduction to 725 gallons.



[View all filters and accessories](#)



OASIS COOLER TO ELECTRONIC BOTTLE FILLER CONVERSION
KIT, PHARMACEUTICAL FILTER, NON-REFRIGERATED
MODEL NNFBFPG-FRX



NOTES:

1. * DIMENSIONS ARE REFERENCE ONLY.
2. ALL DIMENSIONS ARE IN INCHES. DIMENSIONS IN BRACKETS [] ARE IN MILLIMETERS.