

SONANCE

TWO-CHANNEL POWER AMP DATA SHEET

UA 2-125 | UA 2-125 ARC




TECHNICAL SPECIFICATIONS

	UA 2-125 DSP AMP	UA 2-125 ARC DSP AMP
SKU	93550 (North America) 93551 (International)	93548 (North America) 93549 (International)
UOM	Each	Each
Number of Channels	2 (1 stereo pair)	2 (1 stereo pair)
RMS per Channel @ 8 ohms	125W (stereo)	125W (stereo)
RMS per Channel @ 4 ohms	125W (stereo)	125W (stereo)
Power Output - 4 ohms x1	250W (single channel)	250W (single channel)
Frequency Response	20Hz - 20kHz	20Hz - 20kHz
Total Harmonic Distortion	<0.1% (1kHz, 100W, 4Ω or 8Ω)	<0.1% (1kHz, 100W, 4Ω or 8Ω)
Signal to Noise Ratio	>100dB (20-20kHz, A-weighted)	>100dB (20-20kHz, A-weighted)
AC Voltage	100-240Vac 50-60Hz	100-240Vac 50-60Hz
Inputs	Analog RCA, COAX S/PDIF Format, 2ch PCM, Optical TOSLINK S/PDIF Format, 2ch PCM	Analog RCA, HDMI ARC/eARC, 2ch PCM
Dimensions (WxHxD)	5.35" x 1.77" x 8.19" (136mm x 45mm x 208mm)	5.35" x 1.77" x 8.19" (136mm x 45mm x 208mm)
Shipping Weight	3.79 lbs (1.51Kg)	3.79 lbs (1.51Kg)
Mounting Options	2 x Surface Mounting Brackets (included), 20mm Series Industry Standard T-slots Built into Chassis Design, Seismic Tether Mounting Hole	2 x Surface Mounting Brackets (included), 20mm Series Industry Standard T-slots Built into Chassis Design, Seismic Tether Mounting Hole

OPTIONAL ACCESSORIES

UA Series Accessory Kit | 93759

DIMENSIONAL DRAWINGS



LIMITED TWO (2) YEAR WARRANTY

Sonance warrants to the first end-user purchaser that this Sonance-brand product ("Product"), when purchased from an authorized Sonance Dealer/Distributor, will be free from defective workmanship and materials for the period stated above. Sonance will at its option and expense during the warranty period, either repair the defect or replace the Product with a new or remanufactured Product or a reasonable equivalent. For more details please refer to the product manual. ©2025 Sonance. All rights reserved. Sonance is a registered trademark of Dana Innovations. Due to continuous product improvement, all features and specifications are subject to change without notice. For the latest Sonance product specification information visit our website at www.sonance.com.