



\*NOTE: THIS UNIT IS DESIGNED FOR FRAMELESS CABINETS. IF INSTALLING IN FACE FRAME CABINETS THE SIDE WALL AND FLOOR NEEDS TO BE FLUSHED OUT.

\*\*\*THIS PRODUCT CAN NOT BE INSTALLED INSET!






CUSTOMER DRAWING

| This drawing is the property of Rev-A-Shelf (RAS) and i | s disclosed       |
|---|-------------------|
| in confidence to the extent its subject matter is origi |                   |
| vendor receiving this drawing from RAS shall hold and u |                   |
| for the sole benefit of RAS and shall not disclose it t |                   |
| reproduce it for any third party, or perform any act ad |                   |
| of RAS with respect to this drawing without the express |                   |
| of RAS. Vendors shall not revise any physical, dimensi  |                   |
| performance characteristic unless authorized by Rev-A-S | helf Engineering. |

|   |      |          |     |  | PROJECTION DRAWN   C S 7/                                   | DATE  AL 1/22  RED-A-SHELF, INC.                            |
|---|------|----------|-----|--|---|---|
| F |      |          |     |  | MMJ DICTION   | SIZE WALNUT TWO-TIER RIGHT BLIND  B CORNER OPTIMIZER (OPEN) |
|   |      |          |     |  | TOLERANCES  MAT. DEC. WOOD) .XX ±.03 [.8mm] ±1/2°  MATERIAI | DRAWING NO. 499-18-RWN 0.088                                |
|   | Α    | 12-21-23 | KRR | Added note and removed inset information | OTHER) .XX ±.02 [.5mm] FINISH                               | PART NO.  |
|   | REV. | DATE     | BY  | DESCRIPTION OF CHANGE                    | ALL) .XXX ±.005 [.13 mm]<br>RACTIONS ±1/32 [.8 mm]          | 499-18-RWN 2 3  |

\*NOTE: THIS UNIT IS DESIGNED FOR FRAMELESS CABINETS.
IF INSTALLING IN FACE FRAME CABINETS THE SIDE
WALL AND FLOOR NEEDS TO BE FLUSHED OUT.

\*\*\*THIS PRODUCT CAN NOT BE INSTALLED INSET!



| PART DIMENSIONS     |               |              |  |  |
|---------------------|---------------|--------------|--|--|
|                     | MIN           | MAX          |  |  |
| WIDTH               | 33.85 [859,7] | 45.50 [1156] |  |  |
| DEPTH               | 21.80 [553,8] |              |  |  |
| HEIGHT              | 26.23 [666, ] |              |  |  |
| CONTAINTER CAPACITY |               |              |  |  |
| CONTAINER UOM       |               |              |  |  |

| MIN    | MIN CABINET OPENING |             |  |  |
|--------|---------------------|-------------|--|--|
|        | FACE FRAME          | FRAMELESS   |  |  |
| WIDTH  | 17.50 [445]         | 17.50 [445] |  |  |
| DEPTH  | 22.00 [559]         | 22.00 [559] |  |  |
| HEIGHT | 27.00 [686]         | 27.00 [686] |  |  |

| SLIDE SPECIFICATIONS |                 |                     |                |            |
|----------------------|-----------------|---------------------|----------------|------------|
| SLIDE MANUFACTURER   | BLUM            |                     |                |            |
| SLIDE PART NUMBER    | BLUM-499-SLIDES | RELEASE PART NUMBER | N / A          |            |
| SLIDE TYPE           | UNDERMOUNT      | SLIDE EXTENSION     | FULL EXTENSION | MAX WEIGHT |
| SLIDE CLOSING        | SOFT CLOSE      | SLIDE LENGTH        | 18.00 [457]    | RATING     |
| SLIDE MOUNTING       | N / A           | SLIDE FINISH        | ZINC           | 20LB/SHELF |

CUSTOMER DRAWING

|   | This drawing is the property of Rev-A-Shelf (RAS) and is disclosed           |
|---|--|
|   | in confidence to the extent its subject matter is original to RAS. Any       |
|   | vendor receiving this drawing from RAS shall hold and use this drawing       |
|   | for the sole benefit of RAS and shall not disclose it to, or use or          |
|   | reproduce it for any third party, or perform any act adverse to the interest |
|   | of RAS with respect to this drawing without the express written permission   |
|   | of RAS. Vendor's shall not revise any physical, dimensional or               |
|   | performance characteristic unless authorized by Rev-A-Shelf Engineering.     |
| П |  |

|      |          |     |  | AMERICAN PROJECTION DRAWN LCS 7/01/22  |
|------|----------|-----|--|--|
|      |          |     |  | B BLIND CORNER OPTIMIZE  |
|      |          |     |  | TOLERANCES MAT. DEC. (WOOD) .XX ±.03 [.8mm] ±1/2°  MATERIAL  DRAWING NO. 499-18-RWN 0.10 |
| Α    | 12-21-23 | KRR | Added note and removed inset information | (OTHER) .XX ±.02 [.5mm] FINISH PART NO. SHEET . C  |
| REV. | DATE     | BY  | DESCRIPTION OF CHANGE                    | (ALL) .XXX ±.005 [.13 mm]<br>FRACTIONS ±1/32 [.8 mm] 499 -   8 - RWN 3                   |