



RCD

Surface-Mount LED Downlight




RCD

Low Profile Surface Mount LED Downlight

The RCD Selectable is a Low Profile Surface Mount Downlight, a sleek and low-profile lighting solution meticulously crafted for seamless integration into the most confined spaces. Designed with a low profile, this downlight offers a thin installation profile, ensuring a discreet yet powerful lighting presence. Simplifying the installation process is our innovative twist lock diffuser, allowing for effortless removal during installation. The direct box mount guarantees a flush fit to the ceiling, delivering a polished and professional aesthetic. The versatility of this downlight is further enhanced by its CCT Selectable feature, offering a range of color temperatures (2700/3000/3500/4000/5000K) via switch, enabling you to customize the lighting ambiance to your preference. Economical and practical, each pack includes 24 units, making it an efficient choice for both residential and commercial lighting projects. Illuminate your space with the RCD Downlight, a perfect blend of functionality and style.

Dimensions



| | Outer Diameter (OD) | Lens Diameter (LD) | Height (H) |
|------|---------------------|--------------------|--------------|
| RCD4 | 5.9" (149mm) | 3.9" (99mm) | 0.87" (22mm) |
| RCD6 | 7.2" (183mm) | 5.2" (132mm) | 0.87" (22mm) |




FEATURES



Optical

Convex diffuser creates uniform light distribution while reducing glare



CCT Selectable

From warm to cool light output or anything in between

Installation

Keyhole mounting slots for quick installation in any 4" junction box

Stamped Metal Body

Provides excellent heat management with a clean aesthetic



CRI 94
R9 >50



Lumens
605-910



Lifetime
60000 hrs



Beam Angle
112°

| Ordering Information | | | | | Example: RCD41120S9WH |
|----------------------|---------|---------|-------------------------------|------------|-----------------------|
| Series | Version | Voltage | CCTs | Trim Color | |
| RCD4 | 1 | 120 | S (2700/3000/3500/4000/5000K) | WH (White) | |
| RCD6 | | | | | |

Recommended Dimmers*

Lutron Diva DVCL-153P

Housing Compatibility*

| | |
|---------------------|---|
| RCD4 (4" DOWNLIGHT) | STANDARD 4" METALLIC AND NON-METALLIC JUNCTION BOXES |
| RCD6 (6" DOWNLIGHT) | STANDARD 3" AND 4" METALLIC AND NON-METALLIC JUNCTION BOXES |

*Not a complete list. Check compatibility before installation



Warehouse Locations

Albuquerque, NM
Buford, GA
Roseville, CA

LIT-RCD-10PK
20240223

©2024 NICOR® • ALL RIGHTS RESERVED

2200 Midtown Place NE Albuquerque, NM 87107 USA • nicorlighting.com • T. 800-821-6283 F. 800-892-8393