

# NICOR<sup>®</sup>




## **OWP2** Full Cut Off LED Wall Pack

# OWP2

## Full Cut Off LED Wall Pack

The Full Cut-Off LED Wall Pack features a modern, architectural style with optimal performance. With an output up to 15,500 lumens, the OWP delivers tailored light distribution with available Type II, III, or IV precision lenses. It is easy to install on walls or directly on a J-Box with its included mounting bracket and it has two knockouts for through-wiring. Easily accessible switches offers the ability to adjust the CCT and wattage. The OWP is suitable for perimeter lighting as well as building entrances, walkways, or other commercial spaces where general-purpose lighting is desired.

### Dimensions



## FEATURES



### Die-Cast Aluminum Housing

Fine-textured, UV-stabilized powder coat bronze finish

### Injection-Molded Acrylic Lens


Type III Distribution with dual emitter array for maximum light output

### Photocell Control

Integrated photocell with easy on/off switch for adaptable lighting control

### Select the Perfect Light

The OWP2 Full Cut Off LED Wall Pack features selectable wattage and color temperature options via an integrated switch located on the backside.



Optional Type II and Type IV optics available.

Ordering Information									
Series	Version	Wattage	Voltage	CCTs	CRI	Finish	Optic	Sensor Socket	Emergency
OWP	2	060S (36/48/60W)	U (120-277V)	S (3K/4K/5K)	8 (>80 CRI)	BZ (Bronze)	3 (Type III)	_ (None)	_ (None)
		100S (60/80/100W)					2 (Type II)	S (Socket)*	E (9W Pack)**
							4 (Type IV)		

Example: OWP2060SUNVS8BZ

See spec-sheet for additional ordering information. \* Sensor socket versions of the product are not DLC listed. \*\* Internal 9W EM for 60W fixture only. 100W fixture will need remote EM kit.



LIT-OWP2-10PK  
20250129  
©20250129 NICOR® • ALL RIGHTS RESERVED

## Warehouse Locations

Albuquerque, NM  
Buford, GA  
Roseville, CA  
T. 800-821-6283 F. 800-892-8393

