


OFS LED Flood Light



OFSLED Flood Light

The OFS Selectable LED Flood Light is a highperformance lighting solution in a sleek and compact form. It offers high efficiency with improved aesthetic design features using the latest in LED technology. The OFS offers Selectable wattage and color temperature options via an integrated switch located on the backside. The OFS features a die-cast aluminum housing with a UV-stabilized powder-coat finish for protection against the elements, ensuring long-lasting durability. The impact-resistant polycarbonate lens provides further protection while maintaining uniform light dispersion, enhanced by the 7H7V beam distribution pattern and a high CRI value for vivid clarity. The OFS includes both a knuckle mount (pre-installed) and a yoke mount to suit your installation preference, for added versatility. Effortlessly improve landscapes, signage, facades, pathways, and open spaces with the OFS, where superior lighting and style converge.

Dimensions



FEATURES



Built for the Outdoors

Die-cast aluminum housing with powder coat finish for added protection from the elements

Polycarbonate Lens

Impact-resistant lens protects the LEDs while ensuring even light dispersion

Installation Versatility

Includes both Knuckle and Yoke mount options for installation










Select the Perfect Light


The OFS LED Floodlight features selectable wattage and color temperature options via an integrated switch located on the backside.





dering Inforn	mation					Exampl	le: OFS1050SUS8PBZ
eries	Version	Wattage	Voltage	CCTs	CRI	Control	Finish
	1	0505 (25\4//50\4/)	II (120 277) ()	C (21//41//E1/)	0 (00 CDI)	D (Dhatasall)	D7 (Drames)







Warehouse Locations

Albuquerque, NM Buford, GA Roseville, CA

2200 Midtown Place NE Albuquerque, NM 87107 USA nicorlighting.com T. 800-821-6283 F. 800-892-8393