



NICOR®



Hole Pattern




Pole Cap




Handhold Cover



ASTM A500 Grade C Steel



Anchor Bolt



Two-piece Base Cover

OPL4v2

4" Square Straight Steel Pole




OPL2

4" Square Straight Steel Pole

The OPL4v2 4-inch square straight steel poles are engineered for commercial, municipal, and industrial area lighting applications. The pole shaft is fabricated from high-grade structural steel tubing conforming to ASTM A500 Grade C specifications with an 11-gauge (.120") wall thickness and minimum yield strength of 50,000 PSI. The poles feature a fabricated carbon steel base plate (conforming to ASTM A36 standards), reinforced galvanized sheet stamped hand hole cover with grounding provisions, and a textured architectural bronze powder coat finish for long-term durability and corrosion resistance. The assembly also includes a removable pole-cap and a two-piece formed steel base cover for a clean finished appearance.

Dimensions




FEATURES




Kits include:

1. Pole Cap
2. Handhole Cover
(with ground screw and back-bar)
3. Two-piece Base Cover
(anchor bolts available separately)



Available Heights

15 ft, 20 ft, 25 ft, for various lighting applications



Rugged Construction

ASTM A500 Grade C steel, 11-gauge wall thickness



Durable Finish


textured architectural bronze powder coat for enhanced corrosion resistance

Compatible with:

NICOR OAL Series Area Lights and OFL4 Series Flood Lights.



OAL3



OAL4



OAL5




OAL4*

* 150W and 320W models only. Requires a tenon adapter.

ACCESSORIES



Steel 2-piece pole base cover



Polycarbonate pole cap



.75" x 30" x 3" Anchor bolts



Tenon Adapter



180° Bullhorn Adapter



80° Triple Bullhorn Adapter



120° Triple Bullhorn Adapter



90° Quad Bullhorn Adapter



180° Wallmount bracket



90° Wallmount bracket

• See specsheet for the full list of accessories.

Ordering Information

Example: OPL42NQS2011D4BZK

Series	Diameter	Version	Style/Shape	Material	Height	Gauge	Drill Mount	Finish	Kit
OPL	4 (4")	2	NQ (Non-tapered, Square)	S (Steel)	15 (15' height)	11	D4 (Quad fixture mount)	BZ (Bronze)	_ (pole only)
					20 (20' height)				K* (kit)
					25 (25' height)				

* Complete kit consisting of the following part's: OPL42NQSXX11D4BZ, OPL42SQBASECOVERBZ, and OPL42SQPOLECAP

* Kit does not contain OPL42075303 (.75" x 30" x 3" Anchor bolts)



Warehouse Locations

Albuquerque, NM

Buford, GA

Roseville, CA

T. 800-821-6283 F. 800-892-8393



Scan for full product details