



PART	DIMENSIONS	
TAKI	MIN	MAX
WIDTH	39[990.6]	48[1219.2
DEPTH	20.12[511]	20.12[511
HEIGHT	21.39[543.4]	28.5[723.9
WEIGHT		
DIAMETER		
RADIUS		
CONTAINTER CAPACITY		
CONTAINER UOM		

MIN CABINET OPENING					
WIDTH	18[457.2]				
DEPTH	20.25[514]				
HEIGHT	21.50[521]				

PRODUCT MAX WEIGHT RATING

**CUSTOMER DRAWING** 

This drawing is the property of Rev-A-Shelf (RAS) and is disclosed in confidence to the extent its subject matter is original to RAS. Any vendor receiving this drawing from RAS shall hold and use this drawing for the sole benefit of RAS and shall not disclose it to, or use or reproduce it for any third party, or perform any act adverse to the interest of RAS with respect to this drawing without the express written permission of RAS. Vendors shall not revise any physical, dimensional or performance characteristic unless authorized by Rev-A-Shelf Engineering.

						DRAWN	_	DATE 13.12.25	REV-A-SHELF, Inc.			
										18" WIRE BOTTON	I TWO-TIEF	₹
										BLIND CORNER O		
				MAT.	TOLERANCES DEC.	ANGLES	MAT	ERIAL	DR	AWING NO.	SCALE	
				OTHE	D) .XX ± .03 [.8mr R) .XX ± .02 [.5mr	m1 ′	FINI	SH	PAR	RT NO.	SHEET OF	F
REV.	DATE	BY	DESCRIPTION OF CHANGE	(ALL) . FRACT	XXX ± .005 [.13 IONS ± 1/32 [.8 i	mm]				5707-18	2 3	}

