



NICOR®



TGL4

Selectable LED Backlit Troffer






TGL4

Selectable LED Backlit Troffer

The TGL4 is a high-performance, contractor-grade LED troffer designed to meet the demands of commercial environments. Featuring a large, highly accessible junction box and a sealed, maintenance-free chamber with a seamless aluminum frame, it effectively keeps out dust and insects. The fixture is equipped with a precision-engineered, textured diffuser that provides maximum lumen output and uniform light distribution, eliminating hot spots or shadowing. Available with selectable CCT and lumen output options, users can choose between 3500K, 4000K, or 5000K CCTs, as well as low, medium, or high lumen outputs. Additionally, it holds the DLC 5.1 Standard certification, ensuring exceptional quality and performance. Ideal for offices, hospitals, and a variety of other commercial spaces, the TGL4 offers a reliable and efficient lighting solution.

Dimensions



FEATURES

Junction Box Accessibility

Improved, large, and highly accesible junction box with seven knockouts.

Integral Grid Tie Clips

Attached grid clip with wire-tie holes provided for seismic requirements



CRI
80+



Lumens
2467-6446



Lifetime
>54,000 hrs



Beam Angle
115.9°-120.5°

Safe Handling

Smooth formed sides for safe handling and installation

Sealed Light Chamber

Prevents ingress of dust or insects

Selectable CCT

External switch allows easy CCT Selection: 3500K, 4000K, or 5000K



Selectable Wattage

External switch allows easy wattage selection: 20W, 30W and 40W for 2'x2', 30W, 40W and 50W for 2'x4'



Ordering Information

Example: TGL42240SUS8

Series	Version	Size	Wattage	Voltage	CCT	CRI	EM (Optional)
TGL	4	22 (2 x 2)	40S (20/30/40)	U (120-277V)	S (35/40/50)	8 (80+)	Blank (None)
		24 (2 x 4)	50S (30/40/50)				E1 (EMB045)
							E2 (EMB080)





Warehouse Locations

Albuquerque, NM · Buford, GA · Roseville, CA