



PART DIMENSIONS							
	MIN	MAX					
WIDTH	16.00 [406]	19.87 [505]					
DEPTH	21.72 [551,7]						
HEIGHT	73.63 [1870]	80.75 [2051]					

MIN CABINET OPENING							
	FACE FRAME	FRAMELESS	INSET FACE FRAME	INSET FRAMELESS			
WIDTH	16.50 [419]	16.50 [419]	16.50 [419]	16.50 [419]			
DEPTH	21.75 [552,5]	21.75 [552,5]	22.50 [571,5]	22.50 [571,5]			
HEIGHT	73.63 [1870]	73.63 [1870]	73.63 [1870]	73.63 [1870]			

SLIDE SPECIFICATIONS							
SLIDE TYPE	HEAVY DUTY	SLIDE EXTENSION	20.87 [530]	MAX WEIGHT			
SLIDE CLOSING	SOFT CLOSE	SLIDE LENGTH	21.65 [550]	RATING			
SLIDE MOUNTING	BOTTOM	SLIDE FINISH	ZINC	250 LB			

CUSTOMER DRAWING

				INCH [MM]	AMERICAN PROJECTION	DRAWN	BY KRR	DATE 4-9-18	SIZE B		RF. inc. OTTOM ANTRY
Δ	- 0 - 23	KRR	UPDATED MCO	MAT. (WOOI	TOLERANCES DEC. D) .XX ±.03 [.8mm] R) .XX ±.02 [.5mm]	ANGLES ±1/2°	MATE			WING NO. 5373-16-XX	SCALE 0. 0 0
REV.	DATE	BY	DECCRIPTION OF CHANGE	(ALL) .>	(XX ±.02 [.51111] (XX ±.005 [.13 mm IONS ±1/32 [.8 mm	ก้	FINISH	1	PAK	TNO. 5373-16-XX	2 2

This drawing is the property of Rev-A-Shelf (RAS) and is disclosed in confidence to the extent its subject matter is original to RAS. Any vendor receiving this drawing from RAS shall hold and use this drawing for the sole benefit of RAS and shall not disclose it to, or use or reproduce it for any third party, or perform any act adverse to the interest of RAS with respect to this drawing without the express written permission of RAS. Vendors shall not revise any physical, dimensional or performance characteristic unless authorized by Rev-A-Shelf Engineering.