

NICOR[®]



DLR7 Recessed LED Downlight







DLR7

RECESSED LED DOWNLIGHT


The DLR7 is the newest generation of NICOR retrofit downlight, now with selectable lumen output. DLR7 comes in 4" or 5"/6". It is a recessed LED downlight that is ideal for new construction using standard housings. The patented new construction frame, or as a retrofit into most 4", 5" or 6" housings. Improved to meet the newest certification standards, the DLR series is over 105 LPW, 90+ CRI and R9 greater than 50. With two micro-switches on the driver cap, the DLR Select offers the ability to adjust the CCT and lumen output. The DLR7 downlight combined with the frame, provides the lowest overall system cost for energy efficient, versatile, high quality lighting.

Dimensions



FEATURES

DOUBLE SELECT



WATTAGE

09S (600/750/900 lm)
15S (900/1200/1500 lm)

CCT

(27/30/35/40/50K)



EDISON BASE SOCKET STRING

Ships with Edison base socket string for quick retrofit installation.



SIZE COMPATIBILITY

Compatible with most recessed housings.



4"

Friction fit arms on 4" fixture.

5/6"

Fully captured V-springs on 6" fixture.

Ordering Information

Example: DLR4709S120S9WH

Series	Version	Selectable Wattage	Voltage	Selectable CCT	CRI	Trim Color	Baffle
DLR4	7	09S (600/750/900 lm)	120 (120VAC)	S (27/30/35/40/50K)	9 (>90)	WH (White)	_Blank
DLR56		15S (900/1200/1500 lm)					BF (Baffle)

Specifications and dimensions subject to change without notice. Please refer to the website for the most up-to-date information.

NICOR Lighting

2200 Midtown Pl. NE
Albuquerque, NM 87107 USA
www.nicorlighting.com

T +1 (505) 343-5390

TF +1 (800) 273-5390

Warehouse Locations

Albuquerque, NM
Buford, GA
Roseville, CA

