

MSW

Minimalist Wall Sconce

Product Description

The MSW Series minimalist wall sconce, a refined embodiment of minimalist elegance. Crafted from die-formed cold-rolled steel, this sconce exudes sophistication and durability. Its high transmission glass ensures excellent light distribution and uniformity, enhancing the ambiance of any space. With an integrated LED boasting a high lumen output of 1200lm, this sconce is perfect for illuminating corridors, bedrooms, and other indoor areas, providing both functionality and style.

Construction

- Die-formed Cold-rolled Steel
- High transmission glass diffuser for uniform light distribution
- Integrated LED
- Fixture Dimension (WxHxD) : 9.8" x 4.5" x 4"
- Hardwired fixture; professional installation recommended

Maintenance

- Wipe with a soft cloth
- No abrasive cleaners

Electrical

- Input Voltage: 120 VAC
- Input Wattage: 14W

Mounting and installation

- Easy installation on a recessed junction box
- Fixture mounts directly to J-Boxes with mounting plate and threaded nipple
- For installations where power surge may be possible, NICOR recommends installing additional surge protection at the electrical distribution panel

Listings

- cETLus listed
- Damp location
- ADA Compliant

Warranty

- 5-year limited system warranty standard
- Warranty does not cover product failure due to an overvoltage event (power surge)

Photometric Data

MSW - 3000K

Input Voltage (VAC)	120
System Level Power (W)	14
Delivered Lumens (Lm)	1200
System Efficacy (Lm/W)	85.7
Correlated Color Temp (K)	3000
Color Rendering Index (CRI)	>80

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE: This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at his own expense.

Ordering Information

Series	Version	Voltage	Light Source	CCT	CRI	Finish
MSW	1	120	LED (Integrated)	30 (3000K)	8 (>80)	WH (White)
						OB (Oiled Bronze) ¹

Specifications and dimensions subject to change without notice. Please refer to the website for the most up-to-date information.


1. Contact factory for MOQ and lead times on OB finishes.

Project

Catalog

Type

Date



Example: MSW1120LED308WH

