

Type A+B Dual Mode LED Tubes

T8 Glass 4' LED Tube



Project Name _____

Date _____ Type _____

Notes _____

Current's Type A+B Dual Mode LED Tube is the perfect tool to simplify inventory and prepare installers to minimize installation time with Type A or pivot to Type B upon compatibility challenges. Options at install, and the ability to convert from Type A to Type B after install (once the ballast expires) make this the perfect solution for distributors, installers, and end-users that are targeting the simplicity of Type A plug & play, but also want to be prepared for the unexpected by simply bypassing the ballast. One product, Two Modes, Zero Frustrations.

PERFORMANCE HIGHLIGHTS:

Light Output Range:	1850-1950 Lumens
CRI:	80
CCT:	3000K, 3500K, 4000K & 5000K
Input Voltage:	120-277V
Efficiency:	Up to 150 LPW
Wattage:	13W
Life:	50,000 hours L70
Temperature Rating:	-20°C to +45°C
Rating:	Damp
Fixtures:	Open or Enclosed
Ballast Compatibility Guide:	gecurrent.com/LEDTUBES-ballast-compatibility
Certification:	DLC Listed

FEATURES:

- Savings up front and in the future with Type A Plug & Play and future ballast bypass
- Simplifies stocking & Install with Type A and Type B modes
- Provides options at install and after to rewire once ballast reaches end of life, maximizing life of lamp
- Type A Plug & Play-No wiring
- Type B Double Ended-works on shunted or unshunted sockets
- Safety First-built in protection for installers and end-users

LIMITED WARRANTY

5 Years

BASIC SPECIFICATIONS

Order Code	Lamp Description	Case Qty.	MOL (in.)	Input Voltage	Lamp Watts	Type A mode						Type B mode		CRI	Power Factor	CCT	L70 Lumen Maint. (hours)	DLC
						System Watts (W)			Initial Lumens(lm)			Lamp Watts	Initial Lumens					
						LBF	NBF	HBF	LBF	NBF	HBF							
93138405	LED13ABT8/G4/830	25	48	120/277	13	14	15.5	NA	1600	1850	NA	13	1850	80	>0.9	3000k	50,000	Yes
93138426	LED13ABT8/G4/835	25	48	120/277	13	14	15.5	NA	1650	1900	NA	13	1900	80	>0.9	3500k	50,000	Yes
93138429	LED13ABT8/G4/840	25	48	120/277	13	14	15.5	NA	1700	1950	NA	13	1950	80	>0.9	4000k	50,000	Yes
93138430	LED13ABT8/G4/850	25	48	120/277	13	14	15.5	NA	1700	1950	NA	13	1950	80	>0.9	5000k	50,000	Yes

Base Type: G13 — Bulb Type: T8



Not all product variations listed on the page are DLC qualified. To ensure that a specific model is qualified, visit www.designlights.org/search.