

MOS

Minimalist Porch Light

Product Description

Elevate your porch with the MOS decorative outdoor wall sconce. The sleek aluminum body with a sandy black finish brings a modern charm, emitting a warm 3000K glow and offers a high 90 CRI color accuracy. Enjoy the flexibility of dimmability and adapting the ambiance to your preference. Designed for wet locations, this sconce guarantees reliable outdoor use.

Construction

- Aluminum body
- Metal black shade with white aluminum interior finish for maximizing bounce of light
- High transmission acrylic diffuser for uniform light distribution
- Integrated LED
- Outdoor-safe
- Fixture weight: 1.3 lbs (0.6 kg)
- Fixture Dimension (WxHxD) : 6.4" x 4.6" x 7.9"
- Hardwired fixture; professional installation recommended

Maintenance

- Wipe with a soft cloth
- No abrasive cleaners

Electrical

- Input Voltage: 120 VAC
- Input Wattage: 10W
- Dimmable with compatible leading edge (TRIAC)

Mounting and installation

- Easy installation on a recessed junction box
- Fixture mounts directly to J-Boxes with mounting plate and threaded nipple
- For installations where power surge may be possible, NICOR recommends installing additional surge protection at the electrical distribution panel

Listings

- cETLus listed
- cULus 1598 Classified for wet locations

Warranty

- 1-year limited system warranty standard
- Warranty does not cover product failure due to an overvoltage event (power surge)

Photometric Data

MOS - 3000K

Input Voltage (VAC)	120
System Level Power (W)	10.9
Delivered Lumens (Lm)	730
System Efficacy (Lm/W)	67
Correlated Color Temp (K)	3000
Color Rendering Index (CRI)	90

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE: This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at his own expense.

Ordering Information

Series	Version	Voltage	CCT	CRI	Finish
MOS	1	120	30 (3000K)	9 (90)	BK (Black)


Specifications and dimensions subject to change without notice. Please refer to the website for the most up-to-date information.

Project

Catalog

Type

Date



Example: MOS1120309BK