


19001AR

4" REMODEL AIRTIGHT HOUSING NON IC



Suitable for remodel in residential and commercial applications.
NON-IC. Insulation must be kept a minimum of 3" from housing.

JUNCTION BOX

Listed for through branch circuit wiring and includes several 1/2" knockouts.
Supplied with three push-in wire connectors.

HOUSING









Airtight housing limits the exchange of air between ceiling plenum and heated/cooled areas.
Washington State Energy Code approved to meet restricted airflow requirements.
Integral thermal protector guards against improper lamping and misuse of insulation materials.
Adjustable socket bracket assures proper and consistent lamp positioning.
5 1/2" height allows use in 2" x 6" joist construction.

ORDERING INFORMATION

Example: 19001AR

Series	Description
19001AR	4" Remodel Airtight Housing




Trim	Ordering Info	Dimensions	Specifications
	BAFFLE • 50W R20/PAR20 19501 Black 19501BZ Bronze 19501NK Nickel 19501OB-OB Oil-rubbed bronze (oil-rubbed bronze ring)		
	BAFFLE • 50W R20/PAR20 19501SP Black (Air-tight)		
	BAFFLE • 50W R20/PAR20 19502WH White 19502BK Black		
	BAFFLE • 50W R20/PAR20 19502SP White (Air-tight)		

COMPATIBLE TRIMS


Trim	Ordering Info	Dimensions	Specifications
------	---------------	------------	----------------




SPECULAR CONE • 50W | R20/PAR20
19504 Clear




SPECULAR CONE • 50W | R20/PAR20
19505 Black




EYEBALL • 50W | R20/PAR20
19506BZ Bronze
19506NK Brushed nickel
19506WH White
19506OB-OB Oil-rubbed bronze




WALL WASH • 50W | R20/PAR20
19507 White




SLOT APERTURE • 50W | R20/PAR20
19508 White




ALBALITE SHOWER • 50W | R20/PAR20
19509BK Black
19509BZ Bronze
19509CL Clear
19509OB Oil-rubbed bronze
19509WH White



DROP OPAL SHOWER • 50W | R20/PAR20
19510CL Clear
19510GD Gold
19510WH White



WALL WASH • 50W | R20/PAR20
19511BK Black baffle
19511WH White baffle




COMPATIBLE TRIMS


Trim	Ordering Info	Dimensions	Specifications
------	---------------	------------	----------------





PINHOLE • 50W | R20/PAR20
19521 White




SQUARE TRIM/BAFFLE • 50W | R20/PAR20
19522BK White trim/Black baffle
19522NK Nickel
19522WH White



SQUARE TRIM/ROUND GIMBLE • 50W | R20/PAR20
19523BK Black
19523NK Nickel
19523WH White



GIMBLE RING • 50W | R20/PAR20
19558WH White



NICOR LED

DQR4MA 4" Multi-Adjustable Recessed LED Downlight



In Stock & Ready

Stock available from NICOR warehouses located in the USA, while supplies last