




# LED POWER ADAPTOR USE INSTRUCTIONS



**Step 1** : Connect Plug (1) to Power Adaptor (2)

**Step 2** : Connect Power Supply (4) to Adaptor (3)

**Step 3** : Connect Power Supply to Outlet on the wall



Power Adaptor



Power Supply





# WALL ART ASSEMBLY INSTRUCTIONS

## IMPORTANT SAFETY INSTRUCTIONS

1. Adult assembly only owing to the presence of small parts, sharp points and edges.
2. Professional installation is recommended. Serious injury or death can occur if item is not hung correctly. Do not use wire to hang this item. Please follow correct hanging methods for your wall type. Your safety is dependent on the construction and strength of the wall to which it is attached.

## CARE INSTRUCTIONS

1. Clean periodically by wiping the frame and glass panels with damp cloth or mild detergent. Do not use abrasive cleaners.

NO.	ITEM	DESCRIPTION	QTY.
1		Wall Bracket	1 pc.
2		Hollow Wall Anchor	7 pcs.
3		Plastic Anchor (47mm L)	7 pcs.
4		Screw M4 x 40mm	7 pcs.

## ASSEMBLY INSTRUCTIONS BY WALL TYPE

- CONCRETE: drill pilot hole on each marking and then insert plastic anchor. Use a screwdriver to attach the wall bracket to the wall with screws.
- DRYWALL WITH STUDS: use screws to affix to studs, and use hollow wall anchors and screws to affix to drywall.
- DRYWALL WITHOUT STUDS: use hollow wall anchors and screws to affix to drywall.

### HOLLOW WALL ANCHORS INSTALLATION:

1. Drill a hole on each mark's and then tap anchor into hole until flush with surface.
2. Tighten the screws into the anchors while maintaining constant pressure on the anchor to set. Remove screws. Hold the wall bracket over the inserted anchors and reinstall screws through the wall bracket holes and tighten until snug against wall.





FIGURE 01



# WALL ART ASSEMBLY INSTRUCTIONS

## ASSEMBLY INSTRUCTIONS

1. Pre-set the wall art on your desired location. Use a light pencil to mark the bottom line of the wall art on the wall.
2. Hold the bracket (1) against the wall and mark with pencil the locations of the bracket screw holes, ensuring levelness. **Please take a note that for this item, the distance from the wall bracket screw holes to the bottom line of the wall art is 21.5"**. See Figure 02.
3. Attach the wall bracket to the wall. See **ASSEMBLY INSTRUCTIONS BY WALL TYPE**.
4. Install the wall art on the wall bracket as illustrated on Figure 02.

