



PART DIMENSIONS					
	MIN	MAX			
WIDTH	19.00 [482,6]	19.87 [504,6]			
DEPTH	21.72 [551,7]				
HEIGHT	58.25 [1479]	65.75 [1670]			

MIN CABINET OPENING					
	FACE FRAME	FRAMELESS	INSET FACE FRAME	INSET FRAMELESS	
WIDTH	19.50 [495,3]	19.50 [495,3]	19.50 [495,3]	19.50 [495,3]	
DEPTH	21.75 [552,5]	21.75 [552,5]	22.50 [571,5]	22.50 [571,5]	
HEIGHT	58.25 [1479]	58.25 [1479]	58.25 [1479]	58.25 [1479]	

	SL	IDE SPECIFICATIO	NS	
SLIDE TYPE	HEAVY DUTY	SLIDE EXTENSION	20.87 [530]	MAX WEIGHT
SLIDE CLOSING	SOFT CLOSE	SLIDE LENGTH	21.65 [550]	RATING
SLIDE MOUNTING	ВОТТОМ	SLIDE FINISH	ZINC	250 LB

CUSTOMER DRAWING

				INICH	PROJECTION	DRAWN	KRR	4-9-18		REV-A-SHE	JF, inc.
				INCH [MM]		DRAWN	NNN	4-9-10	SIZE R	SC SOLID B	
				MAT.	TOLERANCES DEC.	ANGLES	MATE	RIAL	DRA	PULLOUT P. .wing no. 5358-19-XX	ANTRY SCALE
				(WOO (OTHE	D) .XX ±.03 [.8mm] R) .XX ±.02 [.5mm] XXX ±.005 [.13 mm	±1/2° 	FINISI		1	T NO.	SHEET OF
REV.	DATE	BY	DESCRIPTION OF CHANGE		IONS ±1/32 [.8 mm					5358-19-XX	<i>L L</i>

This drawing is the property of Rev-A-Shelf (RAS) and is disclosed
in confidence to the extent its subject matter is original to RAS. Any
vendor receiving this drawing from RAS shall hold and use this drawing
for the sole benefit of RAS and shall not disclose it to, or use or
reproduce it for any third party, or perform any act adverse to the interest
of RAS with respect to this drawing without the express written permission
of RAS. Vendors shall not revise any physical, dimensional or
performance characteristic unless authorized by Rev-A-Shelf Engineering.