

. 499-18-LWN

?

|.22 — [3|] 1.42 [36]

\*NOTE: THIS UNIT IS DESIGNED FOR FRAMELESS CABINETS. IF INSTALLING IN FACE FRAME CABINETS THE SIDE WALL AND FLOOR NEEDS TO BE FLUSHED OUT.


## \*\*\*THIS PRODUCT CAN NOT BE INSTALLED INSET!


This drawing is the property of Rev-A-Shelf (RAS) and is disclosed in confidence to the extent its subject matter is original to RAS. Any vendor receiving this drawing from RAS shall hold and use this drawing for the sole benefit of RAS and shall not disclose it to, or use or reproduce it for any third party, or perform any act adverse to the interest of RAS with respect to this drawing without the express written permission of RAS. Vendors shall not revise any physical, dimensional or performance characteristic unless authorized by Rev-A-Shelf Engineering.

A 12-21-23 KRR Added note and removed inset information (ALU XX ± 0) (ALU XX ± 0) (										INCH	PROJECTI
A 12-21-23 KRR Added note and removed inset information (ALL) XX ± 0 (ALL) XX ± 0 (ALL) XX ± 0											I A
A 12-21-23 KRR Added note and removed inset information (ALL) XX ± 0 (ALL) XX ± 0 (ALL) XX ± 0										1	
A 12-21-23 KRR Added note and removed inset information (OTHER) XX ± (ALL) XXX ± (ALL) XXX ± (											TOLERA DEC.
	Α	2-2 -23	KRR	Added	note	and	removed	inset	information	(OTHER	R) .XX ±.02 [.
	REV.	DATE	BY			D	escription of	<sup>E</sup> CHANGE			$1005 \pm 1/32$ [.1.



\*\*\*THIS PRODUCT CAN NOT BE INSTALLED INSET!





\*NOTE: THIS UNIT IS DESIGNED FOR FRAMELESS CABINETS. IF INSTALLING IN FACE FRAME CABINETS THE SIDE WALL AND FLOOR NEEDS TO BE FLUSHED OUT.

\*\*\*THIS PRODUCT CAN NOT BE INSTALLED INSET!

						SLIDE F SLIDE SLIDE	ANUFACTURER PART NUMBER TYPE CLOSING MOUNTING
-	This drawing is the property of Rev-A-Shelf (RAS) and is disclosed in confidence to the extent its subject matter is original to RAS. Any vendor receiving this drawing from RAS shall hold and use this drawing for the sole benefit of RAS and shall not disclose it to, or use or eproduce it for any third party, or perform any act adverse to the interest of RAS with respect to this drawing without the express written permission of RAS. Vendors shall not revise any physical, dimensional or performance characteristic unless authorized by Rev-A-Shelf Engineering.	A REV.	2-2 -23   DATE	K R R BY	Added no		removed ir SCRIPTION OF CH

PART	DIMENSIONS					
	MIN	MAX				
WIDTH	33.85 [859,7]	45.50 [  56]				
DEPTH	21.78 [553,2]					
HEIGHT	26.23 [666,1]					
CONTAINTER CAPACITY						
CONTAINER UOM						

MIN CABINET OPENING								
	FACE FRAME	FRAMELESS						
WIDTH	7.50 [445]	17.50 [445]						
DEPTH	22.00 [559]	22.00 [559]						
HEIGHT	27.00 [686]	27.00 [686]						

SLIDE SPECIFICATIONS								
SLIDE MANUFACTURER	BLUM							
SLIDE PART NUMBER	BLUM-499-SLIDES	RELEASE PART NUMBER	N/A					
SLIDE TYPE	UNDER-MOUNT	SLIDE EXTENSION	FULL EXTENSION	MAX WEIGHT				
SLIDE CLOSING	SOFT CLOSE	SLIDE LENGTH	18.00 [457]	RATING				
SLIDE MOUNTING	N / A	SLIDE FINISH	ZINC	20LB/SHELF				

									INCH	AMERICAN PROJECTIO
									_	TOLERANC
									MAT.	DEC. D) .XX ±.03 [.8m
A	2 - 2   - 2 3	KRR	Added	note	and	removed	inset	information	(OTHEF	R) .XX ±.02 [.5n
REV.	DATE	BY			D	ESCRIPTION OF	CHANGE			(XX ±.005 [.13 r IONS ±1/32 [.8

## CUSTOMER DRAWING

AN		BY	DATE		REV-A-SHELF, inc.				
ON	DRAWN	105	6/30/22		help hypheyr, inc.				
$\neg$	BIGUIT	LCU	VIJVILL	SIZE	WALNUT TWO-TIER LEFT				
$\Box$				B	BLIND CORNER OPTIMIZER				
NCES	ANGLES	MATE	RIAL	DRA	WING NO. SCALE 499-18-1WN 0.100				
.8mm]	±1/2°				499-10-LWN 0.100				
[.5mm] 3 mm		FINISH	-1	PAR	INO. OF SHEET OF				
.8 mm					499-18-LWN				