

**NICOR<sup>®</sup>**



# DCR-SELECT

RECESSED LED DOWNLIGHT

---

**Versatile, Vibrant, and Durable Lighting**

---




# DCR-Select

## Recessed LED Downlight


The DCR from NICOR is a versatile recessed LED downlight available in 4" and 5"/6" sizes, suitable for both new construction and retrofit applications in most standard housings. Meeting the latest certification standards, the DCR delivers over 70 lumens per watt (LPW) with a color rendering index (CRI) of 90+ and an R9 value greater than 70, ensuring high-quality, vibrant illumination. Featuring a robust polymer trim, the DCR offers durability and an attractive finish, making it an excellent choice for energy-efficient, high-quality lighting solutions.

### Dimensions

DCR  
4-inch



DCR56  
6-inch



## FEATURES

### Friction Clips 4"

Integrated spring steel clips fit in most standard 4" housings

### High Performance LEDs


LEDs offer greater than 90 CRI and R9 greater than 50 for true color rendering

### Torsion Springs 5" and 6"

Compatible with most 5" and 6" recessed housings using a torsion spring mounting system for installation

### Polymer Trim

Anti-rust polymer prevents chipping, cracking, dents, and scratches. Available in smooth and baffle finishes



Ordering Information: *Example: DCR563120SWHBF*

Series	Version	Voltage	CCTs	Trim	Baffle
DCR4 (4")					____ (Smooth)
DCR56 (5" & 6")	3	120	S (Select) (27K/30K/35K/40K/50K)	WH (White)	BF (Baffle)

Specifications and dimensions subject to change without notice. Please refer to the website for the most up-to-date information.

Recommended Dimmers*
Lutron Skylark SCL-153P

\*Not a complete list. Check compatibility before installation.

Housing Compatibility *	
19000A	4" AIRTIGHT NEW CONSTRUCTION HOUSING
19000A-LED-ID	4" LED IC-RATED AIRTIGHT NEW CONSTRUCTION HOUSING
19001AR	4" AIRTIGHT REMODEL HOUSING
19001AR-LED-ID	4" LED IC-RATED AIRTIGHT REMODEL HOUSING
MOST STANDARD 4" HOUSINGS FOR DCR4	
15006A	5" IC-RATED AIRTIGHT NEW CONSTRUCTION HOUSING
15006RA	5" IC-RATED AIRTIGHT REMODEL HOUSING
17014A	6" IC-RATED AIRTIGHT NEW CONSTRUCTION HOUSING
17014A-LED-ID	6" LED IC-RATED AIRTIGHT NEW CONSTRUCTION HOUSING
17014AR	6" IC-RATED AIRTIGHT REMODEL HOUSING
17014AR-LED-ID	6" LED IC-RATED AIRTIGHT REMODEL HOUSING
MOST STANDARD 5" and 6" HOUSINGS FOR DCR6	

\*Not a complete list. Check compatibility before installation

# NICOR®

**WAREHOUSE LOCATIONS:**

Albuquerque, NM  
Buford, GA  
Roseville, CA



NICOR Lighting  
2200 Midtown Place NE Albuquerque, NM 87107 USA  
[www.nicorlighting.com](http://www.nicorlighting.com) | T. 800-821-6283 F. 800-892-8393