



Under Cabinet Series

**NUC5 Select**



**LED under cabinet solutions**  
**Enhanced ambiance and efficiency**



## NUC5 Select LED Under Cabinet

NICOR LED under cabinet lighting is an attractive upgrade that can quickly increase the value and functionality of your work space. The NUC5 now offers a **CCT Selectable design** which allows for easy adjustment to 2700K, 3000K, or 4000K. The NUC5 presents a clean, professional look allowing you to use an existing wall switch or dimmer to easily control your lights. Offering uniform illumination, warm color and low operating temperatures, this under cabinet light can be used in residential, retail, and commercial applications. **Whether in a kitchen, under a shelf** or in a defined work space, these 1-inch low profile fixtures are perfect for task or accent lighting and illuminating products, apparel or collectibles.

### Selectable CCT

External switch allows easy CCT Selection: 2700K, 3000K or 4000K




### Electrical Access

Easy-open door with positive latch makes electrical installation simple

### Multiple Knockouts

Versatile knockouts for multidirectional wiring or linkable capped parts enable for quick daisy-chaining to other fixtures



### Easy Installation

Pre-installed captive screws allow for quick mounting

### Diffuser

Specially designed diffuser prevents pixilation and provides uniform illumination

### Low Profile Design

1-inch height keeps the fixture unobtrusive and out of view

## NUC5 Select LED Under Cabinet Features

### Construction

- Extruded aluminum housing for durability and ample heatsinking
- Low 1-inch profile keeps the fixture unobtrusive and out of view
- No UV or forward-projected heat
- UL Listed for damp locations

### Optical System

- Uniform lighting with specially designed glass diffuser to prevent pixelation and “hot spots” on counter tops

### Electrical

- Dimmable with most TRIAC dimmers
- Custom low-profile driver engineered for optimal dimming across all sizes
- Operating temperature rating of 0°F to 120°F (-18°C – 49°C)
- 120VAC Input

### LED

- CCT Selectable at 2700K, 3000K, or 4000K
- Greater than 92 CRI with R9 greater than 50
- L70 rated for greater than 50,000 hours
- TM-21 Projected L70(6k) life >100,000 hours
- LM-79, LM-80 testing performed in accordance with IESNA standards

### Finish

- Available in: Black, Nickel, White, and Oil-Rubbed Bronze

### Installation

- Easy surface mount installation
- Pre-installed captive screws allow for quick mounting
- Positive latch door for easy access and installation
- Versatile knockout selection allows for multidirectional wiring

### Warranty

- 5-year limited system warranty standard



Ordering Information					Example: NUC521SWH
Series	Version	Length	CCT	Housing Color	
NUC	5	08 (8 inches)	S (Select)	BK (Black)	
		12 (12 ½ inches)		NK (Nickel)	
		21 (21 ½ inches)		OB (Oil-rubbed bronze)	
		30 (30 inches)		WH (white)	
		40 (40 inches)			


All reports based on current industry standards; field performance may differ from laboratory performance. Specifications and dimensions subject to change without notice.



### FINISH OPTIONS



PRODUCT INFORMATION	
Product Specs	NUC5
TM-21 Calculated L70(6K) hours:	>100,000 hours
Power Draw at full power:	8" - 3.63W 12.5" - 5.25W 21.5" - 8.66W 30" - 11.06W 40" - 15.52W
Input Voltage :	120VAC
Dimensions:	<b>Height:</b> 1" <b>Width:</b> 3.5" <b>Length:</b> Varies



Length Dimensions (L)		
	Inches	Millimeters
NUC508	8	203
NUC512	12.5	317
NUC521	21.5	546
NUC530	30	762
NUC540	40	1016

### Warehouse Locations

Albuquerque, NM  
Buford, GA  
Roseville, CA

**T 800.821.6283**

F 800.892.8393

[www.nicorlighting.com](http://www.nicorlighting.com)

2200 Midtown Pl. NE  
Albuquerque, NM 87107 USA



LIT-NUC5-Select-10PK

20240301

©2024 NICOR® • ALL RIGHTS RESERVED

**NICOR**® | select