

SVID2USB2/NS Video Capture Cable

Installation Guide

This guide contains installation instructions for the following operating systems:

1. [Windows \(EXE\)](#)
2. [Windows \(INF\)](#)

SVID2USB2/NS Video Capture Cable

Installation for Windows

Install Guide

Prior to installing this device, ensure that your operating system is up to date (for example, you have installed the most recent service pack). Also, ensure that the USB 2.0 host driver is updated according to the latest version available.

To install the driver:

1. Right-click the zip folder that you downloaded, select **Extract All**, and follow the on-screen instructions.
2. In the list of extracted files, open the **Driver** folder, right-click the **Setup.exe** file, and select **Run as Administrator**.

Note: If the **Run as Administrator** option is not available, you might be attempting to run the installer from within the zipped file. Extract the files using the instructions in Step 1.

Follow the on-screen prompts to install the device drivers and restart the computer when prompted.

3. Once Windows has restarted, connect the video capture card to your computer.
4. Your computer will automatically complete the driver installation.

To verify that the driver installed correctly:

1. Press Windows Key + R, type **devmgmt.msc**, and click **OK**.
2. Expand the **Sound, video and game controllers** section and verify that both devices are listed (**USB EMP Audio Device** for audio and **USB 2821 Device** for video).

SVID2USB2/NS Video Capture Cable

Installation for Windows

Install Guide

To install the GrabBee software:

1. In the list of extracted files from the download, open the **SVID2USB2xx** folder.
2. Navigate to the **GrabBee_V1.0.9.6** folder.
3. Right-click the **Setup.exe** file and select **Run as Administrator**.

Note: If the **Run as Administrator** option is not available, you might be attempting to run the installer from within the zipped file. Extract the files using the instructions in “To install the driver” above.

4. Follow the on-screen prompts to install GrabBee and restart the computer when prompted.

***North American users only:** In the options for GrabBee, set the **Video Format to NTSC-M**. For more information, visit the StarTech.com website to see the SVID2USB2 manual. It is available under the Drivers & Downloads tab for the SVID2USB2.

SVID2USB2/NS Video Capture Cable

Installation for Windows

Install Guide

To install the driver:

1. Right-click the zip folder that you downloaded, click **Extract All**, and complete the instructions.
2. Press the **Windows** key + **R**, type **devmgmt.msc**, and press **Enter** to open the Device Manager.
3. Right-click **USB 2821 Device**, which will have a "!" or "?" next to it to indicate a driver issue.
4. Click **Update Driver**.
5. Click **Browse my computer for driver software**.
6. Select the **Let me pick from a list of device drivers on my computer** option.
7. On the **Select your device's type from the list below** screen, click **Show All Devices**, and click **Next**.

Note: The **Select your device's type from the list below** screen does not appear on all systems. If you do not see this screen, skip this step.

8. Select the **Have Disk** option.
9. Browse to the **SVID2USB2xx.zip\Driver\Manual Driver** folder and open the **32-bit** or the **64-bit** folder, depending on your system type.

Note: To view your system type, click **Start**. Right-click **Computer**, and then click **Properties**.

10. Click the **EMAUDIO** (32-bit) file or the **EMAUDIO64** (64-bit) file. Click **OK**, and then click **Next**.

SVID2USB2/NS Video Capture Cable

Installation for Windows

Install Guide

11. Repeat steps 2-10 with the second listing of the **USB 2821 Device**, choosing the **EMBDA** (32-bit) file or the **EMBDA64** (64-bit) file.

Note (North American users only): In the options for GrabBee, set the **Video Format** to **NTSC-M**. For more information, visit the StarTech.com website to see the SVID2USB2 manual. It is available under the Drivers & Downloads tab for the SVID2USB2.