



See safety datasheet (if applicable) and product label for safety information, handling and proper use.

### Directions for Use

This is an EPA registered disinfectant. Please refer to the actual container label for complete directions. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**PREPARATION OF DISINFECTANT USE-SOLUTION:** \*Add 4 oz. per gallon of water (for 400-ppm water hardness).

**DISINFECTION DIRECTIONS:** Apply recommended use-solution with a cloth, mop, sponge, or sprayer or by soaking until surfaces are thoroughly wet. Treated surfaces must remain wet for 10 minutes. Wipe dry with a clean cloth or sponge or let air dry. For sprayer applications, use a coarse spray device. Spray with quick full strokes 6 - 8 inches from surface. Rub with a brush, sponge or cloth. Do not breathe spray. After use, close nozzle. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or more often if use solution becomes diluted or soiled. Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. This product should not be used to clean utensils, glassware and dishes. This product is not for use on medical device surfaces.

**MOLD AND MILDEW CONTROL DIRECTIONS:** Add 3 to 4 oz. per gallon of water, to inhibit the growth of mold and mildew and their odors on hard, nonporous surfaces. Thoroughly wet all treated surfaces completely. Let air dry. Repeat application weekly or when growth or odor reappears.

**DIRECTIONS FOR SANITIZING NON-FOOD CONTACT SURFACES: RESTROOM CLEANER/DISINFECTANT** is a sanitizer for hard nonporous non-food contact surfaces at ¾ oz. per gallon of water dilution against *Klebsiella pneumoniae* (and) *Staphylococcus aureus*. Treated surfaces must remain wet for 60 seconds. Wipe dry with a clean cloth or sponge or allow to air dry.

**TO CLEAN AND DEODORIZE:** Use 1:32 dilution. Apply product to wet the surface thoroughly. Let stand for at least one minute, rinse with water or allow to air dry.

**Efficacy: BACTERICIDAL ACTIVITY:** 10-minute contact time, *Pseudomonas aeruginosa* (*Pseudomonas*), *Salmonella enterica* (*Salmonella*), *Staphylococcus aureus* (*Staph*). Sanitizer, Non-Food Contact: 60 seconds contact time, *Klebsiella pneumoniae* and *Staphylococcus aureus*.

### Efficacy

A hospital disinfectant, bactericidal at 1:32 dilution (4 oz. per gallon of water) according to the AOAC Use-Dilution Test method, modified in the presence of 400 ppm hard water plus 5% organic serum against: *Pseudomonas aeruginosa* (*Pseudomonas*), *Salmonella choleraesuis* (*Salmonella*), *Staphylococcus aureus* (*Staph*).

A foaming, hospital-grade disinfectant that has been fortified with mild acid cleaners for cleaning ceramic tile, quarry tile, porcelain, grout, fiberglass partitions, toilets, sinks, urinals, and fixtures in restrooms and showers.

### Features & Benefits

- Fortified with mild acid cleaners.
- Clings to vertical surfaces.
- Concentrated for economical cost-in-use.

### Item Number & Unit of Measure

Item Number	HIL0081117
Unit of Measure	20 oz Bottle

### Specifications

Color	Light Blue-Green
Appearance	Clear
Fragrance	Mint
Formula Type	Liquid
Dilution Ratio	1:32
PH	0.7 - 1.5
Non-Volatile Matter	12.00 - 15.00%
EPA Registration #	6836-86-1658

### Safety

# Restroom Cleaner Disinfectant (continued)



## HMIS Ratings

Flammability RTU	0
Health RTU	1
Reactivity RTU	0