

Test Report No.: T51910280602TY Page 1 of 12 Date: SEP 20, 2019

BLOOMINGVILLE A/S

LENE HAUS VEJ 3-5 DK-7430 IKAST DENMARK

The following samples were submitted and identified by/on behalf of the client as:

PLAY SET, KITCHEN, MULTI-COLOR, LOTUS

Item No. 82047503 P.O. / Ref. No. 65010

BLOOMINGVILLE A/S Importer Buyer **BLOOMINGVILLE A/S** Supplier **BLOOMINGVILLE A/S** Manufacturer **BLOOMINGVILLE A/S**

Country of Origin **CHINA** Country of Destination **DENMARK** Labeled Age Grading **NOT STATED** Requested Age Grading + 24MONTHS

Age Group Assessed by SGS As Per Age **OVER 24 MONTHS**

Guideline

Age Group Applied in Testing **OVER 24 MONTHS**

Sample Receiving Date SEP 09, 2019

Testing Period SEP 09, 2019 TO SEP 20, 2019





Test Report No.: T51910280602TY Date: SEP 20, 2019 Page 2 of 12

Test	Requested	Conclusion
1.	For compliance with the European standard on Safety of toys:-	
	EN 71-1:2014+A1:2018 – Safety of toys – Part 1: Mechanical and Physical Properties	PASS
	EN 71-2:2011+A1:2014 – Safety of toys – Part 2: Flammability	PASS
	Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to Informative Annex A.26 and A.33 of the European standard on Safety of toys EN 71-1:2014+A1:2018 and the Directive 2009/48/EC-Safety of toys	SEE RESULT
	Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738 – EN 71-3:2013 + A3:2018 – Migration of certain elements (All conclusive testing)	PASS

Remark: This declaration of conformity is only based on the result of this laboratory activity, the impact of the uncertainty of the results was not included.

******* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *******

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center

Liu Junjie, Tony Section Manager Qu Ping, Kiky Dept. Manager





Test Report No.: T51910280602TY Date: SEP 20, 2019 Page 3 of 12

Results:

EUROPEAN STANDARD ON SAFETY OF TOYS

EN 71-1:2014 + A1:2018 - SAFETY OF TOYS - PART 1: MECHANICAL AND PHYSICAL PROPERTIES

AS SPECIFIED IN EN 71-1:2014 + A1:2018 - SAFETY OF TOYS - PART 1: MECHANICAL AND PHYSICAL PROPERTIES

Clauses relevant to the item:

<u>Clause</u>	<u>Descripti</u>	<u>on</u>	<u>Result</u>
4	General	requirements	
4.1	Material	cleanliness	<u>Pass</u>
4.7	Edges		<u>Pass</u>
4.8	Points ar	nd metallic wires	<u>Pass</u>
4.9	Protrudin	ng parts	<u>Pass</u>
5	Toys inte	ended for children under 36 months	
5.1	General	requirements:	
	5.1a	Small part requirement on toys & removable	
		Components (Test method 8.2)	<u>Pass</u>
	5.1b	Torque test (Test method 8.3)	<u>Pass</u>
		Tension test (Test method 8.4)	<u>Pass</u>
		Drop test (Test method 8.5)	<u>Pass</u>
		Impact test (Test method 8.7)	<u>Pass</u>
		Compression test (Test method 8.8)	<u>Pass</u>
		Sharp edge (Test method 8.11)	<u>Pass</u>
		Sharp point (Test method 8.12)	<u>Pass</u>
	5.1e	Glued wooden toys and toys with glued on plastic decals	<u>Pass</u>
5.10	Small ba	lls	<u>Pass</u>

According to 2009/48/EC, warnings and safety instructions shall be written in a language or languages easily understood by consumers.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ngs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ngs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company Any unauthorized alteration, forgery or faisification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only). The content of the company and t



Test Report No.: T51910280602TY Date: SEP 20, 2019 Page 4 of 12

EN 71-2:2011+A1:2014 - SAFETY OF TOYS - PART 2: FLAMMABILITY

AS SPECIFIED IN EN 71-2:2011+A1:2014 - SAFETY OF TOYS - PART 2: FLAMMABILITY

Clauses relevant to the item:

<u>Clause</u> <u>Description</u>
4.1 General requirements

Result Pass

Type of gas: Butane gas used in the test burner

LABELING REQUIREMENT (WASHING/CLEANING INSTRUCTION, CE MARK, IMPORTER / MANUFACTURER NAME AND ADDRESS, PRODUCT IDENTIFICATION) ACCORDING TO INFORMATIVE ANNEX A.26 AND A.33 OF THE EUROPEAN STANDARD ON SAFETY OF TOYS EN 71-1:2014+A1:2018 AND THE DIRECTIVE 2009/48/EC – SAFETY OF TOYS

Summary table:

	Observation Result	Location
Washing/Cleaning instruction	Not applicable	
CE mark	Absent. See note 2	
Importer's Name & Address	Absent. See note 3	
Manufacturer's Name & Address	Absent. See note 3	
Product ID	Absent. See note 4	

Note:

- 1. According to Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned. According to the GUIDANCE DOCUMENT ON THE APPLICATION OF DIRECTIVE 2009/48/EC ON THE SAFETY OF TOYS, manufacturer shall not label "surface washing" on textile toys which, under the TSD, need to be soak washable."
- 2. CE marking should be visible from outside the packaging and its height must be at least 5mm.
- 3. Manufacturer's and Importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
- 4. Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues effected therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and his document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307



Test Report No.: T51910280602TY Date: SEP 20, 2019 Page 5 of 12

<u>Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738 – EN 71-3:2013 + A3:2018 – Migration of certain elements</u>

Category III: Scraped-off toy material

Method: With reference to EN 71-3:2013 + A3:2018. Analysis of general elements was performed by ICP-OES. Chromium (III) was obtained by calculation, chromium (VI) was analyzed by IC-UV-Vis and organic tin was analyzed by GC-MS.

Test Item(s)	Result(s)			MDL	Permissible Limit		
Specimen No.			1	2	3		
Mass of trace amount		(mg)	95.2				
Soluble Aluminium	(AI)	(mg/kg)	ND	61	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺	(Cr)	(mg/kg)	0.80	0.96	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.12	0.2
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	10	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	134	434	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	174	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe beverleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-e-Document.aspx attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document ladvised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to ransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of except in full, without prior written approval of the Company. Any unauthorized alteration of the law. Unless otherwise stated the second of the company and the sample of the company and the sample of the company.

1443, or email: CN.Doccheck@sgs.com DSSBb(), Nb. (4), phase (Aprilan Intality Rh. (403, lina Rod Barlian Longsing District, Sharuben, China 518129 t (86–755) 25328888 f (86–755) 83106190 www.sgsgroup.com.cn 中国 · 深圳 · 龙岗区坂田吉华路430号江瀬工业园4栋SGS大楼 邮编: 518129 t (86–755) 25328888 f (86–755) 83106190 e e gss.china@sgs.com



Test Report No.: T51910280602TY Date: SEP 20, 2019 Page 6 of 12

Test Item(s)			Result(s)			MDL	Permissible Limit
Specimen No.			4	5	6		
Mass of trace amount		(mg)					
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺	(Cr)	(mg/kg)	ND	1.14	0.35	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	1.14	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.12	0.2
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	10	23
Soluble Manganese	(Mn)	(mg/kg)	139	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is a drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.: T51910280602TY Date: SEP 20, 2019 Page 7 of 12

Test Item(s)			Result(s)			MDL	Permissible Limit
Specimen No.			7	8	9		
Mass of trace amount		(mg)					
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	222	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺	(Cr)	(mg/kg)	0.73	ND	0.74	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.12	0.2
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	10	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	54	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	1340	ND	234	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is a drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.: T51910280602TY Date: SEP 20, 2019 Page 8 of 12

Test Item(s)			Result(s)			MDL	Permissible Limit
Specimen No.			10	11	12		
Mass of trace amount		(mg)					
Soluble Aluminium	(AI)	(mg/kg)	106	107	57	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺	(Cr)	(mg/kg)	1.70	0.81	2.17	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	1.70	ND	2.17	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.12	0.2
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	10	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	234	500	373	50	46000





Test Report No.: T51910280602TY Date: SEP 20, 2019 Page 9 of 12

Test Item(s)			Resu	MDL	Permissible Limit	
Specimen No.			13	14		
Mass of trace amount		(mg)				
Soluble Aluminium	(AI)	(mg/kg)	173	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	5	17
Soluble Chromium ⁺	(Cr)	(mg/kg)	0.96	0.57	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	0.12	0.2
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	10	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	331	429	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe beverleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-e-Document.aspx attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the souts the south of the company in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.: T51910280602TY Date: SEP 20, 2019 Page 10 of 12

Test Item(s)			Resu	MDL	Permissible Limit	
Specimen No.			15	16		
Mass of trace amount		(mg)	46.2	71.6		
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	5	17
Soluble Chromium ⁺	(Cr)	(mg/kg)	0.86	0.84	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	0.12	0.2
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	10	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	662	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	68	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is a drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.: T51910280602TY Date: SEP 20, 2019 Page 11 of 12

Specimen Description:

- 1. Orange coating on wood (Fruit)
- 2. Red w/ white coating on wood (Fruit)
- 3. Brown hardboard (Fruit, cup, body)
- 4. Cream wood (Body)
- 5. White hook and loop fastener (Fruit)
- 6. Translucent white dry glue (Fruit, body)
- 7. Transparent lacquer on wood (Body)
- 8. Cream plywood (Base)
- 9. Light green w/ white coating on wood (Body, cup)
- 10. Dull yellow w/ white coating on wood (Fruit)
- 11. Pink w/ white coating on wood (Fruit)
- 12. Dark grey w/ white coating on wood (Base, knife)
- 13. Cream w/ white coating on wood (Body, cup)
- 14. Grass-green w/ white coating on wood (Fruit)
- 15. Dull green coating on wood (Fruit)
- 16. Rose-red coating on wood (Fruit)

Note: - mg/kg = milligram per kilogram

- mg = milligram
- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit
- 1% = 10000 mg/kg = 10000 ppm
- + Soluble Chromium is not restricted by EN 71-3:2013 + A3:2018, results shown only for reference
- As received, test portion of black coating on wood (Fruit) is(are) less than 10 mg, therefore such component(s) was(were) not tested for migration of certain elements, as specified in EN 71-3:2013 + A3:2018.
- N.B.: Only applicable clauses were shown.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.aspx.and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/ferms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content on appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention:*Cence the authorities of testing report acceptance of the such pages (pages of the pages contact) and the such pages (pages of the pages contact).



Test Report No.: T51910280602TY Date: SEP 20, 2019 Page 12 of 12

Sample Photo:



SGS authenticate the photo on original report only

*** End of Report ***

